
ACME

ACME STAGE PAR 600 ZOOM IP(MP-600Z IP)



Manufacturer	**ACME**
Type	**PAR**
DMX modes	**3**
DMX footprint	**5, 7, 9 channels**
Beam angle	**6-40°**
Size (W × H × D)	**400 × 370 × 320 mm**
GDTF fixture type	**81C7AA5F-B6D0-4E08-B060-81…**

Controls

Zoom · Extra LED colours · RGB colour mixing · Colour wheel · Dimmer

DMX modes

Mode 3 5 DMX	5 ch
Mode 2 7 DMX	7 ch
Mode 1 9 DMX	9 ch

Mode 3 5 DMX

5 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	0	
5	Zoom	128	

Mode 2 7 DMX

7 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Shutter1Strobe	0	0–14 Open1 15–41 max Strobe 42–42 min Strobe 43–69 max Pulse 70–70 min Pulse 71–77 max Strobe Ran 78–78 min Strobe Ran 79–105 max Burst 106–106 min Burst 107–113 max RanPulse 114–114 min RanPulse 115–141 max Burst Pulse 142–142 min Burst Pulse 143–149 max Ran Burst 150–150 min Ran Burst 151–177 max Pulse Open 178–178 min Pulse Open 179–185 max Ran Open 186–186 min Ran Open 187–213 max Pulse Close 214–214 min Pulse Close 215–221 max Ran Close 222–222 min Ran Close 223–249 max Rnd Open 250–250 min Rnd Open 251–255 Open 2
3	Red	255	
4	Green	255	
5	Blue	255	
6	White	0	
7	Zoom	128	

Mode 1 9 DMX

9 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Dimmer Fine	0	Fine byte of Dimmer

Mode 1 9 DMX (continued)

Ch	Function	Default	DMX values
3	Shutter1Strobe	0	0–14 Open1 15–41 max Strobe 42–42 min Strobe 43–69 max Pulse 70–70 min Pulse 71–77 max Strobe Ran 78–78 min Strobe Ran 79–105 max Burst 106–106 min Burst 107–113 max RanPulse 114–114 min RanPulse 115–141 max Burst Pulse 142–142 min Burst Pulse 143–149 max Ran Burst 150–150 min Ran Burst 151–177 max Pulse Open 178–178 min Pulse Open 179–185 max Ran Open 186–186 min Ran Open 187–213 max Pulse Close 214–214 min Pulse Close 215–221 max Ran Close 222–222 min Ran Close 223–249 max Rnd Open 250–250 min Rnd Open 251–255 Open 2
4	Red	255	
5	Green	255	
6	Blue	255	
7	White	0	

Mode 1 9 DMX (continued)

Ch	Function	Default	DMX values
8	Color Wheel	0	0–9 Open (wheel slot 1) 10–14 Color 1 (wheel slot 2) 15–19 Color 2 (wheel slot 3) 20–24 Color 3 (wheel slot 4) 25–29 Color 4 (wheel slot 5) 30–34 Color 5 (wheel slot 6) 35–39 Color 6 (wheel slot 7) 40–44 Color 7 (wheel slot 8) 45–49 Color 8 (wheel slot 9) 50–54 Color 9 (wheel slot 10) 55–59 Color 10 (wheel slot 11) 60–64 Color 11 (wheel slot 12) 65–69 Color 12 (wheel slot 13) 70–74 Color 13 (wheel slot 14) 75–79 Color 14 (wheel slot 15) 80–84 Color 15 (wheel slot 16) 85–89 Color 16 (wheel slot 17) 90–94 Color 17 (wheel slot 18) 95–99 Color 18 (wheel slot 19) 100–104 Color 19 (wheel slot 20) 105–109 Color 20 (wheel slot 21) 110–114 Color 21 (wheel slot 22) 115–119 Color 22 (wheel slot 23) 120–124 Color 23 (wheel slot 24) 125–129 Color 24 (wheel slot 25) 130–134 Color 25 (wheel slot 26) 135–139 Color 26 (wheel slot 27) 140–144 Color 27 (wheel slot 28) 145–149 Color 28 (wheel slot 29) 150–154 Color 29 (wheel slot 30) 155–159 Color 30 (wheel slot 31) 160–164 Color 31 (wheel slot 32) 165–169 Color 32 (wheel slot 33) 170–174 Color 33 (wheel slot 34) 175–179 3200k (wheel slot 35) 180–201 4000k (wheel slot 36) 202–207 6000k (wheel slot 37) 208–229 8000k (wheel slot 38) 230–234 10000k (wheel slot 39) 235–239 Fast 240–244 Medium 245–249 Slow 250–255 Open2
9	Zoom	128	