
Anolis

Ambiane HP111 Surface Mount Tilt



Manufacturer	**Anolis**
Type	**Moving head**
DMX modes	**5**
DMX footprint	**3, 4, 6, 12 channels**
Beam angle	**20-80°**
Tilt range	**80°**
Size (W × H × D)	**129 × 317 × 129 mm**
GDTF fixture type	**81C2EAB9-C4ED-42E5-B5DC-0E…**

Controls

Extra LED colours · RGB colour mixing · Colour temperature · Dimmer

DMX modes

Mode 2 RGB 8 bit	3 ch
Mode 4 White full control	3 ch
Mode 1 RGBW 8bit	4 ch
Mode 5 Reduced RGBW	6 ch
Mode 3 full RGBW	12 ch

Mode 2 RGB 8 bit

3 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	

Mode 4 White full control

3 channels

Ch	Function	Default	DMX values
1	Tint	128	0–0 Uncorrected white 1–127 Minus green - > Uncorrected white 128–128 Uncorrected white 129–255 Uncorrected white - > Plus green
2	C TO	0	0–0 No function 1–10 Tungsten dimming 2700K 11–20 Tungsten dimming 3200K 21–65 1800K 66–90 2700K 91–140 3200K 141–210 4200K 211–254 5600K 255–255 6500K
3	Dimmer	0	0–254 Closed 255–255 Open

Mode 1 RGBW 8bit

4 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	

Mode 5 Reduced RGBW

6 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	
5	Dimmer	0	0–254 Closed 255–255 Open
6	Dimmer Fine	0	Fine byte of Dimmer

Mode 3 full RGBW

12 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Red Fine	255	Fine byte of Red
3	Green	255	
4	Green Fine	255	Fine byte of Green
5	Blue	255	

Mode 3 full RGBW (continued)

Ch	Function	Default	DMX values
6	Blue Fine	255	Fine byte of Blue
7	White	255	
8	White Fine	255	Fine byte of White
9	Tint	128	0–0 Uncorrected white 1–127 Minus green - > Uncorrected white 128–128 Uncorrected white 129–255 Uncorrected white - > Plus green
10	C TO	0	0–0 No function 1–10 Tungsten dimming 2700K 11–20 Tungsten dimming 3200K 21–65 1800K 66–90 2700K 91–140 3200K 141–210 4200K 211–254 5600K 255–255 6500K
11	Dimmer	0	0–254 Closed 255–255 Open
12	Dimmer Fine	0	Fine byte of Dimmer