
AVTECH

LASERARRAY6RGB



Manufacturer	**AVTECH**
Type	**Laser**
DMX modes	**1**
DMX footprint	**42 channels**
Pan range	**230°**
Tilt range	**140°**
Heads / cells	**6**
Size (W × H × D)	**840 × 140 × 90 mm**
GDTF fixture type	**9FB926A4-0EAC-4111-B935-58…**

Controls

Strobe · Pixel control · Pan and tilt

Safety-relevant functions

Laser output · Fixture reset · Built-in effect programmes

DMX modes

Extended 42 ch

Extended

42 channels

Ch	Function	Default	DMX values
1	Control1	0	0–7 Motor controllable 8–255 Onn
2	Shutter / Strobe	0	
3	Position Effect	0	0–7 Invalid 8–247 Macros 248–255 Sound Trigger
4	Position Effect Rate	0	
5	Effect	0	0–14 Invalid 15–255 Color chase
6	Animation Wheel1Select Effects	0	
7	Pan	128	
8	Pan Fine	128	Fine byte of Pan
9	Tilt	0	
10	Tilt Fine	0	Fine byte of Tilt
11	Tilt Rotate	0	
12	Tilt	128	
13	Tilt Fine	128	Fine byte of Tilt
14	Red	0	
15	Green	0	
16	Blue	0	
17	Tilt	128	
18	Tilt Fine	128	Fine byte of Tilt
19	Red	0	
20	Green	0	
21	Blue	0	
22	Tilt	128	
23	Tilt Fine	128	Fine byte of Tilt
24	Red	0	
25	Green	0	
26	Blue	0	
27	Tilt	128	
28	Tilt Fine	128	Fine byte of Tilt
29	Red	0	
30	Green	0	
31	Blue	0	
32	Tilt	128	
33	Tilt Fine	128	Fine byte of Tilt
34	Red	0	
35	Green	0	
36	Blue	0	
37	Tilt	128	
38	Tilt Fine	128	Fine byte of Tilt
39	Red	0	
40	Green	0	
41	Blue	0	

Extended (continued)

Ch	Function	Default	DMX values
42	Fixture Global Reset	0	0–128 Invalid 129–255 Motor Reset