
BeamZ Pro

BWA 534 RGBcWwWuV IP65



Manufacturer	**BeamZ Pro**
Type	**Effect light**
DMX modes	**4**
DMX footprint	**3, 5, 6, 12 channels**
Beam angle	**25°**
Size (W × H × D)	**220 × 200 × 220 mm**
GDTF fixture type	**DB4C5AB9-9AEC-4F60-8BDF-6F…**

Controls

Extra LED colours · RGB colour mixing · Colour temperature · Colour wheel · Effect speed · Dimmer

Safety-relevant functions

Built-in effect programmes

DMX modes

3 Channels	3 ch
5 Channels	5 ch
6 Channels	6 ch
10 Channels	12 ch

3 Channels

3 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	

5 Channels

5 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Strobe Mode Strobe	0	
3	Color Macro1	0	1–9 No Function 10–19 Red 20–29 Green 30–39 Blue 40–49 White 50–59 Amber 60–69 UV 70–79 Yellow 80–89 Magenta 90–99 Cyan 100–109 Dark Orange 110–119 Green Yellow 120–129 Salmon 130–139 Turquoise 140–149 Light Green 150–159 Orange 160–169 Straw 170–179 Lavender 180–189 Light Blue 190–199 Dark blue 200–209 Pink 210–255 Full On
4	Effect	0	1–9 No function 10–34 Auto Program 1 35–59 Auto Program 2 60–84 Auto Program 3 85–109 Auto Program 4 110–134 Auto Program 5 135–159 Auto Program 6 160–184 Auto Program 7 185–209 Auto Program 8 210–255 Auto Program 9
5	Effect Speed	0	

6 Channels

6 channels

Ch	Function	Default	DMX values
1	Red	0	
2	Green	0	
3	Blue	0	
4	White	0	
5	Color Add WW	0	
6	UV	0	

10 Channels

12 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Strobe Mode Strobe	0	
3	Red	0	
4	Green	0	
5	Blue	0	
6	Color Add CW	0	
7	Color Add WW	0	
8	UV	0	
9	Color Macro1	0	1–9 No Function 10–19 Red 20–29 Green 30–39 Blue 40–49 White 50–59 Amber 60–69 UV 70–79 Yellow 80–89 Magenta 90–99 Cyan 100–109 Dark Orange 110–119 Green Yellow 120–129 Salmon 130–139 Turquoise 140–149 Light Green 150–159 Orange 160–169 Straw 170–179 Lavender 180–189 Light Blue 190–199 Dark blue 200–209 Pink 210–255 Full On
10	Effect	0	1–9 No function 10–34 Auto Program 1 35–59 Auto Program 2 60–84 Auto Program 3 85–109 Auto Program 4 110–134 Auto Program 5 135–159 Auto Program 6 160–184 Auto Program 7 185–209 Auto Program 8 210–255 Auto Program 9
11	Effect Speed	0	
12	C TC	0	1–9 No Function 10–49 White 2700K 50–89 White 3200K 90–129 White 4300K 130–169 White 5600K 170–209 White 6500K 210–255 White 8000K