China

Beam Moving Head 230



Manufacturer	**China**
Type	**Moving head**
DMX modes	**3**
DMX footprint	**16 channels**
Beam angle	**5°**
Pan range	**540°**
Tilt range	**270°**
Size (W × H × D)	**240 × 450 × 220 mm**
GDTF fixture type	**F6A42BA3-91AC-4F25-8070-86…**

Controls

Focus · Frost · Prism · Prism rotation · Colour wheel · Dimmer · Pan and tilt · Movement speed · Gobos

Safety-relevant functions

Strobe

DMX modes

16ch - P/T Speed Ch 15	16 ch
16ch - P/T Speed Ch 5	16 ch
16ch - P/T Speed Ch 5 - Variant 2	16 ch

16ch - P/T Speed Ch 15

16 channels

Ch	Function	Default	DMX values
1	Pan	127	
2	Tilt	127	
3	Pan Fine	255	Fine byte of Pan
4	Tilt Fine	255	Fine byte of Tilt
5	Dimmer	0	0–254 Closed 255–255 Open
6	Shutter / Strobe	0	
7	Frost1	0	
8	Focus	0	
9	Gobo	0	
10	Gobo1Wheel Shake	0	
11	Color Wheel	0	
12	Color Wheel 2	0	
13	Prism	0	
14	Prism Rotation	0	
15	Position MSpeed	0	
16	Control1	0	

16ch - P/T Speed Ch 5

16 channels

Ch	Function	Default	DMX values
1	Pan	127	
2	Tilt	127	
3	Pan Fine	255	Fine byte of Pan
4	Tilt Fine	255	Fine byte of Tilt
5	Position MSpeed	0	
6	Frost1	0	
7	Shutter / Strobe	0	
8	Dimmer	0	0–254 Closed 255–255 Open
9	Color Wheel	0	
10	Color Wheel 2	0	
11	Gobo	0	
12	Gobo1Wheel Shake	0	
13	Focus	0	
14	Prism	0	
15	Prism Rotation	0	
16	Control1	0	

16ch - P/T Speed Ch 5 - Variant 2

16 channels

Ch	Function	Default	DMX values
1	Pan	127	
2	Tilt	127	
3	Pan Fine	255	Fine byte of Pan
4	Tilt Fine	255	Fine byte of Tilt

16ch - P/T Speed Ch 5 - Variant 2 (continued)

Ch	Function	Default	DMX values
5	Position MSpeed	0	
6	Dimmer	0	0–254 Closed 255–255 Open
7	Shutter / Strobe	255	
8	Frost1	0	
9	Color Wheel	0	
10	Color Wheel 2	0	
11	Gobo	0	
12	Gobo1Wheel Shake	0	
13	Prism	0	
14	Prism Rotation	0	
15	Focus	0	
16	Control1	0	