China

SunProBeam 7R



Manufacturer	**China**
Type	**Moving head**
DMX modes	**2**
DMX footprint	**16, 20 channels**
Beam angle	**5°**
Pan range	**540°**
Tilt range	**270°**
Size (W × H × D)	**240 × 450 × 220 mm**
GDTF fixture type	**80785156-5A98-4740-8951-5C6…**

Controls

Focus · Frost · Prism · Prism rotation · Colour wheel · Dimmer · Pan and tilt · Movement speed · Gobos

Safety-relevant functions

Fixture reset · Strobe

DMX modes

16ch - P/T Speed Ch 15	16 ch
16ch - P/T Speed Ch 5	20 ch

16ch - P/T Speed Ch 15

16 channels

Ch	Function	Default	DMX values
1	Pan	127	
2	Tilt	127	
3	Pan Fine	255	Fine byte of Pan
4	Tilt Fine	255	Fine byte of Tilt
5	Dimmer	0	0–254 Closed 255–255 Open
6	Shutter / Strobe	0	
7	Frost1	0	
8	Focus	0	
9	Gobo	0	
10	Gobo1Wheel Shake	0	
11	Color Wheel	0	
12	Color Wheel 2	0	
13	Prism	0	
14	Prism Rotation	0	
15	Position MSpeed	0	
16	Control1	0	

16ch - P/T Speed Ch 5

20 channels

Ch	Function	Default	DMX values
1	Color Wheel	0	0–4 Color1 1 5–9 Color1 2 10–13 Color1 3 14–18 Color1 4 19–22 Color1 5 23–27 Color1 6 28–31 Color1 7 32–36 Color1 8 37–40 Color1 9 41–45 Color1 10 46–49 Color1 11 50–54 Color1 12 55–58 Color1 13 59–63 Color1 14 64–68 Color1 15 69–72 Color1 16 73–77 Color1 17 78–81 Color1 18 82–86 Color1 19 87–90 Color1 20 91–95 Color1 21 96–99 Color1 22 100–104 Color1 23 105–108 Color1 24 109–113 Color1 25 114–117 Color1 26 118–122 Color1 27 123–127 Color1 28 128–255 Color1 29
2	Shutter / Strobe	0	
3	Dimmer	0	0–254 Closed 255–255 Open
4	Gobo	0	

16ch - P/T Speed Ch 5 (continued)

Ch	Function	Default	DMX values
5	Prism	0	
6	Prism Rotation	0	
7	Reserved 7	0	
8	Frost1	0	
9	Focus	0	
10	Pan	127	
11	Pan Fine	255	Fine byte of Pan
12	Tilt	127	
13	Tilt Fine	255	Fine byte of Tilt
14	Function	0	
15	Fixture Global Reset	0	
16	Lamp Control	0	
17	Position MSpeed	0	
18	Color Wheel Select MSpeed	0	
19	Reserved 19	0	
20	Gobo Wheel1MSpeed	0	