
CKC Lighting

Evo Linebar 72



Manufacturer	**CKC Lighting**
Type	**Effect light**
DMX modes	**11**
DMX footprint	**1, 10, 16, 17, 22, 48, 72, 96, 132, 252 channels**
Beam angle	**83°**
Size (W × H × D)	**1121 × 103 × 180 mm**
GDTF fixture type	**08ABDEA4-27C8-4772-A2BA-2…**

Controls

Extra LED colours · RGB colour mixing · Colour temperature · Colour wheel · Effect speed · Strobe · Dimmer · Pixel control

Safety-relevant functions

Strobe · Built-in effect programmes

DMX modes

Dimmer 1CH	1 ch
HSIC 10CH	10 ch
XY Extended 16CH	16 ch
Standard 17CH	17 ch
Extended 22CH	22 ch
HSI 12Cell 48CH	48 ch
Standard 12Cell 72CH	72 ch
HSI 24Cell 96CH	96 ch
Extended 12Cell 132CH	132 ch
Standard 24Cell 132CH	132 ch
Extended 24Cell 252CH	252 ch

Dimmer 1CH

1 channel

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open

HSIC 10CH

10 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Dimmer Fine	0	Fine byte of Dimmer
3	Shutter / Strobe	50	0–31 Closed 32–63 Open 64–94 Strobe Min 95–95 Strobe Max 96–127 Open2 128–158 Min Pulse 159–159 Max Pulse 160–191 Open3 192–222 Min Random 223–223 Max Random 224–255 Open4
4	H SBHue	0	
5	H SBHue Fine	0	Fine byte of H SBHue
6	H SBSaturation	0	
7	C TO	0	0–23 Open 24–24 2400K 25–31 2500K-3100K 32–32 3200K 33–44 3300K-4400K 45–45 4500K 46–55 4600K-5500K 56–56 5600K 57–64 5700K-6400K 65–65 6500K 66–84 6600K-8400K 85–255 8500K
8	Tint	128	0–0 Idle 1–127 Full Minus Green to Neutral 128–128 Neutral White 129–255 Neutral to Full Plus Green
9	Crossfade	255	

HSIC 10CH (continued)

Ch	Function	Default	DMX values
10	Control1	0	0–15 Idle 16–20 Fan Mode Auto (Default) 21–25 Fan Mode Mute 26–30 Fan Mode Silent 31–35 Fan Mode High 36–40 Linear 41–45 Square(default) 46–50 Inverse Square 51–55 S-Curve 56–60 1200 Hz 61–65 3600 Hz 66–70 5000 Hz 71–75 10KHz 76–80 15KHz (Default) 81–85 20K Hz 86–90 25K Hz 91–95 Flip ON 96–100 Flip OFF 101–105 DTW On 106–110 DTW Off(Default) 111–115 Highest Fidelity (Default) 116–120 Highest Output 121–130 Bright(Default) 131–140 Uniform 141–255 Idle

XY Extended 16CH

16 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Dimmer Fine	0	Fine byte of Dimmer
3	Shutter / Strobe	50	0–31 Closed 32–63 Open 64–94 Strobe Min 95–95 Strobe Max 96–127 Open2 128–158 Min Pulse 159–159 Max Pulse 160–191 Open3 192–222 Min Random 223–223 Max Random 224–255 Open4
4	C IEX	0	
5	C IEX Fine	0	Fine byte of C IEX
6	C IEY	0	
7	C IEY Fine	0	Fine byte of C IEY
8	C TO	0	0–23 Open 24–24 2400K 25–31 2500K-3100K 32–32 3200K 33–44 3300K-4400K 45–45 4500K 46–55 4600K-5500K 56–56 5600K 57–64 5700K-6400K 65–65 6500K 66–84 6600K-8400K 85–255 8500K

XY Extended 16CH (continued)

Ch	Function	Default	DMX values
9	Tint	128	0–0 Idle 1–127 Full Minus Green to Neutral 128–128 Neutral White 129–255 Neutral to Full Plus Green
10	Crossfade	255	

XY Extended 16CH (continued)

Ch	Function	Default	DMX values
11	Color Wheel	0	0–0 open (wheel slot 61) 1–1 pale yellow (wheel slot 1) 2–2 straw (wheel slot 2) 3–3 gold tint (wheel slot 3) 4–4 spring yellow (wheel slot 4) 5–5 medium yellow (wheel slot 5) 6–6 yellow (wheel slot 6) 7–7 deep amber (wheel slot 7) 8–8 deep straw (wheel slot 8) 9–9 loving amber (wheel slot 9) 10–10 gold amber (wheel slot 10) 11–11 orange (wheel slot 11) 12–12 deep orange (wheel slot 12) 13–13 dark amber (wheel slot 13) 14–14 millenium gold (wheel slot 14) 15–15 deep golden amber (wheel slot 15) 16–16 scarlet (wheel slot 16) 17–17 primary red (wheel slot 17) 18–18 bright red (wheel slot 18) 19–19 medium red (wheel slot 19) 20–20 fire (wheel slot 20) 21–21 pink (wheel slot 21) 22–22 medium pink (wheel slot 22) 23–23 dark pink (wheel slot 23) 24–24 bright pink (wheel slot 24) 25–25 bright rose (wheel slot 25) 26–26 special rose pink (wheel slot 26) 27–27 vanity fair (wheel slot 27) 28–28 magenta (wheel slot 28) 29–29 dark magenta (wheel slot 29) 30–30 rose purple (wheel slot 30) 31–31 mauve (wheel slot 31) 32–32 medium purple (wheel slot 32) 33–33 lavender (wheel slot 33) 34–34 palace blue (wheel slot 34) 35–35 dark blue (wheel slot 35) 36–36 medium blue (wheel slot 36) 37–37 deep blue (wheel slot 37) 38–38 daylight blue (wheel slot 38) 39–39 slate blue (wheel slot 39) 40–40 light blue (wheel slot 40) 41–41 sky blue (wheel slot 41) 42–42 pale navy blue (wheel slot 42) 43–43 marine blue (wheel slot 43) 44–44 peacock blue (wheel slot 44) 45–45 lagoon blue (wheel slot 45) 46–46 medium blue green (wheel slot 46) 47–47 dark yellow green (wheel slot 47) 48–48 primary green (wheel slot 48) 49–49 fern green (wheel slot 49) 50–50 moss green (wheel slot 50) 51–51 dark green (wheel slot 51) 52–52 lime green (wheel slot 52) 53–53 pale green (wheel slot 53) 54–54 Quarter CT Blue (wheel slot 54) 55–55 Half CT Blue (wheel slot 55) 56–56 FULL CT Blue (wheel slot 56) 57–57 double CT Blue (wheel slot 57) 58–58 Quarter CT Orange (wheel slot 58) 59–59 Half CT Orange (wheel slot 59) 60–60 FULL CT Orange (wheel slot 60) 61–179 No function (wheel slot 61) 180–201 Fast to slow CW 202–207 Stop

XY Extended 16CH (continued)

Ch	Function	Default	DMX values
12	Effect	0	0–14 No Function 15–30 Auto program1 31–46 Auto program2 47–62 Auto program3 63–78 Auto program4 79–94 Auto program5 95–110 Auto program6 111–126 Auto program7 127–142 Auto program8 143–158 Auto program9 159–174 Auto program10 175–190 Auto program11 191–206 Auto program12 207–222 Auto program13 223–238 Auto program14 239–255 Auto program15
13	Effect Speed	0	
14	Effects1Fade	0	
15	Dimmer Mode	0	0–20 Standard 21–40 Stage 41–60 TV 61–80 Architectural 81–100 Theatre 101–255 Default to Unit Setting
16	Control1	0	0–15 Idle 16–20 Fan Mode Auto (Default) 21–25 Fan Mode Mute 26–30 Fan Mode Silent 31–35 Fan Mode High 36–40 Linear 41–45 Square(default) 46–50 Inverse Square 51–55 S-Curve 56–60 1200 Hz 61–65 3600 Hz 66–70 5000 Hz 71–75 10KHz 76–80 15KHz (Default) 81–85 20K Hz 86–90 25K Hz 91–95 Flip ON 96–100 Flip OFF 101–105 DTW On 106–110 DTW Off(Default) 111–115 Highest Fidelity (Default) 116–120 Highest Output 121–130 Bright(Default) 131–140 Uniform 141–255 Idle

Standard 17CH

17 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Dimmer Fine	0	Fine byte of Dimmer

Standard 17CH (continued)

Ch	Function	Default	DMX values
3	Shutter / Strobe	50	0–31 Closed 32–63 Open 64–94 Strobe Min 95–95 Strobe Max 96–127 Open2 128–158 Min Pulse 159–159 Max Pulse 160–191 Open3 192–222 Min Random 223–223 Max Random 224–255 Open4
4	Red	255	
5	Green	255	
6	Blue	255	
7	Color Add GY	255	
8	Color Add RY	255	
9	C TO	0	0–23 Open 24–24 2400K 25–31 2500K-3100K 32–32 3200K 33–44 3300K-4400K 45–45 4500K 46–55 4600K-5500K 56–56 5600K 57–64 5700K-6400K 65–65 6500K 66–84 6600K-8400K 85–255 8500K
10	Tint	128	0–0 Idle 1–127 Full Minus Green to Neutral 128–128 Neutral White 129–255 Neutral to Full Plus Green
11	Crossfade	255	

Standard 17CH (continued)

Ch	Function	Default	DMX values
12	Color Wheel	0	0–0 open (wheel slot 61) 1–1 pale yellow (wheel slot 1) 2–2 straw (wheel slot 2) 3–3 gold tint (wheel slot 3) 4–4 spring yellow (wheel slot 4) 5–5 medium yellow (wheel slot 5) 6–6 yellow (wheel slot 6) 7–7 deep amber (wheel slot 7) 8–8 deep straw (wheel slot 8) 9–9 loving amber (wheel slot 9) 10–10 gold amber (wheel slot 10) 11–11 orange (wheel slot 11) 12–12 deep orange (wheel slot 12) 13–13 dark amber (wheel slot 13) 14–14 millenium gold (wheel slot 14) 15–15 deep golden amber (wheel slot 15) 16–16 scarlet (wheel slot 16) 17–17 primary red (wheel slot 17) 18–18 bright red (wheel slot 18) 19–19 medium red (wheel slot 19) 20–20 fire (wheel slot 20) 21–21 pink (wheel slot 21) 22–22 medium pink (wheel slot 22) 23–23 dark pink (wheel slot 23) 24–24 bright pink (wheel slot 24) 25–25 bright rose (wheel slot 25) 26–26 special rose pink (wheel slot 26) 27–27 vanity fair (wheel slot 27) 28–28 magenta (wheel slot 28) 29–29 dark magenta (wheel slot 29) 30–30 rose purple (wheel slot 30) 31–31 mauve (wheel slot 31) 32–32 medium purple (wheel slot 32) 33–33 lavender (wheel slot 33) 34–34 palace blue (wheel slot 34) 35–35 dark blue (wheel slot 35) 36–36 medium blue (wheel slot 36) 37–37 deep blue (wheel slot 37) 38–38 daylight blue (wheel slot 38) 39–39 slate blue (wheel slot 39) 40–40 light blue (wheel slot 40) 41–41 sky blue (wheel slot 41) 42–42 pale navy blue (wheel slot 42) 43–43 marine blue (wheel slot 43) 44–44 peacock blue (wheel slot 44) 45–45 lagoon blue (wheel slot 45) 46–46 medium blue green (wheel slot 46) 47–47 dark yellow green (wheel slot 47) 48–48 primary green (wheel slot 48) 49–49 fern green (wheel slot 49) 50–50 moss green (wheel slot 50) 51–51 dark green (wheel slot 51) 52–52 lime green (wheel slot 52) 53–53 pale green (wheel slot 53) 54–54 Quarter CT Blue (wheel slot 54) 55–55 Half CT Blue (wheel slot 55) 56–56 FULL CT Blue (wheel slot 56) 57–57 double CT Blue (wheel slot 57) 58–58 Quarter CT Orange (wheel slot 58) 59–59 Half CT Orange (wheel slot 59) 60–60 FULL CT Orange (wheel slot 60) 61–179 No function (wheel slot 61) 180–201 Fast to slow CW 202–207 Stop

Standard 17CH (continued)

Ch	Function	Default	DMX values
13	Effect	0	0–14 No Function 15–30 Auto program1 31–46 Auto program2 47–62 Auto program3 63–78 Auto program4 79–94 Auto program5 95–110 Auto program6 111–126 Auto program7 127–142 Auto program8 143–158 Auto program9 159–174 Auto program10 175–190 Auto program11 191–206 Auto program12 207–222 Auto program13 223–238 Auto program14 239–255 Auto program15
14	Effect Speed	0	
15	Effects1Fade	0	
16	Dimmer Mode	0	0–20 Standard 21–40 Stage 41–60 TV 61–80 Architectural 81–100 Theatre 101–255 Default to Unit Setting
17	Control1	0	0–15 Idle 16–20 Fan Mode Auto (Default) 21–25 Fan Mode Mute 26–30 Fan Mode Silent 31–35 Fan Mode High 36–40 Linear 41–45 Square(default) 46–50 Inverse Square 51–55 S-Curve 56–60 1200 Hz 61–65 3600 Hz 66–70 5000 Hz 71–75 10KHz 76–80 15KHz (Default) 81–85 20K Hz 86–90 25K Hz 91–95 Flip ON 96–100 Flip OFF 101–105 DTW On 106–110 DTW Off(Default) 111–115 Highest Fidelity (Default) 116–120 Highest Output 121–130 Bright(Default) 131–140 Uniform 141–255 Idle

Extended 22CH

22 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Dimmer Fine	0	Fine byte of Dimmer

Extended 22CH (continued)

Ch	Function	Default	DMX values
3	Shutter / Strobe	50	0–31 Closed 32–63 Open 64–94 Strobe Min 95–95 Strobe Max 96–127 Open2 128–158 Min Pulse 159–159 Max Pulse 160–191 Open3 192–222 Min Random 223–223 Max Random 224–255 Open4
4	Red	255	
5	Red Fine	255	Fine byte of Red
6	Green	255	
7	Green Fine	255	Fine byte of Green
8	Blue	255	
9	Blue Fine	255	Fine byte of Blue
10	Color Add GY	255	
11	Color Add GY Fine	255	Fine byte of Color Add GY
12	Color Add RY	255	
13	Color Add RY Fine	255	Fine byte of Color Add RY
14	C TO	0	0–23 Open 24–24 2400K 25–31 2500K-3100K 32–32 3200K 33–44 3300K-4400K 45–45 4500K 46–55 4600K-5500K 56–56 5600K 57–64 5700K-6400K 65–65 6500K 66–84 6600K-8400K 85–255 8500K
15	Tint	128	0–0 Idle 1–127 Full Minus Green to Neutral 128–128 Neutral White 129–255 Neutral to Full Plus Green
16	Crossfade	255	

Extended 22CH (continued)

Ch	Function	Default	DMX values
17	Color Wheel	0	0–0 open (wheel slot 61) 1–1 pale yellow (wheel slot 1) 2–2 straw (wheel slot 2) 3–3 gold tint (wheel slot 3) 4–4 spring yellow (wheel slot 4) 5–5 medium yellow (wheel slot 5) 6–6 yellow (wheel slot 6) 7–7 deep amber (wheel slot 7) 8–8 deep straw (wheel slot 8) 9–9 loving amber (wheel slot 9) 10–10 gold amber (wheel slot 10) 11–11 orange (wheel slot 11) 12–12 deep orange (wheel slot 12) 13–13 dark amber (wheel slot 13) 14–14 millenium gold (wheel slot 14) 15–15 deep golden amber (wheel slot 15) 16–16 scarlet (wheel slot 16) 17–17 primary red (wheel slot 17) 18–18 bright red (wheel slot 18) 19–19 medium red (wheel slot 19) 20–20 fire (wheel slot 20) 21–21 pink (wheel slot 21) 22–22 medium pink (wheel slot 22) 23–23 dark pink (wheel slot 23) 24–24 bright pink (wheel slot 24) 25–25 bright rose (wheel slot 25) 26–26 special rose pink (wheel slot 26) 27–27 vanity fair (wheel slot 27) 28–28 magenta (wheel slot 28) 29–29 dark magenta (wheel slot 29) 30–30 rose purple (wheel slot 30) 31–31 mauve (wheel slot 31) 32–32 medium purple (wheel slot 32) 33–33 lavender (wheel slot 33) 34–34 palace blue (wheel slot 34) 35–35 dark blue (wheel slot 35) 36–36 medium blue (wheel slot 36) 37–37 deep blue (wheel slot 37) 38–38 daylight blue (wheel slot 38) 39–39 slate blue (wheel slot 39) 40–40 light blue (wheel slot 40) 41–41 sky blue (wheel slot 41) 42–42 pale navy blue (wheel slot 42) 43–43 marine blue (wheel slot 43) 44–44 peacock blue (wheel slot 44) 45–45 lagoon blue (wheel slot 45) 46–46 medium blue green (wheel slot 46) 47–47 dark yellow green (wheel slot 47) 48–48 primary green (wheel slot 48) 49–49 fern green (wheel slot 49) 50–50 moss green (wheel slot 50) 51–51 dark green (wheel slot 51) 52–52 lime green (wheel slot 52) 53–53 pale green (wheel slot 53) 54–54 Quarter CT Blue (wheel slot 54) 55–55 Half CT Blue (wheel slot 55) 56–56 FULL CT Blue (wheel slot 56) 57–57 double CT Blue (wheel slot 57) 58–58 Quarter CT Orange (wheel slot 58) 59–59 Half CT Orange (wheel slot 59) 60–60 FULL CT Orange (wheel slot 60) 61–179 No function (wheel slot 61) 180–201 Fast to slow CW 202–207 Stop

Extended 22CH (continued)

Ch	Function	Default	DMX values
18	Effect	0	0–14 No Function 15–30 Auto program1 31–46 Auto program2 47–62 Auto program3 63–78 Auto program4 79–94 Auto program5 95–110 Auto program6 111–126 Auto program7 127–142 Auto program8 143–158 Auto program9 159–174 Auto program10 175–190 Auto program11 191–206 Auto program12 207–222 Auto program13 223–238 Auto program14 239–255 Auto program15
19	Effect Speed	0	
20	Effects1Fade	0	
21	Dimmer Mode	0	0–20 Standard 21–40 Stage 41–60 TV 61–80 Architectural 81–100 Theatre 101–255 Default to Unit Setting
22	Control1	0	0–15 Idle 16–20 Fan Mode Auto (Default) 21–25 Fan Mode Mute 26–30 Fan Mode Silent 31–35 Fan Mode High 36–40 Linear 41–45 Square(default) 46–50 Inverse Square 51–55 S-Curve 56–60 1200 Hz 61–65 3600 Hz 66–70 5000 Hz 71–75 10KHz 76–80 15KHz (Default) 81–85 20K Hz 86–90 25K Hz 91–95 Flip ON 96–100 Flip OFF 101–105 DTW On 106–110 DTW Off(Default) 111–115 Highest Fidelity (Default) 116–120 Highest Output 121–130 Bright(Default) 131–140 Uniform 141–255 Idle

HSI 12Cell 48CH

48 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Dimmer Fine	0	Fine byte of Dimmer
3	H SBHue	0	
4	H SBSaturation	0	
5	Dimmer	0	

HSI 12Cell 48CH (continued)

Ch	Function	Default	DMX values
6	Dimmer Fine	0	Fine byte of Dimmer
7	H SBHue	0	
8	H SBSaturation	0	
9	Dimmer	0	
10	Dimmer Fine	0	Fine byte of Dimmer
11	H SBHue	0	
12	H SBSaturation	0	
13	Dimmer	0	
14	Dimmer Fine	0	Fine byte of Dimmer
15	H SBHue	0	
16	H SBSaturation	0	
17	Dimmer	0	
18	Dimmer Fine	0	Fine byte of Dimmer
19	H SBHue	0	
20	H SBSaturation	0	
21	Dimmer	0	
22	Dimmer Fine	0	Fine byte of Dimmer
23	H SBHue	0	
24	H SBSaturation	0	
25	Dimmer	0	
26	Dimmer Fine	0	Fine byte of Dimmer
27	H SBHue	0	
28	H SBSaturation	0	
29	Dimmer	0	
30	Dimmer Fine	0	Fine byte of Dimmer
31	H SBHue	0	
32	H SBSaturation	0	
33	Dimmer	0	
34	Dimmer Fine	0	Fine byte of Dimmer
35	H SBHue	0	
36	H SBSaturation	0	
37	Dimmer	0	
38	Dimmer Fine	0	Fine byte of Dimmer
39	H SBHue	0	
40	H SBSaturation	0	
41	Dimmer	0	
42	Dimmer Fine	0	Fine byte of Dimmer
43	H SBHue	0	
44	H SBSaturation	0	
45	Dimmer	0	
46	Dimmer Fine	0	Fine byte of Dimmer
47	H SBHue	0	
48	H SBSaturation	0	

Standard 12Cell 72CH

72 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	Color Add GY	255	
5	Color Add RY	255	
6	Reserved 6	0	
7	Reserved 7	0	
8	Reserved 8	0	
9	Reserved 9	0	
10	Reserved 10	0	
11	Reserved 11	0	
12	Reserved 12	0	
13	Reserved 13	0	
14	Reserved 14	0	
15	Reserved 15	0	
16	Reserved 16	0	
17	Reserved 17	0	
18	Reserved 18	0	
19	Reserved 19	0	
20	Reserved 20	0	
21	Reserved 21	0	
22	Reserved 22	0	
23	Reserved 23	0	
24	Reserved 24	0	
25	Reserved 25	0	
26	Reserved 26	0	
27	Reserved 27	0	
28	Reserved 28	0	
29	Reserved 29	0	
30	Reserved 30	0	
31	Reserved 31	0	
32	Reserved 32	0	
33	Reserved 33	0	
34	Reserved 34	0	
35	Reserved 35	0	
36	Reserved 36	0	
37	Reserved 37	0	
38	Reserved 38	0	
39	Reserved 39	0	
40	Reserved 40	0	
41	Reserved 41	0	
42	Reserved 42	0	
43	Reserved 43	0	
44	Reserved 44	0	
45	Reserved 45	0	

Standard 12Cell 72CH (continued)

Ch	Function	Default	DMX values
46	Reserved 46	0	
47	Reserved 47	0	
48	Reserved 48	0	
49	Reserved 49	0	
50	Reserved 50	0	
51	Reserved 51	0	
52	Reserved 52	0	
53	Reserved 53	0	
54	Reserved 54	0	
55	Reserved 55	0	
56	Reserved 56	0	
57	Reserved 57	0	
58	Reserved 58	0	
59	Reserved 59	0	
60	Reserved 60	0	
61	Reserved 61	0	
62	Reserved 62	0	
63	Reserved 63	0	
64	C TO	0	
65	Tint	128	
66	Crossfade	255	

Standard 12Cell 72CH (continued)

Ch	Function	Default	DMX values
67	Color Wheel	0	0–0 open (wheel slot 61) 1–1 pale yellow (wheel slot 1) 2–2 straw (wheel slot 2) 3–3 gold tint (wheel slot 3) 4–4 spring yellow (wheel slot 4) 5–5 medium yellow (wheel slot 5) 6–6 yellow (wheel slot 6) 7–7 deep amber (wheel slot 7) 8–8 deep straw (wheel slot 8) 9–9 loving amber (wheel slot 9) 10–10 gold amber (wheel slot 10) 11–11 orange (wheel slot 11) 12–12 deep orange (wheel slot 12) 13–13 dark amber (wheel slot 13) 14–14 millenium gold (wheel slot 14) 15–15 deep golden amber (wheel slot 15) 16–16 scarlet (wheel slot 16) 17–17 primary red (wheel slot 17) 18–18 bright red (wheel slot 18) 19–19 medium red (wheel slot 19) 20–20 fire (wheel slot 20) 21–21 pink (wheel slot 21) 22–22 medium pink (wheel slot 22) 23–23 dark pink (wheel slot 23) 24–24 bright pink (wheel slot 24) 25–25 bright rose (wheel slot 25) 26–26 special rose pink (wheel slot 26) 27–27 vanity fair (wheel slot 27) 28–28 magenta (wheel slot 28) 29–29 dark magenta (wheel slot 29) 30–30 rose purple (wheel slot 30) 31–31 mauve (wheel slot 31) 32–32 medium purple (wheel slot 32) 33–33 lavender (wheel slot 33) 34–34 palace blue (wheel slot 34) 35–35 dark blue (wheel slot 35) 36–36 medium blue (wheel slot 36) 37–37 deep blue (wheel slot 37) 38–38 daylight blue (wheel slot 38) 39–39 slate blue (wheel slot 39) 40–40 light blue (wheel slot 40) 41–41 sky blue (wheel slot 41) 42–42 pale navy blue (wheel slot 42) 43–43 marine blue (wheel slot 43) 44–44 peacock blue (wheel slot 44) 45–45 lagoon blue (wheel slot 45) 46–46 medium blue green (wheel slot 46) 47–47 dark yellow green (wheel slot 47) 48–48 primary green (wheel slot 48) 49–49 fern green (wheel slot 49) 50–50 moss green (wheel slot 50) 51–51 dark green (wheel slot 51) 52–52 lime green (wheel slot 52) 53–53 pale green (wheel slot 53) 54–54 Quarter CT Blue (wheel slot 54) 55–55 Half CT Blue (wheel slot 55) 56–56 FULL CT Blue (wheel slot 56) 57–57 double CT Blue (wheel slot 57) 58–58 Quarter CT Orange (wheel slot 58) 59–59 Half CT Orange (wheel slot 59) 60–60 FULL CT Orange (wheel slot 60) 61–179 No function (wheel slot 61) 180–201 Fast to slow CW 202–207 Stop

Standard 12Cell 72CH (continued)

Ch	Function	Default	DMX values
68	Effect	0	0–14 No Function 15–30 Auto program1 31–46 Auto program2 47–62 Auto program3 63–78 Auto program4 79–94 Auto program5 95–110 Auto program6 111–126 Auto program7 127–142 Auto program8 143–158 Auto program9 159–174 Auto program10 175–190 Auto program11 191–206 Auto program12 207–222 Auto program13 223–238 Auto program14 239–255 Auto program15
69	Effect Speed	0	
70	Effects1Fade	0	
71	Dimmer Mode	0	
72	Control1	0	

HSI 24Cell 96CH

96 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Dimmer Fine	0	Fine byte of Dimmer
3	H SBHue	0	
4	H SBSaturation	0	
5	Dimmer	0	
6	Dimmer Fine	0	Fine byte of Dimmer
7	H SBHue	0	
8	H SBSaturation	0	
9	Dimmer	0	
10	Dimmer Fine	0	Fine byte of Dimmer
11	H SBHue	0	
12	H SBSaturation	0	
13	Dimmer	0	
14	Dimmer Fine	0	Fine byte of Dimmer
15	H SBHue	0	
16	H SBSaturation	0	
17	Dimmer	0	
18	Dimmer Fine	0	Fine byte of Dimmer
19	H SBHue	0	
20	H SBSaturation	0	
21	Dimmer	0	
22	Dimmer Fine	0	Fine byte of Dimmer
23	H SBHue	0	
24	H SBSaturation	0	
25	Dimmer	0	
26	Dimmer Fine	0	Fine byte of Dimmer

HSI 24Cell 96CH (continued)

Ch	Function	Default	DMX values
27	H SBHue	0	
28	H SBSaturation	0	
29	Dimmer	0	
30	Dimmer Fine	0	Fine byte of Dimmer
31	H SBHue	0	
32	H SBSaturation	0	
33	Dimmer	0	
34	Dimmer Fine	0	Fine byte of Dimmer
35	H SBHue	0	
36	H SBSaturation	0	
37	Dimmer	0	
38	Dimmer Fine	0	Fine byte of Dimmer
39	H SBHue	0	
40	H SBSaturation	0	
41	Dimmer	0	
42	Dimmer Fine	0	Fine byte of Dimmer
43	H SBHue	0	
44	H SBSaturation	0	
45	Dimmer	0	
46	Dimmer Fine	0	Fine byte of Dimmer
47	H SBHue	0	
48	H SBSaturation	0	
49	Dimmer	0	
50	Dimmer Fine	0	Fine byte of Dimmer
51	H SBHue	0	
52	H SBSaturation	0	
53	Dimmer	0	
54	Dimmer Fine	0	Fine byte of Dimmer
55	H SBHue	0	
56	H SBSaturation	0	
57	Dimmer	0	
58	Dimmer Fine	0	Fine byte of Dimmer
59	H SBHue	0	
60	H SBSaturation	0	
61	Dimmer	0	
62	Dimmer Fine	0	Fine byte of Dimmer
63	H SBHue	0	
64	H SBSaturation	0	
65	Dimmer	0	
66	Dimmer Fine	0	Fine byte of Dimmer
67	H SBHue	0	
68	H SBSaturation	0	
69	Dimmer	0	
70	Dimmer Fine	0	Fine byte of Dimmer
71	H SBHue	0	

HSI 24Cell 96CH (continued)

Ch	Function	Default	DMX values
72	H SBSaturation	0	
73	Dimmer	0	
74	Dimmer Fine	0	Fine byte of Dimmer
75	H SBHue	0	
76	H SBSaturation	0	
77	Dimmer	0	
78	Dimmer Fine	0	Fine byte of Dimmer
79	H SBHue	0	
80	H SBSaturation	0	
81	Dimmer	0	
82	Dimmer Fine	0	Fine byte of Dimmer
83	H SBHue	0	
84	H SBSaturation	0	
85	Dimmer	0	
86	Dimmer Fine	0	Fine byte of Dimmer
87	H SBHue	0	
88	H SBSaturation	0	
89	Dimmer	0	
90	Dimmer Fine	0	Fine byte of Dimmer
91	H SBHue	0	
92	H SBSaturation	0	
93	Dimmer	0	
94	Dimmer Fine	0	Fine byte of Dimmer
95	H SBHue	0	
96	H SBSaturation	0	

Extended 12Cell 132CH

132 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Red Fine	255	Fine byte of Red
3	Green	255	
4	Green Fine	255	Fine byte of Green
5	Blue	255	
6	Blue Fine	255	Fine byte of Blue
7	Color Add GY	255	
8	Color Add GY Fine	255	Fine byte of Color Add GY
9	Color Add RY	255	
10	Color Add RY Fine	255	Fine byte of Color Add RY
11	Reserved 11	0	
12	Reserved 12	0	
13	Reserved 13	0	
14	Reserved 14	0	
15	Reserved 15	0	
16	Reserved 16	0	

Extended 12Cell 132CH (continued)

Ch	Function	Default	DMX values
17	Reserved 17	0	
18	Reserved 18	0	
19	Reserved 19	0	
20	Reserved 20	0	
21	Reserved 21	0	
22	Reserved 22	0	
23	Reserved 23	0	
24	Reserved 24	0	
25	Reserved 25	0	
26	Reserved 26	0	
27	Reserved 27	0	
28	Reserved 28	0	
29	Reserved 29	0	
30	Reserved 30	0	
31	Reserved 31	0	
32	Reserved 32	0	
33	Reserved 33	0	
34	Reserved 34	0	
35	Reserved 35	0	
36	Reserved 36	0	
37	Reserved 37	0	
38	Reserved 38	0	
39	Reserved 39	0	
40	Reserved 40	0	
41	Reserved 41	0	
42	Reserved 42	0	
43	Reserved 43	0	
44	Reserved 44	0	
45	Reserved 45	0	
46	Reserved 46	0	
47	Reserved 47	0	
48	Reserved 48	0	
49	Reserved 49	0	
50	Reserved 50	0	
51	Reserved 51	0	
52	Reserved 52	0	
53	Reserved 53	0	
54	Reserved 54	0	
55	Reserved 55	0	
56	Reserved 56	0	
57	Reserved 57	0	
58	Reserved 58	0	
59	Reserved 59	0	
60	Reserved 60	0	
61	Reserved 61	0	

Extended 12Cell 132CH (continued)

Ch	Function	Default	DMX values
62	Reserved 62	0	
63	Reserved 63	0	
64	Reserved 64	0	
65	Reserved 65	0	
66	Reserved 66	0	
67	Reserved 67	0	
68	Reserved 68	0	
69	Reserved 69	0	
70	Reserved 70	0	
71	Reserved 71	0	
72	Reserved 72	0	
73	Reserved 73	0	
74	Reserved 74	0	
75	Reserved 75	0	
76	Reserved 76	0	
77	Reserved 77	0	
78	Reserved 78	0	
79	Reserved 79	0	
80	Reserved 80	0	
81	Reserved 81	0	
82	Reserved 82	0	
83	Reserved 83	0	
84	Reserved 84	0	
85	Reserved 85	0	
86	Reserved 86	0	
87	Reserved 87	0	
88	Reserved 88	0	
89	Reserved 89	0	
90	Reserved 90	0	
91	Reserved 91	0	
92	Reserved 92	0	
93	Reserved 93	0	
94	Reserved 94	0	
95	Reserved 95	0	
96	Reserved 96	0	
97	Reserved 97	0	
98	Reserved 98	0	
99	Reserved 99	0	
100	Reserved 100	0	
101	Reserved 101	0	
102	Reserved 102	0	
103	Reserved 103	0	
104	Reserved 104	0	
105	Reserved 105	0	
106	Reserved 106	0	

Extended 12Cell 132CH (continued)

Ch	Function	Default	DMX values
107	Reserved 107	0	
108	Reserved 108	0	
109	Reserved 109	0	
110	Reserved 110	0	
111	Reserved 111	0	
112	Reserved 112	0	
113	Reserved 113	0	
114	Reserved 114	0	
115	Reserved 115	0	
116	Reserved 116	0	
117	Reserved 117	0	
118	Reserved 118	0	
119	Reserved 119	0	
120	Reserved 120	0	
121	Reserved 121	0	
122	Reserved 122	0	
123	Reserved 123	0	
124	C TO	0	
125	Tint	128	
126	Crossfade	255	

Extended 12Cell 132CH (continued)

Ch	Function	Default	DMX values
127	Color Wheel	0	0–0 open (wheel slot 61) 1–1 pale yellow (wheel slot 1) 2–2 straw (wheel slot 2) 3–3 gold tint (wheel slot 3) 4–4 spring yellow (wheel slot 4) 5–5 medium yellow (wheel slot 5) 6–6 yellow (wheel slot 6) 7–7 deep amber (wheel slot 7) 8–8 deep straw (wheel slot 8) 9–9 loving amber (wheel slot 9) 10–10 gold amber (wheel slot 10) 11–11 orange (wheel slot 11) 12–12 deep orange (wheel slot 12) 13–13 dark amber (wheel slot 13) 14–14 millenium gold (wheel slot 14) 15–15 deep golden amber (wheel slot 15) 16–16 scarlet (wheel slot 16) 17–17 primary red (wheel slot 17) 18–18 bright red (wheel slot 18) 19–19 medium red (wheel slot 19) 20–20 fire (wheel slot 20) 21–21 pink (wheel slot 21) 22–22 medium pink (wheel slot 22) 23–23 dark pink (wheel slot 23) 24–24 bright pink (wheel slot 24) 25–25 bright rose (wheel slot 25) 26–26 special rose pink (wheel slot 26) 27–27 vanity fair (wheel slot 27) 28–28 magenta (wheel slot 28) 29–29 dark magenta (wheel slot 29) 30–30 rose purple (wheel slot 30) 31–31 mauve (wheel slot 31) 32–32 medium purple (wheel slot 32) 33–33 lavender (wheel slot 33) 34–34 palace blue (wheel slot 34) 35–35 dark blue (wheel slot 35) 36–36 medium blue (wheel slot 36) 37–37 deep blue (wheel slot 37) 38–38 daylight blue (wheel slot 38) 39–39 slate blue (wheel slot 39) 40–40 light blue (wheel slot 40) 41–41 sky blue (wheel slot 41) 42–42 pale navy blue (wheel slot 42) 43–43 marine blue (wheel slot 43) 44–44 peacock blue (wheel slot 44) 45–45 lagoon blue (wheel slot 45) 46–46 medium blue green (wheel slot 46) 47–47 dark yellow green (wheel slot 47) 48–48 primary green (wheel slot 48) 49–49 fern green (wheel slot 49) 50–50 moss green (wheel slot 50) 51–51 dark green (wheel slot 51) 52–52 lime green (wheel slot 52) 53–53 pale green (wheel slot 53) 54–54 Quarter CT Blue (wheel slot 54) 55–55 Half CT Blue (wheel slot 55) 56–56 FULL CT Blue (wheel slot 56) 57–57 double CT Blue (wheel slot 57) 58–58 Quarter CT Orange (wheel slot 58) 59–59 Half CT Orange (wheel slot 59) 60–60 FULL CT Orange (wheel slot 60) 61–179 No function (wheel slot 61) 180–201 Fast to slow CW 202–207 Stop

Extended 12Cell 132CH (continued)

Ch	Function	Default	DMX values
128	Effect	0	0–14 No Function 15–30 Auto program1 31–46 Auto program2 47–62 Auto program3 63–78 Auto program4 79–94 Auto program5 95–110 Auto program6 111–126 Auto program7 127–142 Auto program8 143–158 Auto program9 159–174 Auto program10 175–190 Auto program11 191–206 Auto program12 207–222 Auto program13 223–238 Auto program14 239–255 Auto program15
129	Effect Speed	0	
130	Effects1Fade	0	
131	Dimmer Mode	0	
132	Control1	0	

Standard 24Cell 132CH

132 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	Color Add GY	255	
5	Color Add RY	255	
6	Reserved 6	0	
7	Reserved 7	0	
8	Reserved 8	0	
9	Reserved 9	0	
10	Reserved 10	0	
11	Reserved 11	0	
12	Reserved 12	0	
13	Reserved 13	0	
14	Reserved 14	0	
15	Reserved 15	0	
16	Reserved 16	0	
17	Reserved 17	0	
18	Reserved 18	0	
19	Reserved 19	0	
20	Reserved 20	0	
21	Reserved 21	0	
22	Reserved 22	0	
23	Reserved 23	0	
24	Reserved 24	0	
25	Reserved 25	0	
26	Reserved 26	0	

Standard 24Cell 132CH (continued)

Ch	Function	Default	DMX values
27	Reserved 27	0	
28	Reserved 28	0	
29	Reserved 29	0	
30	Reserved 30	0	
31	Reserved 31	0	
32	Reserved 32	0	
33	Reserved 33	0	
34	Reserved 34	0	
35	Reserved 35	0	
36	Reserved 36	0	
37	Reserved 37	0	
38	Reserved 38	0	
39	Reserved 39	0	
40	Reserved 40	0	
41	Reserved 41	0	
42	Reserved 42	0	
43	Reserved 43	0	
44	Reserved 44	0	
45	Reserved 45	0	
46	Reserved 46	0	
47	Reserved 47	0	
48	Reserved 48	0	
49	Reserved 49	0	
50	Reserved 50	0	
51	Reserved 51	0	
52	Reserved 52	0	
53	Reserved 53	0	
54	Reserved 54	0	
55	Reserved 55	0	
56	Reserved 56	0	
57	Reserved 57	0	
58	Reserved 58	0	
59	Reserved 59	0	
60	Reserved 60	0	
61	Reserved 61	0	
62	Reserved 62	0	
63	Reserved 63	0	
64	Reserved 64	0	
65	Reserved 65	0	
66	Reserved 66	0	
67	Reserved 67	0	
68	Reserved 68	0	
69	Reserved 69	0	
70	Reserved 70	0	
71	Reserved 71	0	

Standard 24Cell 132CH (continued)

Ch	Function	Default	DMX values
72	Reserved 72	0	
73	Reserved 73	0	
74	Reserved 74	0	
75	Reserved 75	0	
76	Reserved 76	0	
77	Reserved 77	0	
78	Reserved 78	0	
79	Reserved 79	0	
80	Reserved 80	0	
81	Reserved 81	0	
82	Reserved 82	0	
83	Reserved 83	0	
84	Reserved 84	0	
85	Reserved 85	0	
86	Reserved 86	0	
87	Reserved 87	0	
88	Reserved 88	0	
89	Reserved 89	0	
90	Reserved 90	0	
91	Reserved 91	0	
92	Reserved 92	0	
93	Reserved 93	0	
94	Reserved 94	0	
95	Reserved 95	0	
96	Reserved 96	0	
97	Reserved 97	0	
98	Reserved 98	0	
99	Reserved 99	0	
100	Reserved 100	0	
101	Reserved 101	0	
102	Reserved 102	0	
103	Reserved 103	0	
104	Reserved 104	0	
105	Reserved 105	0	
106	Reserved 106	0	
107	Reserved 107	0	
108	Reserved 108	0	
109	Reserved 109	0	
110	Reserved 110	0	
111	Reserved 111	0	
112	Reserved 112	0	
113	Reserved 113	0	
114	Reserved 114	0	
115	Reserved 115	0	
116	Reserved 116	0	

Standard 24Cell 132CH (continued)

Ch	Function	Default	DMX values
117	Reserved 117	0	
118	Reserved 118	0	
119	Reserved 119	0	
120	Reserved 120	0	
121	Reserved 121	0	
122	Reserved 122	0	
123	Reserved 123	0	
124	C TO	0	
125	Tint	128	
126	Crossfade	0	

Standard 24Cell 132CH (continued)

Ch	Function	Default	DMX values
127	Color Wheel	0	0–0 open (wheel slot 61) 1–1 pale yellow (wheel slot 1) 2–2 straw (wheel slot 2) 3–3 gold tint (wheel slot 3) 4–4 spring yellow (wheel slot 4) 5–5 medium yellow (wheel slot 5) 6–6 yellow (wheel slot 6) 7–7 deep amber (wheel slot 7) 8–8 deep straw (wheel slot 8) 9–9 loving amber (wheel slot 9) 10–10 gold amber (wheel slot 10) 11–11 orange (wheel slot 11) 12–12 deep orange (wheel slot 12) 13–13 dark amber (wheel slot 13) 14–14 millenium gold (wheel slot 14) 15–15 deep golden amber (wheel slot 15) 16–16 scarlet (wheel slot 16) 17–17 primary red (wheel slot 17) 18–18 bright red (wheel slot 18) 19–19 medium red (wheel slot 19) 20–20 fire (wheel slot 20) 21–21 pink (wheel slot 21) 22–22 medium pink (wheel slot 22) 23–23 dark pink (wheel slot 23) 24–24 bright pink (wheel slot 24) 25–25 bright rose (wheel slot 25) 26–26 special rose pink (wheel slot 26) 27–27 vanity fair (wheel slot 27) 28–28 magenta (wheel slot 28) 29–29 dark magenta (wheel slot 29) 30–30 rose purple (wheel slot 30) 31–31 mauve (wheel slot 31) 32–32 medium purple (wheel slot 32) 33–33 lavender (wheel slot 33) 34–34 palace blue (wheel slot 34) 35–35 dark blue (wheel slot 35) 36–36 medium blue (wheel slot 36) 37–37 deep blue (wheel slot 37) 38–38 daylight blue (wheel slot 38) 39–39 slate blue (wheel slot 39) 40–40 light blue (wheel slot 40) 41–41 sky blue (wheel slot 41) 42–42 pale navy blue (wheel slot 42) 43–43 marine blue (wheel slot 43) 44–44 peacock blue (wheel slot 44) 45–45 lagoon blue (wheel slot 45) 46–46 medium blue green (wheel slot 46) 47–47 dark yellow green (wheel slot 47) 48–48 primary green (wheel slot 48) 49–49 fern green (wheel slot 49) 50–50 moss green (wheel slot 50) 51–51 dark green (wheel slot 51) 52–52 lime green (wheel slot 52) 53–53 pale green (wheel slot 53) 54–54 Quarter CT Blue (wheel slot 54) 55–55 Half CT Blue (wheel slot 55) 56–56 FULL CT Blue (wheel slot 56) 57–57 double CT Blue (wheel slot 57) 58–58 Quarter CT Orange (wheel slot 58) 59–59 Half CT Orange (wheel slot 59) 60–60 FULL CT Orange (wheel slot 60) 61–179 No function (wheel slot 61) 180–201 Fast to slow CW 202–207 Stop

Standard 24Cell 132CH (continued)

Ch	Function	Default	DMX values
128	Effect	0	0–14 No Function 15–30 Auto program1 31–46 Auto program2 47–62 Auto program3 63–78 Auto program4 79–94 Auto program5 95–110 Auto program6 111–126 Auto program7 127–142 Auto program8 143–158 Auto program9 159–174 Auto program10 175–190 Auto program11 191–206 Auto program12 207–222 Auto program13 223–238 Auto program14 239–255 Auto program15
129	Effect Speed	0	
130	Effects1Fade	0	
131	Dimmer Mode	0	
132	Control1	0	

Extended 24Cell 252CH

252 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Red Fine	255	Fine byte of Red
3	Green	255	
4	Green Fine	255	Fine byte of Green
5	Blue	255	
6	Blue Fine	255	Fine byte of Blue
7	Color Add GY	255	
8	Color Add GY Fine	255	Fine byte of Color Add GY
9	Color Add RY	255	
10	Color Add RY Fine	255	Fine byte of Color Add RY
11	Reserved 11	0	
12	Reserved 12	0	
13	Reserved 13	0	
14	Reserved 14	0	
15	Reserved 15	0	
16	Reserved 16	0	
17	Reserved 17	0	
18	Reserved 18	0	
19	Reserved 19	0	
20	Reserved 20	0	
21	Reserved 21	0	
22	Reserved 22	0	
23	Reserved 23	0	
24	Reserved 24	0	
25	Reserved 25	0	
26	Reserved 26	0	

Extended 24Cell 252CH (continued)

Ch	Function	Default	DMX values
27	Reserved 27	0	
28	Reserved 28	0	
29	Reserved 29	0	
30	Reserved 30	0	
31	Reserved 31	0	
32	Reserved 32	0	
33	Reserved 33	0	
34	Reserved 34	0	
35	Reserved 35	0	
36	Reserved 36	0	
37	Reserved 37	0	
38	Reserved 38	0	
39	Reserved 39	0	
40	Reserved 40	0	
41	Reserved 41	0	
42	Reserved 42	0	
43	Reserved 43	0	
44	Reserved 44	0	
45	Reserved 45	0	
46	Reserved 46	0	
47	Reserved 47	0	
48	Reserved 48	0	
49	Reserved 49	0	
50	Reserved 50	0	
51	Reserved 51	0	
52	Reserved 52	0	
53	Reserved 53	0	
54	Reserved 54	0	
55	Reserved 55	0	
56	Reserved 56	0	
57	Reserved 57	0	
58	Reserved 58	0	
59	Reserved 59	0	
60	Reserved 60	0	
61	Reserved 61	0	
62	Reserved 62	0	
63	Reserved 63	0	
64	Reserved 64	0	
65	Reserved 65	0	
66	Reserved 66	0	
67	Reserved 67	0	
68	Reserved 68	0	
69	Reserved 69	0	
70	Reserved 70	0	
71	Reserved 71	0	

Extended 24Cell 252CH (continued)

Ch	Function	Default	DMX values
72	Reserved 72	0	
73	Reserved 73	0	
74	Reserved 74	0	
75	Reserved 75	0	
76	Reserved 76	0	
77	Reserved 77	0	
78	Reserved 78	0	
79	Reserved 79	0	
80	Reserved 80	0	
81	Reserved 81	0	
82	Reserved 82	0	
83	Reserved 83	0	
84	Reserved 84	0	
85	Reserved 85	0	
86	Reserved 86	0	
87	Reserved 87	0	
88	Reserved 88	0	
89	Reserved 89	0	
90	Reserved 90	0	
91	Reserved 91	0	
92	Reserved 92	0	
93	Reserved 93	0	
94	Reserved 94	0	
95	Reserved 95	0	
96	Reserved 96	0	
97	Reserved 97	0	
98	Reserved 98	0	
99	Reserved 99	0	
100	Reserved 100	0	
101	Reserved 101	0	
102	Reserved 102	0	
103	Reserved 103	0	
104	Reserved 104	0	
105	Reserved 105	0	
106	Reserved 106	0	
107	Reserved 107	0	
108	Reserved 108	0	
109	Reserved 109	0	
110	Reserved 110	0	
111	Reserved 111	0	
112	Reserved 112	0	
113	Reserved 113	0	
114	Reserved 114	0	
115	Reserved 115	0	
116	Reserved 116	0	

Extended 24Cell 252CH (continued)

Ch	Function	Default	DMX values
117	Reserved 117	0	
118	Reserved 118	0	
119	Reserved 119	0	
120	Reserved 120	0	
121	Reserved 121	0	
122	Reserved 122	0	
123	Reserved 123	0	
124	Reserved 124	0	
125	Reserved 125	0	
126	Reserved 126	0	
127	Reserved 127	0	
128	Reserved 128	0	
129	Reserved 129	0	
130	Reserved 130	0	
131	Reserved 131	0	
132	Reserved 132	0	
133	Reserved 133	0	
134	Reserved 134	0	
135	Reserved 135	0	
136	Reserved 136	0	
137	Reserved 137	0	
138	Reserved 138	0	
139	Reserved 139	0	
140	Reserved 140	0	
141	Reserved 141	0	
142	Reserved 142	0	
143	Reserved 143	0	
144	Reserved 144	0	
145	Reserved 145	0	
146	Reserved 146	0	
147	Reserved 147	0	
148	Reserved 148	0	
149	Reserved 149	0	
150	Reserved 150	0	
151	Reserved 151	0	
152	Reserved 152	0	
153	Reserved 153	0	
154	Reserved 154	0	
155	Reserved 155	0	
156	Reserved 156	0	
157	Reserved 157	0	
158	Reserved 158	0	
159	Reserved 159	0	
160	Reserved 160	0	
161	Reserved 161	0	

Extended 24Cell 252CH (continued)

Ch	Function	Default	DMX values
162	Reserved 162	0	
163	Reserved 163	0	
164	Reserved 164	0	
165	Reserved 165	0	
166	Reserved 166	0	
167	Reserved 167	0	
168	Reserved 168	0	
169	Reserved 169	0	
170	Reserved 170	0	
171	Reserved 171	0	
172	Reserved 172	0	
173	Reserved 173	0	
174	Reserved 174	0	
175	Reserved 175	0	
176	Reserved 176	0	
177	Reserved 177	0	
178	Reserved 178	0	
179	Reserved 179	0	
180	Reserved 180	0	
181	Reserved 181	0	
182	Reserved 182	0	
183	Reserved 183	0	
184	Reserved 184	0	
185	Reserved 185	0	
186	Reserved 186	0	
187	Reserved 187	0	
188	Reserved 188	0	
189	Reserved 189	0	
190	Reserved 190	0	
191	Reserved 191	0	
192	Reserved 192	0	
193	Reserved 193	0	
194	Reserved 194	0	
195	Reserved 195	0	
196	Reserved 196	0	
197	Reserved 197	0	
198	Reserved 198	0	
199	Reserved 199	0	
200	Reserved 200	0	
201	Reserved 201	0	
202	Reserved 202	0	
203	Reserved 203	0	
204	Reserved 204	0	
205	Reserved 205	0	
206	Reserved 206	0	

Extended 24Cell 252CH (continued)

Ch	Function	Default	DMX values
207	Reserved 207	0	
208	Reserved 208	0	
209	Reserved 209	0	
210	Reserved 210	0	
211	Reserved 211	0	
212	Reserved 212	0	
213	Reserved 213	0	
214	Reserved 214	0	
215	Reserved 215	0	
216	Reserved 216	0	
217	Reserved 217	0	
218	Reserved 218	0	
219	Reserved 219	0	
220	Reserved 220	0	
221	Reserved 221	0	
222	Reserved 222	0	
223	Reserved 223	0	
224	Reserved 224	0	
225	Reserved 225	0	
226	Reserved 226	0	
227	Reserved 227	0	
228	Reserved 228	0	
229	Reserved 229	0	
230	Reserved 230	0	
231	Reserved 231	0	
232	Reserved 232	0	
233	Reserved 233	0	
234	Reserved 234	0	
235	Reserved 235	0	
236	Reserved 236	0	
237	Reserved 237	0	
238	Reserved 238	0	
239	Reserved 239	0	
240	Reserved 240	0	
241	Reserved 241	0	
242	Reserved 242	0	
243	Reserved 243	0	
244	C TO	0	
245	Tint	128	
246	Crossfade	255	

Extended 24Cell 252CH (continued)

Ch	Function	Default	DMX values
247	Color Wheel	0	0–0 open (wheel slot 61) 1–1 pale yellow (wheel slot 1) 2–2 straw (wheel slot 2) 3–3 gold tint (wheel slot 3) 4–4 spring yellow (wheel slot 4) 5–5 medium yellow (wheel slot 5) 6–6 yellow (wheel slot 6) 7–7 deep amber (wheel slot 7) 8–8 deep straw (wheel slot 8) 9–9 loving amber (wheel slot 9) 10–10 gold amber (wheel slot 10) 11–11 orange (wheel slot 11) 12–12 deep orange (wheel slot 12) 13–13 dark amber (wheel slot 13) 14–14 millenium gold (wheel slot 14) 15–15 deep golden amber (wheel slot 15) 16–16 scarlet (wheel slot 16) 17–17 primary red (wheel slot 17) 18–18 bright red (wheel slot 18) 19–19 medium red (wheel slot 19) 20–20 fire (wheel slot 20) 21–21 pink (wheel slot 21) 22–22 medium pink (wheel slot 22) 23–23 dark pink (wheel slot 23) 24–24 bright pink (wheel slot 24) 25–25 bright rose (wheel slot 25) 26–26 special rose pink (wheel slot 26) 27–27 vanity fair (wheel slot 27) 28–28 magenta (wheel slot 28) 29–29 dark magenta (wheel slot 29) 30–30 rose purple (wheel slot 30) 31–31 mauve (wheel slot 31) 32–32 medium purple (wheel slot 32) 33–33 lavender (wheel slot 33) 34–34 palace blue (wheel slot 34) 35–35 dark blue (wheel slot 35) 36–36 medium blue (wheel slot 36) 37–37 deep blue (wheel slot 37) 38–38 daylight blue (wheel slot 38) 39–39 slate blue (wheel slot 39) 40–40 light blue (wheel slot 40) 41–41 sky blue (wheel slot 41) 42–42 pale navy blue (wheel slot 42) 43–43 marine blue (wheel slot 43) 44–44 peacock blue (wheel slot 44) 45–45 lagoon blue (wheel slot 45) 46–46 medium blue green (wheel slot 46) 47–47 dark yellow green (wheel slot 47) 48–48 primary green (wheel slot 48) 49–49 fern green (wheel slot 49) 50–50 moss green (wheel slot 50) 51–51 dark green (wheel slot 51) 52–52 lime green (wheel slot 52) 53–53 pale green (wheel slot 53) 54–54 Quarter CT Blue (wheel slot 54) 55–55 Half CT Blue (wheel slot 55) 56–56 FULL CT Blue (wheel slot 56) 57–57 double CT Blue (wheel slot 57) 58–58 Quarter CT Orange (wheel slot 58) 59–59 Half CT Orange (wheel slot 59) 60–60 FULL CT Orange (wheel slot 60) 61–179 No function (wheel slot 61) 180–201 Fast to slow CW 202–207 Stop

Extended 24Cell 252CH (continued)

Ch	Function	Default	DMX values
248	Effect	0	0–14 No Function 15–30 Auto program1 31–46 Auto program2 47–62 Auto program3 63–78 Auto program4 79–94 Auto program5 95–110 Auto program6 111–126 Auto program7 127–142 Auto program8 143–158 Auto program9 159–174 Auto program10 175–190 Auto program11 191–206 Auto program12 207–222 Auto program13 223–238 Auto program14 239–255 Auto program15
249	Effect Speed	0	
250	Effects1Fade	0	
251	Dimmer Mode	0	
252	Control1	0	