
CKC Lighting

Pinspot 15



Manufacturer	**CKC Lighting**
Type	**PAR**
DMX modes	**4**
DMX footprint	**1, 4, 6, 7 channels**
Beam angle	**4°**
Size (W × H × D)	**135 × 198 × 24 mm**
GDTF fixture type	**928F30C6-2050-4B17-B55E-345…**

Controls

Extra LED colours · RGB colour mixing · Colour wheel · Strobe · Dimmer

Safety-relevant functions

Strobe

DMX modes

1CH	1 ch
4CH	4 ch
6CH	6 ch
7CH	7 ch

1CH

1 channel

Ch	Function	Default	DMX values
1	Dimmer	0	0–24 0% 25–50 10% 51–63 20% 64–75 25% 76–101 30% 102–127 40% 128–152 50% 153–178 60% 179–190 70% 191–203 75% 204–229 80% 230–254 90% 255–255 100%

4CH

4 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	

6CH

6 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	
5	Dimmer	0	0–24 0% 25–50 10% 51–63 20% 64–75 25% 76–101 30% 102–127 40% 128–152 50% 153–178 60% 179–190 70% 191–203 75% 204–229 80% 230–254 90% 255–255 100%
6	Shutter / Strobe	0	0–5 Sound 6–10 Dim 11–254 Shutter slow 255–255 Shutter fast

7CH

7 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	

7CH (continued)

Ch	Function	Default	DMX values
5	Dimmer	0	0–24 0% 25–50 10% 51–63 20% 64–75 25% 76–101 30% 102–127 40% 128–152 50% 153–178 60% 179–190 70% 191–203 75% 204–229 80% 230–254 90% 255–255 100%
6	Shutter / Strobe	0	0–5 Sound 6–10 Dim 11–254 Shutter slow 255–255 Shutter fast
7	Color Effects1	0	0–4 No function 5–124 15 color jumping slow 125–125 15 color jumping fast 126–254 15 color rainbow slow 255–255 15 color rainbow fast