
CKC Lighting

Pinspot 40



Manufacturer	**CKC Lighting**
Type	**PAR**
DMX modes	**4**
DMX footprint	**1, 4, 6, 7 channels**
Beam angle	**4°**
Size (W × H × D)	**194 × 190 × 140 mm**
GDTF fixture type	**57F98B31-1A15-4F78-BA0A-FB…**

Controls

Extra LED colours · RGB colour mixing · Colour wheel · Strobe · Dimmer

Safety-relevant functions

Strobe

DMX modes

1CH	1 ch
4CH	4 ch
6CH	6 ch
7CH	7 ch

1CH

1 channel

Ch	Function	Default	DMX values
1	Dimmer	0	0–62 0% 63–127 25% 128–191 50% 192–254 75% 255–255 100%

4CH

4 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	

6CH

6 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	
5	Dimmer	0	0–62 0% 63–127 25% 128–191 50% 192–254 75% 255–255 100%
6	Shutter / Strobe	0	0–0 No function 1–5 Sound 6–10 No function 11–254 Min strobe 255–255 Max strobe

7CH

7 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	
5	Dimmer	0	0–62 0% 63–127 25% 128–191 50% 192–254 75% 255–255 100%
6	Shutter / Strobe	0	0–0 No function 1–5 Sound 6–10 No function 11–254 Min strobe 255–255 Max strobe

7CH (continued)

Ch	Function	Default	DMX values
7	Color Macro1	0	0–4 No function 5–124 Color jumping slow 125–125 Color jumping fast 126–254 Color rainbow slow 255–255 Color rainbow fast