CLF Lighting

CO2 Blaster Yet



Manufacturer	**CLF Lighting**
Type	**Smoke machine**
DMX modes	**2**
DMX footprint	**15, 16 channels**
Beam angle	**10°**
Heads / cells	**2**
Size (W × H × D)	**475 × 441 × 300 mm**
GDTF fixture type	**233804AB-9077-484C-ADE8-E4…**

Controls

Fan · Haze or smoke output · Extra LED colours · Colour wheel · Dimmer · Pixel control

Safety-relevant functions

Haze or smoke output

DMX modes

15ch	15 ch
16ch	16 ch

15ch

15 channels

Ch	Function	Default	DMX values
1	Fog	0	0–9 OFF 10–255 Max
2	Fan	0	0–128 OFF 129–255 ON
3	Red	255	
4	Green	255	
5	Blue	255	
6	Color Add RY	255	
7	Red	255	
8	Green	255	
9	Blue	255	
10	Color Add RY	255	
11	Color Macro1	0	0–9 No Feature (wheel slot 1) 10–36 Red (wheel slot 2) 37–72 Green (wheel slot 3) 73–109 Blue (wheel slot 4) 110–145 Yellow (wheel slot 5) 146–182 Cyan (wheel slot 6) 183–218 Magenta (wheel slot 7) 219–255 White (wheel slot 8)
12	Color Macro1	0	0–9 No Feature (wheel slot 1) 10–36 Red (wheel slot 2) 37–72 Green (wheel slot 3) 73–109 Blue (wheel slot 4) 110–145 Yellow (wheel slot 5) 146–182 Cyan (wheel slot 6) 183–218 Magenta (wheel slot 7) 219–255 White (wheel slot 8)
13	Color Macro1	0	0–9 No Feature 10–255 Color Mixer
14	Shutter / Strobe	0	0–9 Open 10–254 Min 255–255 Max
15	Dimmer	0	0–254 Closed 255–255 Open

16ch

16 channels

Ch	Function	Default	DMX values
1	Fog	0	0–9 OFF 10–255 Max
2	Fan	0	0–128 OFF 129–255 ON
3	Red	255	
4	Green	255	
5	Blue	255	
6	Color Add RY	255	
7	Red	255	
8	Green	255	
9	Blue	255	
10	Color Add RY	255	

16ch (continued)

Ch	Function	Default	DMX values
11	Color Macro1	0	0–9 No Feature (wheel slot 1) 10–36 Red (wheel slot 2) 37–72 Green (wheel slot 3) 73–109 Blue (wheel slot 4) 110–145 Yellow (wheel slot 5) 146–182 Cyan (wheel slot 6) 183–218 Magenta (wheel slot 7) 219–255 White (wheel slot 8)
12	Color Macro1	0	0–9 No Feature (wheel slot 1) 10–36 Red (wheel slot 2) 37–72 Green (wheel slot 3) 73–109 Blue (wheel slot 4) 110–145 Yellow (wheel slot 5) 146–182 Cyan (wheel slot 6) 183–218 Magenta (wheel slot 7) 219–255 White (wheel slot 8)
13	Color Macro1	0	0–9 No Feature 10–255 Color Mixer
14	Shutter / Strobe	0	0–9 Open 10–254 Min 255–255 Max
15	Dimmer	0	0–254 Closed 255–255 Open
16	Safety	0	0–49 No Operation 50–200 YET Aktiv 201–255 No Operation