
Cyclops Lighting

CPX 418-OP



Manufacturer	**Cyclops Lighting**
Type	**PAR**
DMX modes	**5**
DMX footprint	**3, 4, 6, 8, 11 channels**
Beam angle	**25°**
Size (W × H × D)	**250 × 195 × 45 mm**
GDTF fixture type	**82DB4DD7-EADD-46A3-AEA5-6…**

Controls

Extra LED colours · Hue and saturation · RGB colour mixing · Colour wheel · Dimmer

DMX modes

3 Channel	3 ch
4 Channels	4 ch
6 Channels	6 ch
8 Channels	8 ch
11 Channels	11 ch

3 Channel

3 channels

Ch	Function	Default	DMX values
1	H SBHue	0	
2	H SBSaturation	0	
3	H SBBrightness	255	

4 Channels

4 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	

6 Channels

6 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Red	255	
3	Green	255	
4	Blue	255	
5	White	255	
6	Dimmer Mode	0	

8 Channels

8 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Red	255	
3	Green	255	
4	Blue	255	
5	White	255	
6	Color Wheel	0	0–19 No Color 20–255 Color Mix
7	Color Effects1	0	0–7 OFF 8–255 Color Macros
8	Shutter1Strobe	0	0–9 OFF 10–255 Strobe from slow to fast

11 Channels

11 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Red	255	
3	Green	255	
4	Blue	255	
5	White	255	

11 Channels (continued)

Ch	Function	Default	DMX values
6	Color Wheel	0	0–10 No Color 11–200 Color1WheelIndex 2 201–205 White 1 206–210 White 2 211–215 White 3 216–220 White 4 221–225 White 5 226–230 White 6 231–235 White 7 236–240 White 8 241–245 White 9 246–250 White 10 251–255 White 11
7	Shutter1Strobe	0	0–9 OFF 10–255 Strobe from slow to fast
8	Color Effects1	0	0–7 OFF 8–23 AUTO 1 24–39 AUTO 2 40–55 AUTO 3 56–71 AUTO 4 72–87 AUTO 5 88–103 AUTO 6 104–119 AUTO 7 120–135 AUTO 8 136–151 AUTO 9 152–167 AUTO 10 168–183 AUTO 11 184–199 AUTO 12 200–215 AUTO 13 216–231 AUTO 14 232–255 AUTO 15
9	Dimmer Curve	0	0–50 linear / no delay 51–100 fast delay 101–150 medium delay 151–200 slow delay 201–255 slowest delay
10	Color Mix MSpeed	0	
11	No Feature	0	