
Cyclops Lighting

Flashbar600



Manufacturer	**Cyclops Lighting**
Type	**Effect light**
DMX modes	**1**
DMX footprint	**50 channels**
Beam angle	**90°**
Size (W × H × D)	**1017 × 180 × 85 mm**
GDTF fixture type	**C415A2FC-87AB-498D-9B85-9C…**

Controls

Frost · Colour wheel · Effect speed · Dimmer

Safety-relevant functions

Strobe · Built-in effect programmes

DMX modes

50 CHANNELS — 50 ch

50 CHANNELS

50 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Shutter / Strobe	0	
3	Strobe Duration	0	
4	Strobe Rate	0	
5	Color Wheel	0	
6	Frost1	0	
7	Reserved 7	0	
8	Reserved 8	0	
9	Reserved 9	0	
10	Reserved 10	0	
11	Reserved 11	0	
12	Reserved 12	0	
13	Reserved 13	0	
14	Reserved 14	0	
15	Reserved 15	0	
16	Reserved 16	0	
17	Reserved 17	0	
18	Reserved 18	0	
19	Reserved 19	0	
20	Reserved 20	0	
21	Reserved 21	0	
22	Reserved 22	0	
23	Reserved 23	0	
24	Reserved 24	0	
25	Reserved 25	0	
26	Reserved 26	0	
27	Reserved 27	0	
28	Reserved 28	0	
29	Reserved 29	0	
30	Reserved 30	0	
31	Reserved 31	0	
32	Reserved 32	0	
33	Reserved 33	0	
34	Reserved 34	0	
35	Reserved 35	0	
36	Reserved 36	0	
37	Reserved 37	0	
38	Reserved 38	0	
39	Reserved 39	0	
40	Reserved 40	0	
41	Reserved 41	0	
42	Reserved 42	0	
43	Reserved 43	0	
44	Reserved 44	0	

50 CHANNELS (continued)

Ch	Function	Default	DMX values
45	Reserved 45	0	
46	Reserved 46	0	
47	Reserved 47	0	
48	Reserved 48	0	
49	Effect	0	
50	Effect Speed	0	