Eurolite

LED IP PIX Strobe



Manufacturer	**Eurolite**
Type	**Strobe**
DMX modes	**1**
DMX footprint	**25 channels**
Beam angle	**25°**
Heads / cells	**7**
Size (W × H × D)	**380 × 117 × 40 mm**
GDTF fixture type	**5EE94B2D-B7AE-476A-9C03-1D…**

Controls

Extra LED colours · Colour wheel · Strobe · Pixel control

Safety-relevant functions

Strobe

DMX modes

25Ch 25 ch

25Ch

25 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	Color Add WW	0	
5	Color Add CW	0	
6	Red	255	
7	Green	255	
8	Blue	255	
9	Color Add WW	0	
10	Color Add CW	0	
11	Red	255	
12	Green	255	
13	Blue	255	
14	Color Add WW	0	
15	Color Add CW	0	
16	Red	255	
17	Green	255	
18	Blue	255	
19	Color Add WW	0	
20	Color Add CW	0	
21	Shutter / Strobe	0	0–7 open 8–255 Shutter1Strobe 2
22	Color Macro1	0	0–7 No function 8–47 Program 1 48–67 Program 2 68–87 Program 3 88–107 Program 4 108–127 Program 5 128–147 Program 6 148–167 Program 7 168–187 Program 8 188–207 Program 9 208–227 Program 10 228–247 Program 11 248–255 Program 12
23	Color Macro1Rate	0	

25Ch (continued)

Ch	Function	Default	DMX values
24	Color Macro2	0	0–7 No function 8–15 Program 1 16–23 Program 2 24–31 Program 3 32–39 Program 4 40–47 Program 5 48–55 Program 6 56–63 Program 7 64–71 Program 8 72–87 Program 9 88–95 Program 10 96–103 Program 11 104–111 Program 12 112–119 Program 13 120–127 Program 14 128–135 Program 15 136–143 Program 16 144–151 Program 17 152–159 Program 18 160–167 Program 19 168–175 Program 20 176–183 Program 21 184–191 Program 22 192–199 Program 23 200–207 Program 24 208–215 Program 25 216–223 Program 26 224–231 Program 27 232–239 Program 28 240–247 Program 29 248–255 Program 30
25	Color Macro2Rate	0	