
Flash

Asterowate short



Manufacturer	**Flash**
Type	**Effect light**
DMX modes	**1**
DMX footprint	**45 channels**
Beam angle	**25°**
Size (W × H × D)	**250 × 250 × 45 mm**
GDTF fixture type	**ECB6A351-547A-49DB-BB4A-9…**

Controls

Extra LED colours · RGB colour mixing · Dimmer

Safety-relevant functions

Strobe · Built-in effect programmes

DMX modes

Standard mode — 45 ch

Standard mode

45 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Dimmer Fine	0	Fine byte of Dimmer
3	Red	255	
4	Green	255	
5	Blue	255	
6	Color Add GY	255	
7	Color Add RY	255	
8	Reserved 8	0	
9	Reserved 9	0	
10	Reserved 10	0	
11	Reserved 11	0	
12	Reserved 12	0	
13	Reserved 13	0	
14	Reserved 14	0	
15	Reserved 15	0	
16	Reserved 16	0	
17	Reserved 17	0	
18	Reserved 18	0	
19	Reserved 19	0	
20	Reserved 20	0	
21	Reserved 21	0	
22	Reserved 22	0	
23	Reserved 23	0	
24	Reserved 24	0	
25	Reserved 25	0	
26	Reserved 26	0	
27	Reserved 27	0	
28	Reserved 28	0	
29	Reserved 29	0	
30	Reserved 30	0	
31	Reserved 31	0	
32	Reserved 32	0	
33	Reserved 33	0	
34	Reserved 34	0	
35	Reserved 35	0	
36	Reserved 36	0	
37	Reserved 37	0	
38	Reserved 38	0	
39	Reserved 39	0	
40	Reserved 40	0	
41	Reserved 41	0	
42	Reserved 42	0	
43	Shutter / Strobe	0	
44	Effect	0	

Standard mode (continued)

Ch	Function	Default	DMX values
45	Effect 2	0	