
Flash

LED MOVING HEAD 36x15W RGBWAUV 6in1 ZOOM 3 Section



Manufacturer	**Flash**
Type	**Moving head**
DMX modes	**2**
DMX footprint	**18, 30 channels**
Beam angle	**15-50°**
Pan range	**630°**
Tilt range	**270°**
Heads / cells	**3**
Size (W × H × D)	**240 × 150 × 220 mm**
GDTF fixture type	**3057E01A-9A82-47F5-806D-F0…**

Controls

Zoom · Extra LED colours · RGB colour mixing · Colour wheel · Strobe · Dimmer · Pixel control · Movement speed

Safety-relevant functions

Fixture reset

DMX modes

18ch	18 ch
30ch	30 ch

18ch

18 channels

Ch	Function	Default	DMX values
1	Pan	128	
2	Tilt	128	
3	Zoom	128	0–254 Narrow 255–255 Wide
4	Dimmer	0	0–254 Closed 255–255 Open
5	Red	255	
6	Green	255	
7	Blue	255	
8	White	0	
9	Color Add RY	0	
10	UV	0	
11	Shutter / Strobe	0	0–9 Open 10–255 Strobe
12	Color Macro1	0	
13	Color Macro1Rate	0	
14	Color Macro2	0	0–49 No function 50–99 Lighting effect display 100–149 Auto 1 150–199 Auto 2 200–255 Sound control
15	Pan Fine	128	Fine byte of Pan
16	Tilt Fine	128	Fine byte of Tilt
17	Position MSpeed	0	0–254 Fast 255–255 Slow
18	Control1	0	0–250 No function 251–255 Reset

30ch

30 channels

Ch	Function	Default	DMX values
1	Pan	128	
2	Tilt	128	
3	Zoom	0	0–254 Narrow 255–255 Wide
4	Dimmer	0	0–254 Closed 255–255 Open
5	Red	255	
6	Green	255	
7	Blue	255	
8	White	0	
9	Color Add RY	0	
10	UV	0	
11	Red	255	
12	Green	255	
13	Blue	255	
14	White	0	
15	Color Add RY	0	

30ch (continued)

Ch	Function	Default	DMX values
16	UV	0	
17	Red	255	
18	Green	255	
19	Blue	255	
20	White	0	
21	Color Add RY	0	
22	UV	0	
23	Shutter / Strobe	0	0–9 Open 10–255 Strobe
24	Color Macro1	0	
25	Color Macro1Rate	0	
26	Color Macro2	0	0–49 No function 50–99 Lighting effect display 100–149 Auto 1 150–199 Auto 2 200–255 Sound control
27	Pan Fine	128	Fine byte of Pan
28	Tilt Fine	128	Fine byte of Tilt
29	Position MSpeed	0	0–254 Fast 255–255 Slow
30	Control1	0	0–250 No function 251–255 Reset