
GSARC

GS-T-1



Manufacturer	**GSARC**
Type	**Effect light**
DMX modes	**3**
DMX footprint	**3, 10, 27 channels**
Beam angle	**25°**
Heads / cells	**9**
Size (W × H × D)	**998 × 90 × 50 mm**
GDTF fixture type	**DC805696-507F-412A-A8DB-8F…**

Controls

RGB colour mixing · Colour wheel · Effect speed · Pixel control

Safety-relevant functions

Built-in effect programmes

DMX modes

Cell	3 ch
10Channel	10 ch
168Channel	27 ch

Cell

3 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	

10Channel

10 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	Red	255	
5	Green	255	
6	Blue	255	
7	Color Macro1	0	0–7 No function 8–39 Red to Yellow 40–71 Yellow to Green 72–103 Green to Cyan 104–135 Cyan to Blue 136–167 Blue to Magenta 168–199 Magenta to Red 200–231 Red to White 232–255 Color Rainbow
8	Effect	0	0–15 Led trun off 16–35 Chase 1 36–55 Chase 2 56–75 Chase 3 76–95 Chase 4 96–115 Chase 5 116–135 Chase 6 136–155 Chase 7 156–175 Chase 8 176–195 Chase 9 196–215 Chase 10 216–235 Chase 11 236–255 Chase 12
9	Effect Speed	0	0–0 >>> 1–124 >> 125–125 > 126–130 Stop 131–131 < 132–254 << 255–255 <<<
10	Effects1Fade	0	

168Channel

27 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	Red	255	
5	Green	255	
6	Blue	255	

168Channel (continued)

Ch	Function	Default	DMX values
7	Red	255	
8	Green	255	
9	Blue	255	
10	Red	255	
11	Green	255	
12	Blue	255	
13	Red	255	
14	Green	255	
15	Blue	255	
16	Red	255	
17	Green	255	
18	Blue	255	
19	Red	255	
20	Green	255	
21	Blue	255	
22	Red	255	
23	Green	255	
24	Blue	255	
25	Red	255	
26	Green	255	
27	Blue	255	