
LL Stage

CYC 6C RGBAWN



Manufacturer	**LL Stage**
Type	**Cyc light**
DMX modes	**4**
DMX footprint	**6, 9, 12, 15 channels**
Beam angle	**100°**
Size (W × H × D)	**347 × 192 × 334 mm**
GDTF fixture type	**99FE9EC1-BB34-5395-AFDB-C4…**

Controls

Extra LED colours · RGB colour mixing · Strobe · Dimmer

DMX modes

6ch-8bit	6 ch
9ch-8bit-ext	9 ch
12ch-16bit	12 ch
15ch-16bit-ext	15 ch

6ch-8bit

6 channels

Ch	Function	Default	DMX values
1	Red	0	
2	Green	0	
3	Blue	0	
4	Amber	0	
5	White	0	
6	Color Add WW	0	

9ch-8bit-ext

9 channels

Ch	Function	Default	DMX values
1	Red	0	
2	Green	0	
3	Blue	0	
4	Amber	0	
5	White	0	
6	Color Add WW	0	
7	Dimmer	0	
8	Shutter / Strobe	0	0–0 Strobe off (assumed) 1–255 Strobo 1–20 Hz
9	Control1	0	

12ch-16bit

12 channels

Ch	Function	Default	DMX values
1	Red	0	
2	Red Fine	0	Fine byte of Red
3	Green	0	
4	Green Fine	0	Fine byte of Green
5	Blue	0	
6	Blue Fine	0	Fine byte of Blue
7	Amber	0	
8	Amber Fine	0	Fine byte of Amber
9	White	0	
10	White Fine	0	Fine byte of White
11	Color Add WW	0	
12	Color Add WW Fine	0	Fine byte of Color Add WW

15ch-16bit-ext

15 channels

Ch	Function	Default	DMX values
1	Red	0	
2	Red Fine	0	Fine byte of Red
3	Green	0	
4	Green Fine	0	Fine byte of Green
5	Blue	0	
6	Blue Fine	0	Fine byte of Blue

15ch-16bit-ext (continued)

Ch	Function	Default	DMX values
7	Amber	0	
8	Amber Fine	0	Fine byte of Amber
9	White	0	
10	White Fine	0	Fine byte of White
11	Color Add WW	0	
12	Color Add WW Fine	0	Fine byte of Color Add WW
13	Dimmer	0	
14	Dimmer Fine	0	Fine byte of Dimmer
15	Shutter / Strobe	0	0–0 Strobe off (assumed) 1–255 Strobo 1–20 Hz

Fixture model: gdtf-ll-stage-cyc-6c-rgbawn-2611075003
Original HitLight geometry, scripted locally by the HitLight fixture agent from published dimensions and product photographs. No manufacture…
Creator: HitLight