LPL

Veloce Profile



Manufacturer	**LPL**
Type	**Profile spot**
DMX modes	**2**
DMX footprint	**44, 67 channels**
Beam angle	**4-52°**
Pan range	**542.12°**
Tilt range	**271.05°**
Size (W × H × D)	**310 × 583 × 245 mm**
GDTF fixture type	**D9DC3401-2E40-4098-97F1-52…**

Controls

Focus · Frost · Iris · Prism · Prism rotation · Zoom · CMY colour mixing · Colour temperature · Colour wheel · Strobe · Dimmer · Pan and tilt · Movement speed · Animation wheel · Gobos · Gobo rotation

Safety-relevant functions

Haze or smoke output

DMX modes

Standard_540	44 ch
Extended_540	67 ch

Standard_540

44 channels

Ch	Function	Default	DMX values
1	Pan	128	
2	Pan Fine	0	Fine byte of Pan
3	Tilt	128	
4	Tilt Fine	0	Fine byte of Tilt
5	Pan Rotate	0	32–84 Stop by SpinOut 85–127 Stop by ShortCut 128–188 CW max 189–189 CW min 190–193 Pause 194–254 CCW min 255–255 CCW max
6	Tilt Rotate	0	32–84 Stop by SpinOut 85–127 Stop by ShortCut 128–188 CW max 189–189 CW min 190–193 Pause 194–254 CCW min 255–255 CCW max
7	Shutter / Strobe	11	0–10 Closed 11–20 open 21–116 ShutterStrobe · min 0.5–24.7 Hz 117–117 ShutterStrobe · max 25 Hz 118–126 open 127–179 ShutterPulse · min 0.5–24.5 Hz 180–180 ShutterPulse · max 25 Hz 181–191 open 192–244 ShutterRandom · min 0.5–24.5 Hz 245–245 ShutterRandom · max 25 Hz 246–255 open
8	Dimmer	0	0–254 closed 255–255 open
9	Dimmer Fine	0	Fine byte of Dimmer
10	Zoom	128	0–127 narrow 128–254 mid 255–255 wide
11	Zoom Fine	0	Fine byte of Zoom
12	Focus	128	0–127 near 128–254 mid 255–255 far
13	Focus Fine	0	Fine byte of Focus

Standard_540 (continued)

Ch	Function	Default	DMX values
14	Color Wheel	0	0–3 Open (wheel slot 1) 4–7 QuarterCTB (wheel slot 2) 8–11 Magenta (wheel slot 3) 12–15 Congo Blue (wheel slot 4) 16–19 Green (wheel slot 5) 20–23 Orange (wheel slot 6) 24–27 Blue (wheel slot 7) 28–31 Red (wheel slot 8) 32–43 Open (wheel slot 1) 44–55 Quarter CTB (wheel slot 2) 56–67 Magenta (wheel slot 3) 68–79 Congo Blue (wheel slot 4) 80–91 Green (wheel slot 5) 92–103 Orange (wheel slot 6) 104–115 Blue (wheel slot 7) 116–127 Red (wheel slot 8) 128–188 CW max 189–189 CW min 190–193 stop 194–254 CCW min 255–255 CCW max
15	Color Wheel Fine	0	Fine byte of Color Wheel
16	Cyan	0	
17	Magenta	0	
18	Yellow	0	
19	C TO	0	
20	C TP	0	0–254 Mix 255–255 Max
21	Gobo	0	0–9 OPEN (wheel slot 1) 10–19 Dot Line 11 (wheel slot 2) 20–29 Star Field (wheel slot 3) 30–39 Nested Triangle (wheel slot 4) 40–49 Infinite Stairs (wheel slot 5) 50–59 Bread Stix (wheel slot 6) 60–69 Circle of square (wheel slot 7) 70–77 Nested Rings Yellow (wheel slot 8) 78–93 DotLine11 (wheel slot 2) 94–109 Star Field (wheel slot 3) 110–125 NestedTriangle (wheel slot 4) 126–141 Infinite Stairs (wheel slot 5) 142–157 Bread Stix (wheel slot 6) 158–173 Circle of Square (wheel slot 7) 174–189 Nested Rings Yellow (wheel slot 8) 190–220 CW max 221–221 CW min 222–223 Stop 224–254 CCW min 255–255 CCW max
22	Gobo Rotation	0	0–127 Gobo1Index 128–188 CW max 189–189 CW min 190–193 stop 194–254 CCW min 255–255 CCW max
23	Gobo Rotation Fine	0	Fine byte of Gobo Rotation

Standard_540 (continued)

Ch	Function	Default	DMX values
24	Gobo 2	0	0–9 OPEN (wheel slot 1) 10–19 Conical Tunnel Effect (wheel slot 2) 20–29 Smoke Rings (wheel slot 3) 30–39 Fireworks (wheel slot 4) 40–49 Abstract Square (wheel slot 5) 50–59 Iron Filings (wheel slot 6) 60–69 Lost In The Brain (wheel slot 7) 70–77 Tree Bark 1 (wheel slot 8) 78–93 Conical Tunnel Effect (wheel slot 2) 94–109 Smoke Rings (wheel slot 3) 110–125 Fireworks (wheel slot 4) 126–141 Abstract Square (wheel slot 5) 142–157 Iron Filings (wheel slot 6) 158–173 Deep Forest (wheel slot 7) 174–189 Tree Bark (wheel slot 8) 190–220 CW max 221–221 CW min 222–223 Stop 224–254 CCW min 255–255 CCW max
25	Gobo Rotation 2	0	0–127 Gobo1Index 128–188 CW max 189–189 CW min 190–193 stop 194–254 CCW min 255–255 CCW max
26	Gobo Rotation 2 Fine	0	Fine byte of Gobo Rotation 2
27	Animation Wheel1	0	0–7 open 8–126 CW max (wheel slot 1) 127–127 CW min (wheel slot 1) 128–135 stop (wheel slot 1) 136–254 CCW min (wheel slot 1) 255–255 CCW max (wheel slot 1)
28	Iris	0	0–190 open 191–191 close 192–222 pulse max 223–223 pulse min 224–254 Pulse slow 255–255 Pulse fast
29	Prism	0	0–127 Open (wheel slot 1) 128–255 5-Facet (wheel slot 2)
30	Prism Rotation	0	0–127 Prism1Index 128–188 CW max 189–189 CW min 190–193 stop 194–254 CCW min 255–255 CCW max
31	Prism	0	0–127 Open (wheel slot 1) 128–255 Linear (wheel slot 2)
32	Prism Rotation	0	0–127 Prism2Index 128–188 CW max 189–189 CW min 190–193 stop 194–254 CCW min 255–255 CCW max
33	Frost1	0	0–254 open 255–255 Light Frost
34	Frost2	0	0–254 open 255–255 Heavy Frost

Standard_540 (continued)

Ch	Function	Default	DMX values
35	Blade3B	0	
36	Blade3A	0	
37	Blade1B	0	
38	Blade1A	0	
39	Blade4B	0	
40	Blade4A	0	
41	Blade2B	0	
42	Blade2A	0	
43	Shaper Rot	128	0–127 min 128–254 default 255–255 max
44	Control1	0	

Extended_540

67 channels

Ch	Function	Default	DMX values
1	Pan	128	
2	Pan Fine	0	Fine byte of Pan
3	Tilt	128	
4	Tilt Fine	0	Fine byte of Tilt
5	Position MSpeed	0	
6	Pan Rotate	0	
7	Tilt Rotate	0	
8	Shutter / Strobe	11	0–10 Closed 11–20 open 21–116 ShutterStrobe · min 0.5–24.7 Hz 117–117 ShutterStrobe · max 25 Hz 118–126 open 127–179 ShutterPulse · min 0.5–24.5 Hz 180–180 ShutterPulse · max 25 Hz 181–191 open 192–244 ShutterRandom · min 0.5–24.5 Hz 245–245 ShutterRandom · max 25 Hz 246–255 open
9	Dimmer	0	
10	Dimmer Fine	0	Fine byte of Dimmer
11	Zoom	128	
12	Zoom Fine	0	Fine byte of Zoom
13	Focus	128	
14	Focus Fine	0	Fine byte of Focus
15	Focus1Distance	0	
16	Focus1Adjust	0	

Extended_540 (continued)

Ch	Function	Default	DMX values
17	Color Wheel	0	0–3 Open (wheel slot 1) 4–7 QuarterCTB (wheel slot 2) 8–11 Magenta (wheel slot 3) 12–15 Congo Blue (wheel slot 4) 16–19 Green (wheel slot 5) 20–23 Orange (wheel slot 6) 24–27 Blue (wheel slot 7) 28–31 Red (wheel slot 8) 32–43 Open (wheel slot 1) 44–55 Quarter CTB (wheel slot 2) 56–67 Magenta (wheel slot 3) 68–79 Congo Blue (wheel slot 4) 80–91 Green (wheel slot 5) 92–103 Orange (wheel slot 6) 104–115 Blue (wheel slot 7) 116–127 Red (wheel slot 8) 128–188 CW max 189–189 CW min 190–193 stop 194–254 CCW min 255–255 CCW max
18	Color Wheel Fine	0	Fine byte of Color Wheel
19	Cyan	0	
20	Cyan Fine	0	Fine byte of Cyan
21	Magenta	0	
22	Magenta Fine	0	Fine byte of Magenta
23	Yellow	0	
24	Yellow Fine	0	Fine byte of Yellow
25	C TO	0	
26	C TO Fine	0	Fine byte of C TO
27	C TP	0	
28	C TP Fine	0	Fine byte of C TP
29	No Feature	0	
30	No Feature Fine	0	Fine byte of No Feature
31	No Feature Ultra Fine	0	
32	Gobo	0	0–9 OPEN (wheel slot 1) 10–19 Dot Line 11 (wheel slot 2) 20–29 Star Field (wheel slot 3) 30–39 Nested Triangle (wheel slot 4) 40–49 Infinite Stairs (wheel slot 5) 50–59 Bread Stix (wheel slot 6) 60–69 Circle of square (wheel slot 7) 70–77 Nested Rings Yellow (wheel slot 8) 78–93 DotLine11 (wheel slot 2) 94–109 Star Field (wheel slot 3) 110–125 NestedTriangle (wheel slot 4) 126–141 Infinite Stairs (wheel slot 5) 142–157 Bread Stix (wheel slot 6) 158–173 Circle of Square (wheel slot 7) 174–189 Nested Rings Yellow (wheel slot 8) 190–220 CW max 221–221 CW min 222–223 Stop 224–254 CCW min 255–255 CCW max

Extended_540 (continued)

Ch	Function	Default	DMX values
33	Gobo Rotation	0	0–127 Gobo1Index 128–188 CW max 189–189 CW min 190–193 stop 194–254 CCW min 255–255 CCW max
34	Gobo Rotation Fine	0	Fine byte of Gobo Rotation
35	Gobo 2	0	0–9 OPEN (wheel slot 1) 10–19 Conical Tunnel Effect (wheel slot 2) 20–29 Smoke Rings (wheel slot 3) 30–39 Fireworks (wheel slot 4) 40–49 Abstract Square (wheel slot 5) 50–59 Iron Filings (wheel slot 6) 60–69 Deep Forest (wheel slot 7) 70–77 Tree Bark (wheel slot 8) 78–93 Conical Tunnel Effect (wheel slot 2) 94–109 Smoke Rings (wheel slot 3) 110–125 Fireworks (wheel slot 4) 126–141 Abstract Square (wheel slot 5) 142–157 Iron Filings (wheel slot 6) 158–173 Deep Forest (wheel slot 7) 174–189 TreeBark (wheel slot 8) 190–220 CW max 221–221 CW min 222–223 Stop 224–254 CCW min 255–255 CCW max
36	Gobo Rotation 2	0	0–127 Gobo1Index 128–188 CW max 189–189 CW min 190–193 stop 194–254 CCW min 255–255 CCW max
37	Gobo Rotation 2 Fine	0	Fine byte of Gobo Rotation 2
38	Animation Wheel1	0	
39	Iris	0	
40	Iris Fine	0	Fine byte of Iris
41	Prism	0	0–127 Open (wheel slot 1) 128–255 5-Facet (wheel slot 2)
42	Prism Rotation	0	
43	Prism Rotation Fine	0	Fine byte of Prism Rotation
44	Prism	0	0–127 Open (wheel slot 1) 128–255 Linear (wheel slot 2)
45	Prism Rotation	0	
46	Prism Rotation Fine	0	Fine byte of Prism Rotation
47	Frost1	0	
48	Frost2	0	
49	Blade3B	0	
50	Blade3B Fine	0	Fine byte of Blade3B
51	Blade3A	0	
52	Blade3A Fine	0	Fine byte of Blade3A
53	Blade1B	0	
54	Blade1B Fine	0	Fine byte of Blade1B
55	Blade1A	0	

Extended_540 (continued)

Ch	Function	Default	DMX values
56	Blade1A Fine	0	Fine byte of Blade1A
57	Blade4B	0	
58	Blade4B Fine	0	Fine byte of Blade4B
59	Blade4A	0	
60	Blade4A Fine	0	Fine byte of Blade4A
61	Blade2B	0	
62	Blade2B Fine	0	Fine byte of Blade2B
63	Blade2A	0	
64	Blade2A Fine	0	Fine byte of Blade2A
65	Shaper Rot	128	
66	Shaper Rot Fine	0	Fine byte of Shaper Rot
67	Control1	0	