
MARK

BLINDER 400 RGB



Manufacturer	**MARK**
Type	**Blinder**
DMX modes	**2**
DMX footprint	**7, 16 channels**
Beam angle	**60°**
Heads / cells	**4**
Size (W × H × D)	**430 × 430 × 130 mm**
GDTF fixture type	**EA41DECA-200F-4FBD-BB71-F4…**

Controls

RGB colour mixing · Colour wheel · Effect speed · Dimmer · Pixel control

DMX modes

7CH (A)	7 ch
16CH (D)	16 ch

7CH (A)

7 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Red	255	
3	Green	255	
4	Blue	255	
5	Strobe Duration	0	0–0 Open 1–255 Strobe Slow to Fast
6	Color Macro1	0	
7	Effect Speed	0	0–2 Red LED 1 3–5 Red LED 2 6–8 Red LED 3 9–11 Red LED 4 12–14 Green LED 1 15–17 Green LED 2 18–20 Green LED 3 21–23 Green LED 4 24–26 Blue LED 1 27–29 Blue LED 2 30–32 Blue LED 3 33–35 Blue LED 4 36–38 White LED 1 39–41 White LED 2 42–44 White LED 3 45–47 White LED 4 48–59 All Ambers 60–71 All Magentas 72–83 All Cyans 84–209 Pairs/Mixes (See Manual) 210–212 All Red 213–215 All Green 216–218 All Blue 219–255 All White

16CH (D)

16 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Strobe Duration	0	0–0 Open 1–255 Strobe Slow to Fast
3	Color Macro1	0	

16CH (D) (continued)

Ch	Function	Default	DMX values
4	Effect Speed	0	0–2 Red LED 1 3–5 Red LED 2 6–8 Red LED 3 9–11 Red LED 4 12–14 Green LED 1 15–17 Green LED 2 18–20 Green LED 3 21–23 Green LED 4 24–26 Blue LED 1 27–29 Blue LED 2 30–32 Blue LED 3 33–35 Blue LED 4 36–38 White LED 1 39–41 White LED 2 42–44 White LED 3 45–47 White LED 4 48–59 All Ambers 60–71 All Magentas 72–83 All Cyans 84–209 Pairs/Mixes 210–212 All Red 213–215 All Green 216–218 All Blue 219–255 All White
5	Red	255	
6	Green	255	
7	Blue	255	
8	Red	255	
9	Green	255	
10	Blue	255	
11	Red	255	
12	Green	255	
13	Blue	255	
14	Red	255	
15	Green	255	
16	Blue	255	