MARK

LIGHT TRUSS BAT 41



Manufacturer	**MARK**
Type	**LED bar**
DMX modes	**3**
DMX footprint	**4, 6, 8 channels**
Beam angle	**35°**
Size (W × H × D)	**129 × 176 × 113 mm**
GDTF fixture type	**043137F3-69AD-4B60-84F8-F5…**

Controls

Extra LED colours · RGB colour mixing · Colour wheel · Strobe · Dimmer

DMX modes

4CH	4 ch
6CH	6 ch
8CH	8 ch

4CH

4 channels

Ch	Function	Default	DMX values
1	Red	255	0–0 Min 1–254 Min to Max 255–255 Max
2	Green	255	0–0 Min 1–254 Min to Max 255–255 Max
3	Blue	255	0–0 Min 1–254 Min to Max 255–255 Max
4	White	255	0–0 Min 1–254 Min to Max 255–255 Max

6CH

6 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–0 Min 1–254 Min to Max 255–255 Max
2	Shutter / Strobe	0	0–9 Open 10–10 Strobe S>F · Min 0.5 Hz 11–254 Strobe S>F · Min to Max 0.6–24.9 Hz 255–255 Strobe S>F · Max 25 Hz
3	Red	255	0–0 Min 1–254 Min to Max 255–255 Max
4	Green	255	0–0 Min 1–254 Min to Max 255–255 Max
5	Blue	255	0–0 Min 1–254 Min to Max 255–255 Max
6	White	255	0–0 Min 1–254 Min to Max 255–255 Max

8CH

8 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–0 Min 1–254 Min to Max 255–255 Max
2	Red	255	0–0 Min 1–254 Min to Max 255–255 Max
3	Green	255	0–0 Min 1–254 Min to Max 255–255 Max
4	Blue	255	0–0 Min 1–254 Min to Max 255–255 Max
5	White	255	0–0 Min 1–254 Min to Max 255–255 Max

8CH (continued)

Ch	Function	Default	DMX values
6	Shutter / Strobe	0	0–9 Open 10–10 Strobe F>S · Min 25 Hz 11–254 Strobe F>S · Min to Max 24.9–0.6 Hz 255–255 Strobe F>S · Max 0.5 Hz
7	Color Macro1	0	0–9 No Function 10–50 Colors 51–100 Jump Color 101–150 Gradual Color 151–200 Pulse Color 201–255 Sound Color
8	Color Macro1Rate	0	0–0 Min 1–17 Min to Max 18–35 Green (wheel slot 2) 36–53 Blue (wheel slot 3) 54–71 White (wheel slot 4) 72–89 Yellow (wheel slot 5) 90–107 Cyan (wheel slot 6) 108–125 Magenta (wheel slot 7) 126–143 RGB (wheel slot 8) 144–161 Light Green (wheel slot 9) 162–179 Light Red (wheel slot 10) 180–197 Light Blue (wheel slot 11) 198–215 Light Yellow (wheel slot 12) 216–233 Light Cyan (wheel slot 13) 234–251 Light Magenta (wheel slot 14) 252–254 RGBW (wheel slot 15) 255–255 Max