
MARK

SUPERMULTIPARLED 120 4



Manufacturer	**MARK**
Type	**PAR**
DMX modes	**1**
DMX footprint	**8 channels**
Beam angle	**45°**
Size (W × H × D)	**260 × 214 × 60 mm**
GDTF fixture type	**B9D4C87E-7B00-4F11-AA85-77…**

Controls

Extra LED colours · RGB colour mixing · Colour wheel

Safety-relevant functions

Strobe

DMX modes

8 CH — 8 ch

8 CH

8 channels

Ch	Function	Default	DMX values
1	Red	255	0–0 Min 1–254 Min > Max 255–255 Max
2	Green	255	0–0 Min 1–254 Min > Max 255–255 Max
3	Blue	255	0–0 Min 1–254 Min > Max 255–255 Max
4	White	0	0–0 Min 1–254 Min > Max 255–255 Max
5	Shutter / Strobe	0	0–0 Min 1–254 Min > Max 255–255 Max
6	Color Wheel	0	0–16 No Function (wheel slot 1) 17–33 RED (wheel slot 2) 34–50 LIGHT RED (wheel slot 3) 51–67 GREEN (wheel slot 4) 68–84 LIGHT GREEN (wheel slot 5) 85–101 BLUE (wheel slot 6) 102–118 LIGHT BLUE (wheel slot 7) 119–135 WHITE (wheel slot 8) 136–152 YELLOW (wheel slot 9) 153–169 LIGHT YELLOW (wheel slot 10) 170–186 MAGENTA (wheel slot 11) 187–203 LIGHT MAGENTA (wheel slot 12) 204–220 CYAN (wheel slot 13) 221–237 LIGHT CYAN (wheel slot 14) 238–254 RGB (wheel slot 15) 255–255 RGBW (wheel slot 16)
7	Color Effects1	0	0–0 NO FUNCTION 1–13 RED PULSE 14–27 LIGHT RED PULSE 28–41 GREEN PULSE 42–55 LIGHT GREEN PULSE 56–69 BLUE PULSE 70–83 LIGHT BLUE PULSE 84–97 WHITE PULSE 98–111 YELLOW PULSE 112–125 LIGHT YELLOW PULSE 126–139 MAGENTA PULSE 140–153 LIGHT MAGENTA PULSE 154–167 CYAN PULSE 168–181 LIGHT CYAN PULSE 182–195 RGB PULSE 196–209 RGBW PULSE 210–223 COLOR CHANGE 1 224–237 COLOR CHANGE 2 238–251 COLOR CHANGE 3 252–255 COLOR CHANGE 4

8 CH (continued)

Ch	Function	Default	DMX values
8	Color Macro1	0	0–0 NO FUNCTION 1–18 STROBE COLOR CHANGE 19–37 GRADUAL COLOR CHANGE 1 38–56 GRADUAL COLOR CHANGE 2 57–75 GRADUAL COLOR CHANGE 3 76–94 GRADUAL COLOR CHANGE 4 95–113 JUMP COLOR CHANGE 1 114–132 JUMP COLOR CHANGE 2 133–151 MACRO 1 152–170 MACRO 2 171–189 MACRO 3 190–208 SOUND MODE 1 209–227 SOUND MODE 2 228–246 SOUND MODE 3 247–255 SOUND MODE 4