
Martin Professional

Exterior Linear Pro Graze CTC 4ft



Manufacturer	**Martin Professional**
Type	**PAR**
DMX modes	**4**
DMX footprint	**3, 12, 24 channels**
Beam angle	**9°**
Size (W × H × D)	**1227 × 68 × 40 mm**
GDTF fixture type	**07817E63-4B27-4472-A2ED-DB…**

Controls

Extra LED colours · Colour temperature · Dimmer

DMX modes

1 Segment	3 ch
Standard	3 ch
4 Segment	12 ch
8 Segment	24 ch

1 Segment

3 channels

Ch	Function	Default	DMX values
1	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
2	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
3	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max

Standard

3 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–63 Closed 64–127 25% 128–191 50% 192–254 75% 255–255 Open
2	Dimmer Fine	0	Fine byte of Dimmer
3	C TC	78	

4 Segment

12 channels

Ch	Function	Default	DMX values
1	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
2	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
3	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
4	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
5	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max

4 Segment (continued)

Ch	Function	Default	DMX values
6	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
7	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
8	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
9	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
10	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
11	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
12	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max

8 Segment

24 channels

Ch	Function	Default	DMX values
1	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
2	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
3	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max

8 Segment (continued)

Ch	Function	Default	DMX values
4	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
5	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
6	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
7	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
8	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
9	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
10	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
11	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
12	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
13	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
14	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max

8 Segment (continued)

Ch	Function	Default	DMX values
15	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
16	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
17	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
18	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
19	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
20	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
21	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
22	Color Add WW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
23	White	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max
24	Color Add CW	0	0–63 Min 64–127 25% 128–191 50% 192–254 75% 255–255 Max