
Pro Church Lights

ProBar



Manufacturer	**Pro Church Lights**
Type	**PAR**
DMX modes	**6**
DMX footprint	**4, 5, 6, 7 channels**
Beam angle	**45°**
Size (W × H × D)	**1000 × 50 × 45 mm**
GDTF fixture type	**01AB519B-B22B-4DB1-A8AF-E…**

Controls

Extra LED colours · RGB colour mixing · Dimmer

DMX modes

HSV 4 CH	4 ch
ARC1 5CH	5 ch
AR1D 6CH	6 ch
ARC2 6CH	6 ch
ARC2D 7CH	7 ch
ARC2S 7CH	7 ch

HSV 4 CH

4 channels

Ch	Function	Default	DMX values
1	H SBHue	0	
2	H SBSaturation	255	
3	Dimmer	0	
4	Dimmer Mode	0	

ARC1 5CH

5 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	0	
5	Color Add RY	0	

AR1D 6CH

6 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Red	255	
3	Green	255	
4	Blue	255	
5	White	0	
6	Color Add RY	0	

ARC2 6CH

6 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	0	
5	Color Add RY	0	
6	Dimmer Mode	0	

ARC2D 7CH

7 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Red	255	
3	Green	255	
4	Blue	255	
5	White	0	
6	Color Add RY	0	
7	Dimmer Mode	0	

ARC2S 7CH

7 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Red	255	
3	Green	255	
4	Blue	255	
5	White	0	
6	Color Add RY	0	
7	Strobe Mode Strobe	0	