
Pro Lux

PRO LUX PAR 1218 BAT SET



Manufacturer	**Pro Lux**
Type	**Effect light**
DMX modes	**5**
DMX footprint	**2, 6, 8, 11 channels**
Beam angle	**25°**
Size (W × H × D)	**250 × 200 × 239 mm**
GDTF fixture type	**3FAB143E-253D-4D1E-BE4D-85…**

Controls

Extra LED colours · RGB colour mixing · Colour wheel · Effect speed · Dimmer · Pixel control

Safety-relevant functions

Strobe · Built-in effect programmes

DMX modes

2ch	2 ch
6 Channels	6 ch
6ch	6 ch
8ch	8 ch
11ch	11 ch

2ch

2 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Color Wheel	0	

6 Channels

6 channels

Ch	Function	Default	DMX values
1	Red	0	
2	Green	0	
3	Blue	0	
4	White	0	
5	Color Add RY	0	
6	UV	0	

6ch

6 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	0	
5	Color Add RY	0	
6	UV	0	

8ch

8 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Shutter / Strobe	0	
3	Red	0	
4	Green	0	
5	Blue	0	
6	White	0	
7	Color Add RY	0	
8	UV	0	

11ch

11 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Red	0	
3	Green	0	
4	Blue	0	
5	White	0	
6	Color Add RY	0	
7	UV	0	
8	Shutter / Strobe	0	

11ch (continued)

Ch	Function	Default	DMX values
9	Color Macro1	0	
10	Effect	0	
11	Effect Speed	0	