
Prolights

SmartBatPlus



Manufacturer	**Prolights**
Type	**Effect light**
DMX modes	**4**
DMX footprint	**3, 4, 6, 10 channels**
Beam angle	**11°**
Size (W × H × D)	**138 × 202 × 138 mm**
GDTF fixture type	**4ECC5A9A-4440-4CEE-BB67-27…**

Controls

Extra LED colours · Hue and saturation · RGB colour mixing · Colour wheel · Effect speed · Strobe · Dimmer

Safety-relevant functions

Strobe · Built-in effect programmes

DMX modes

HSV	3 ch
4Ch	4 ch
6Ch	6 ch
10Ch	10 ch

HSV

3 channels

Ch	Function	Default	DMX values
1	H SBHue	0	
2	H SBSaturation	0	
3	H SBBrightness	100	

4Ch

4 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	

6Ch

6 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Red	255	
3	Green	255	
4	Blue	255	
5	White	255	
6	Shutter / Strobe	0	0–10 Open 11–255 Strobe

10Ch

10 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Red	255	
3	Green	255	
4	Blue	255	
5	White	255	
6	Shutter / Strobe	0	0–10 Open 11–255 Strobe

10Ch (continued)

Ch	Function	Default	DMX values
7	Color Macro1	0	0–10 NoFeature 11–30 R 100 G 0-100 B 0 31–50 R 100-0 G 100 B 0 51–70 R 0 G 100 B 0-100 71–90 R 0 G 100-0 B 100 91–110 R 0-100 G 0 B 100 111–130 R 100 G 0 B 100-0 131–150 R 100 G 0-100 B 0-100 151–170 R 100-0 G 100-0 B 100 171–200 R 100 G 100 B 100 201–205 White 1 206–210 White 2 211–215 White 3 216–220 White 4 221–225 White 5 226–230 White 6 231–235 White 7 236–240 White 8 241–245 White 9 246–250 White 10 251–255 White 11
8	Effect	0	0–51 NoFeature 52–101 Auto Program 1 102–152 Auto Program 2 153–203 Auto Program 3 204–254 Auto Program 4 255–255 Auto Program 5
9	Effect Speed	0	0–0 Slow rate 1–254 Effect Rate 255–255 Fast Rate
10	Dimmer Mode	0	0–51 As From Menu 52–101 DimmerSpeed OFF 102–152 Fast Speed 153–203 Mid Speed 204–255 Slow Speed