
Prolights

SmartBook



Manufacturer	**Prolights**
Type	**Effect light**
DMX modes	**3**
DMX footprint	**4, 6, 10 channels**
Beam angle	**24°**
Size (W × H × D)	**395 × 60 × 180 mm**
GDTF fixture type	**2837EBE7-15FF-4FE6-A866-B0C…**

Controls

Extra LED colours · RGB colour mixing · Colour wheel · Effect speed · Strobe · Dimmer

Safety-relevant functions

Strobe · Built-in effect programmes

DMX modes

4CH	4 ch
6CH	6 ch
10CH	10 ch

4CH

4 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	
4	White	255	

6CH

6 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Red	255	
3	Green	255	
4	Blue	255	
5	Color Add WW	255	
6	Shutter / Strobe	0	0–10 Open 11–255 Strobe

10CH

10 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Red	255	
3	Green	255	
4	Blue	255	
5	Color Add WW	255	
6	Shutter / Strobe	0	0–10 Open 11–255 Strobe
7	Color Macro1	0	0–10 NoFeature 11–30 R 100 G 0-100 B 0 31–50 R 100-0 G 100 B 0 51–70 R 0 G 100 B 0-100 71–90 R 0 G 100-0 B 100 91–110 R 0-100 G 0 B 100 111–130 R 100 G 0 B 100-0 131–150 R 100 G 0-100 B 0-100 151–170 R 100-0 G 100-0 B 100 171–200 R 100 G 100 B 100 201–205 White 1 206–210 White 2 211–215 White 3 216–220 White 4 221–225 White 5 226–230 White 6 231–235 White 7 236–240 White 8 241–245 White 9 246–250 White 10 251–255 White 11

10CH (continued)

Ch	Function	Default	DMX values
8	Effect	0	0–51 NoFeature 52–101 Auto Program 1 102–152 Auto Program 2 153–203 Auto Program 3 204–254 Auto Program 4 255–255 Auto Program 5
9	Effect Speed	0	0–0 Slow rate 1–254 Effect Rate 255–255 Fast Rate
10	Dimmer Mode	0	0–51 As From Menu 52–101 DimmerSpeed OFF 102–152 Fast Speed 153–203 Mid Speed 204–255 Slow Speed