
PRstage

LED BAR 424 RGBUV



Manufacturer	**PRstage**
Type	**LED bar**
DMX modes	**2**
DMX footprint	**8, 32 channels**
Beam angle	**25-60°**
Heads / cells	**6**
Size (W × H × D)	**614 × 150 × 88 mm**
GDTF fixture type	**0E2630B6-3DB9-4B8C-A86A-E1…**

Controls

Extra LED colours · RGB colour mixing · Strobe · Dimmer · Pixel control

Safety-relevant functions

Strobe

DMX modes

Mode1	8 ch
Mode2	32 ch

Mode1

8 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Red	255	
3	Green	255	
4	Blue	255	
5	UV	0	
6	Shutter / Strobe	0	0–15 Open 16–214 Strobe 215–255 Random strobe
7	Dimmer Mode	0	0–9 No Feature 10–59 Dimmer Mode 1 60–84 Dimmer Mode 2 85–109 Dimmer Mode 3 110–134 Dimmer Mode 4 135–159 Dimmer Mode 5 160–184 Dimmer Mode 6 185–209 Dimmer Mode 7 210–255 Dimmer Mode 8
8	Fan Mode	0	0–127 Fan On (wheel slot 1) 128–255 Theatre Mode Fan (off) (wheel slot 2)

Mode2

32 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Shutter / Strobe	0	0–15 Open 16–214 Strobe 215–255 Random strobe
3	Dimmer Mode	0	0–9 No Feature 10–59 Dimmer Mode 1 60–84 Dimmer Mode 2 85–109 Dimmer Mode 3 110–134 Dimmer Mode 4 135–159 Dimmer Mode 5 160–184 Dimmer Mode 6 185–209 Dimmer Mode 7 210–255 Dimmer Mode 8
4	Red	255	
5	Green	255	
6	Blue	255	
7	UV	0	
8	Red	255	
9	Green	255	
10	Blue	255	
11	UV	0	
12	Red	255	
13	Green	255	
14	Blue	255	
15	UV	0	
16	Red	255	
17	Green	255	
18	Blue	255	

Mode2 (continued)

Ch	Function	Default	DMX values
19	UV	0	
20	Red	255	
21	Green	255	
22	Blue	255	
23	UV	0	
24	Red	255	
25	Green	255	
26	Blue	255	
27	UV	0	
28	Red	255	
29	Green	255	
30	Blue	255	
31	UV	0	
32	Fan Mode	0	0–127 Fan On (wheel slot 1) 128–255 Theatre Mode Fan (off) (wheel slot 2)