
Showtec

Compact PAR 7 Tri



Manufacturer	**Showtec**
Type	**PAR**
DMX modes	**3**
DMX footprint	**3, 4, 8 channels**
Beam angle	**40°**
Size (W × H × D)	**202 × 95 × 202 mm**
GDTF fixture type	**89CE5D96-B119-44DE-8B9F-10…**

Controls

RGB colour mixing · Strobe · Dimmer

DMX modes

3 Channel	3 ch
4 Channel	4 ch
8 Channel	8 ch

3 Channel

3 channels

Ch	Function	Default	DMX values
1	Red	255	
2	Green	255	
3	Blue	255	

4 Channel

4 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Red	0	
3	Green	0	
4	Blue	0	

8 Channel

8 channels

Ch	Function	Default	DMX values
1	Dimmer	0	0–254 Closed 255–255 Open
2	Function	0	0–0 Min 1–8 Color 1 (wheel slot 1) 9–17 Color 2 (wheel slot 2) 18–26 Color 3 (wheel slot 3) 27–35 Color 4 (wheel slot 4) 36–44 Color 5 (wheel slot 5) 45–53 Color 6 (wheel slot 6) 54–62 Color 7 (wheel slot 7) 63–71 Color 8 (wheel slot 8) 72–80 Color 9 (wheel slot 9) 81–89 Color 10 (wheel slot 10) 90–98 Color 11 (wheel slot 11) 99–107 Color 12 (wheel slot 12) 108–116 Color 13 (wheel slot 13) 117–125 Color 14 (wheel slot 14) 126–134 Color 15 (wheel slot 15) 135–143 Color 16 (wheel slot 16) 144–152 Color 17 (wheel slot 17) 153–161 Color 18 (wheel slot 18) 162–170 Color 19 (wheel slot 19) 171–179 Color 20 (wheel slot 20) 180–188 Color 21 (wheel slot 21) 189–197 Color 22 (wheel slot 22) 198–206 Color 23 (wheel slot 23) 207–215 Color 24 (wheel slot 24) 216–224 Color 25 (wheel slot 25) 225–233 Color 26 (wheel slot 26) 234–242 Color 27 (wheel slot 27) 243–251 Color 28 (wheel slot 28) 252–254 Color 29 (wheel slot 29) 255–255 Max
3	Green	0	
4	Blue	0	
5	Shutter / Strobe	0	0–254 Linear Strobe · Low 255–255 Linear Strobe · High

8 Channel (continued)

Ch	Function	Default	DMX values
6	Control1	0	0–0 No function 1–24 Program 1 (29 static color presets via CH2) 25–49 Program 2 (7-color color flow) R/RG/G/GB/B/RB/RGB 50–74 Program 3 (3-color color flow) R/G/B 75–99 Program 4 (7-color color switch) R/RG/G/GB/B/RB/RGB 100–124 Program 5 (3-color color switch) R/G/B 125–149 Program 6 (fantasy change 1) 150–174 Program 7 (fantasy change 2) 175–199 Program 8 (red color flow) 200–224 Program 9 (green color flow) 225–249 Program 10 (blue color flow) 250–255 Sound-controlled mode
7	Dummy	0	0–9 ID1-ID66 10–19 ID1 20–29 ID2 30–39 ID3 40–49 ID4 50–59 ID5 60–69 ID6 70–79 ID7 80–89 ID8 90–99 ID9 100–109 ID10 110–119 ID11 120–129 ID12 130–139 ID13 140–149 ID14 150–159 ID15 160–169 ID16 170–179 ID17 180–189 ID18 190–199 ID19 200–209 ID20 210–210 ID21 211–211 ID22 212–212 ID23 213–213 ID24 214–214 ID25 215–250 * 251–251 ID62 252–252 ID63 253–253 ID64 254–254 ID65 255–255 Empty Channel Set
8	Effects1Fade	0	0–250 CH1/CH2/CH3/CH4 instant fader response 251–255 CH1/CH2/CH3/CH4 delayed fader response

Fixture model: gdtf-showtec-compact-par-7-tri-108488
Original HitLight local primitive exterior reconstruction from primary Showtec manual illustrations and dimensions. Estimated planning model; ...
Creator: HitLight