Triton Blue

Comet 228



Manufacturer	**Triton Blue**
Type	**Profile spot**
DMX modes	**2**
DMX footprint	**12, 30 channels**
Beam angle	**20°**
Heads / cells	**2**
Size (W × H × D)	**213 × 139 × 213 mm**
GDTF fixture type	**BCC199DC-2576-45C0-B628-A6…**

Controls

Extra LED colours · RGB colour mixing · Colour temperature · Colour wheel · Strobe · Dimmer · Pixel control

Safety-relevant functions

Strobe

DMX modes

12CH	12 ch
30 CH	30 ch

12CH

12 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Shutter / Strobe	0	0–10 Open - Shutter Open 11–255 Strobe S > F - Strobe
3	Red	0	
4	Green	0	
5	Blue	0	
6	White	0	
7	Color RGBYellow	0	
8	UV	0	
9	Color Macro1	0	0–15 No Function 16–31 Red 32–47 Green 48–63 Blue 64–79 White 80–95 Red+Green 96–111 Red+Blue 112–127 Red+White 128–143 Green+Blue 144–159 Green+White 160–175 Blue+White 176–191 R+G+B 192–207 R+G+B+W 208–212 2700K 213–217 3200K 218–222 3500K 223–227 5000K 228–232 5500K 233–237 6000K 238–242 6500K 243–247 7000K 248–255 8000K
10	C TO	0	
11	Beam Shaper Macro	0	
12	Beam Shaper Macro	0	

30 CH

30 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Shutter / Strobe	0	0–10 Open - Shutter Open 11–255 Strobe S > F - Strobe
3	Red	0	
4	Green	0	
5	Blue	0	
6	White	0	
7	Color RGBYellow	0	
8	UV	0	
9	Red	255	0–0 Min 1–254 Min > Max 255–255 Max
10	Green	255	0–0 Min 1–254 Min > Max 255–255 Max

30 CH (continued)

Ch	Function	Default	DMX values
11	Blue	255	0–0 Min 1–254 Min > Max 255–255 Max
12	White	0	
13	Color RGBYellow	0	
14	UV	0	
15	Reserved 15	0	
16	Reserved 16	0	
17	Reserved 17	0	
18	Reserved 18	0	
19	Reserved 19	0	
20	Reserved 20	0	
21	Reserved 21	0	
22	Reserved 22	0	
23	Reserved 23	0	
24	Reserved 24	0	
25	Reserved 25	0	
26	Reserved 26	0	
27	Color Macro1	0	0–15 No Function 16–31 Red 32–47 Green 48–63 Blue 64–79 White 80–95 Red+Green 96–111 Red+Blue 112–127 Red+White 128–143 Green+Blue 144–159 Green+White 160–175 Blue+White 176–191 R+G+B 192–207 R+G+B+W 208–212 2700K 213–217 3200K 218–222 3500K 223–227 5000K 228–232 5500K 233–237 6000K 238–242 6500K 243–247 7000K 248–255 8000K
28	C TO	0	
29	Shaper Macros	0	
30	Shaper Macros Speed	0	