Triton Blue

Comet 336



Manufacturer	**Triton Blue**
Type	**Profile spot**
DMX modes	**2**
DMX footprint	**13, 29 channels**
Beam angle	**20°**
Heads / cells	**2**
Size (W × H × D)	**213 × 139 × 213 mm**
GDTF fixture type	**8558506F-D5E6-4861-9002-D2…**

Controls

Focus · Extra LED colours · RGB colour mixing · Colour temperature · Colour wheel · Dimmer · Pixel control

DMX modes

13CH	13 ch
29CH	29 ch

13CH

13 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Strobe Mode Shutter	255	0–31 Closed 32–63 Open 64–95 Strobe 96–127 Open 128–159 Pulse 160–191 Open 192–223 Random 224–255 Open
3	Red	0	
4	Green	0	
5	Blue	0	
6	White	0	
7	Focus	0	
8	Color Macro1	0	0–15 No Function 16–31 Red 32–47 Green 48–63 Blue 64–79 White 80–95 Red+Green 96–111 Red+Blue 112–127 Red+White 128–143 Green+Blue 144–159 Green+White 160–175 Blue+White 176–191 R+G+B 192–207 R+G+B+W 208–212 2700K 213–217 3200K 218–222 3500K 223–227 5000K 228–232 5500K 233–237 6000K 238–242 6500K 243–247 7000K 248–255 8000K
9	C TO	0	
10	Shaper Macros	0	
11	Shaper Macros Speed	0	
12	Beam Shaper Macro	0	
13	Beam Shaper Pos	0	

29CH

29 channels

Ch	Function	Default	DMX values
1	Dimmer	0	
2	Strobe Mode Shutter	255	0–31 Closed 32–63 Open 64–95 Strobe 96–127 Open 128–159 Pulse 160–191 Open 192–223 Random 224–255 Open
3	Red	0	

29CH (continued)

Ch	Function	Default	DMX values
4	Green	0	
5	Blue	0	
6	White	0	
7	Focus	0	
8	Red	255	0–0 Min 1–254 Min > Max 255–255 Max
9	Green	255	0–0 Min 1–254 Min > Max 255–255 Max
10	Blue	255	0–0 Min 1–254 Min > Max 255–255 Max
11	White	0	
12	Reserved 12	0	
13	Reserved 13	0	
14	Reserved 14	0	
15	Reserved 15	0	
16	Reserved 16	0	
17	Reserved 17	0	
18	Reserved 18	0	
19	Reserved 19	0	
20	Reserved 20	0	
21	Reserved 21	0	
22	Reserved 22	0	
23	Reserved 23	0	
24	Color Macro1	0	0–15 No Function 16–31 Red 32–47 Green 48–63 Blue 64–79 White 80–95 Red+Green 96–111 Red+Blue 112–127 Red+White 128–143 Green+Blue 144–159 Green+White 160–175 Blue+White 176–191 R+G+B 192–207 R+G+B+W 208–212 2700K 213–217 3200K 218–222 3500K 223–227 5000K 228–232 5500K 233–237 6000K 238–242 6500K 243–247 7000K 248–255 8000K
25	C TO	0	
26	Shaper Macros	0	
27	Shaper Macros Speed	0	
28	Beam Shaper Pos	0	
29	Beam Shaper Pos Rotate	0	