
UPSTAGE



FIXTURE LEGEND

- **19 degree** profile — Profile Spot · 30×
- **Berkey 6x9 ERS** — Profile Spot · 10×
- **ETC Source Four** 36 HDL — Profile Spot · 7×
- **PAR64** — PAR Light · 12×
- **Strand 6 inch —** proper Strand SL15 — Profile Spot · 22×
- **Strand 6x22 ERS** — Profile Spot · 4×
- **Unidentified** 3-cell cyc assembly — Other · 8×
- **Unidentified 6** foot 4-channel strip-light bar — Other · 4×
- **Unidentified 6** inch Fresnel — Spot Light · 8×
- **Unidentified 8** inch Fresnel — Spot Light · 12×
- **Unidentified** followspot — Other · 2×
- **Unidentified pin** spot — Other · 2×

Stage 32.00 m W × 58.00 m D · Grid 1 m

15 fixture labels omitted in this view due to crowding · see DMX patch

Highline Performing Arts Center · Main room

LIGHT PLOT · PLAN · Main room

HitLight · Highline Performing Arts Center

401 S 152nd Street, Burien, United States

DWG HL · SCALE 1:200 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE 8f0d73602767

SYMBOL LEGEND

12 TYPES · 121 FIXTURES · COLOUR BY TYPE



Unverified source fixture 19 degree profile

Profile Spot · Unverified · TBC ch · category symbol

30 physical · 30 plotted

30 disabled · 0 unplaced



Unverified source fixture Berkey 6x9 ERS

Profile Spot · Unverified · TBC ch · category symbol

10 physical · 10 plotted

10 disabled · 0 unplaced



Unverified source fixture ETC Source Four 36 HDL

Profile Spot · Unverified · TBC ch · category symbol

7 physical · 7 plotted

7 disabled · 0 unplaced



Unverified source fixture PAR64

PAR Light · Unverified · TBC ch · category symbol

12 physical · 12 plotted

12 disabled · 0 unplaced



Unverified source fixture Strand 6 inch — proper Strand SL15

Profile Spot · Unverified · TBC ch · category symbol

22 physical · 22 plotted

22 disabled · 0 unplaced



Unverified source fixture Strand 6x22 ERS

Profile Spot · Unverified · TBC ch · category symbol

4 physical · 4 plotted

4 disabled · 0 unplaced



Unverified source fixture Unidentified 3-cell cyc assembly

Other · Unverified · TBC ch · category symbol

8 physical · 8 plotted

8 disabled · 0 unplaced



Unverified source fixture Unidentified 6 foot 4-channel strip-light bar

Other · Unverified · TBC ch · category symbol

4 physical · 4 plotted

4 disabled · 0 unplaced

Highline Performing Arts Center · Main room

SYMBOL LEGEND · Main room

HitLight · Highline Performing Arts Center

401 S 152nd Street, Burien, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 8f0d73602767



Unverified source fixture Unidentified 6 inch Fresnel

Spot Light · Unverified · TBC ch · category symbol

8 physical · 8 plotted

8 disabled · 0 unplaced



Unverified source fixture Unidentified 8 inch Fresnel

Spot Light · Unverified · TBC ch · category symbol

12 physical · 12 plotted

12 disabled · 0 unplaced



Unverified source fixture Unidentified followspot

Other · Unverified · TBC ch · category symbol

2 physical · 2 plotted

2 disabled · 0 unplaced



Unverified source fixture Unidentified pin spot

Other · Unverified · TBC ch · category symbol

2 physical · 2 plotted

2 disabled · 0 unplaced

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

HitLight

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F002	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F003	Unverified source fixture / ETC Source Four 36 HDL	PLOTTED	Unverified · Output excluded
F004	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F005	Unverified source fixture / Unidentified 6 inch Fresnel	PLOTTED	Unverified · Output excluded
F006	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F007	Unverified source fixture / Strand 6x22 ERS	PLOTTED	Unverified · Output excluded
F008	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F009	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F010	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F011	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F012	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F013	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F014	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F015	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F016	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F017	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F018	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F019	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F020	Unverified source fixture / ETC Source Four 36 HDL	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Highline Performing Arts Center · Main room

FIXTURE SCHEDULE · Main room

HitLight · Highline Performing Arts Center

401 S 152nd Street, Burien, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 8f0d73602767

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F022	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F023	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F024	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F025	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F026	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F027	Unverified source fixture / ETC Source Four 36 HDL	PLOTTED	Unverified · Output excluded
F028	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F029	Unverified source fixture / Unidentified 6 inch Fresnel	PLOTTED	Unverified · Output excluded
F030	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F031	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F032	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F033	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F034	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F035	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F036	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F037	Unverified source fixture / ETC Source Four 36 HDL	PLOTTED	Unverified · Output excluded
F038	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F039	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F040	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / Strand 6x22 ERS	PLOTTED	Unverified · Output excluded
F042	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F043	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F044	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F045	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F046	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F047	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F048	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F049	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F050	Unverified source fixture / Unidentified 6 inch Fresnel	PLOTTED	Unverified · Output excluded
F051	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F052	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F053	Unverified source fixture / ETC Source Four 36 HDL	PLOTTED	Unverified · Output excluded
F054	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F055	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F056	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F057	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F058	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F059	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F060	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F062	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F063	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F064	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F065	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F066	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F067	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F068	Unverified source fixture / Unidentified 6 inch Fresnel	PLOTTED	Unverified · Output excluded
F069	Unverified source fixture / Unidentified 6 inch Fresnel	PLOTTED	Unverified · Output excluded
F070	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F071	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F072	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F073	Unverified source fixture / Strand 6x22 ERS	PLOTTED	Unverified · Output excluded
F074	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F075	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F076	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F077	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F078	Unverified source fixture / Strand 6x22 ERS	PLOTTED	Unverified · Output excluded
F079	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F080	Unverified source fixture / ETC Source Four 36 HDL	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F081	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F082	Unverified source fixture / Unidentified 6 inch Fresnel	PLOTTED	Unverified · Output excluded
F083	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F084	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F085	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F086	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F087	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F088	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F089	Unverified source fixture / Unidentified 6 inch Fresnel	PLOTTED	Unverified · Output excluded
F090	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F091	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F092	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F093	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F094	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F095	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F096	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F097	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F098	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded
F099	Unverified source fixture / ETC Source Four 36 HDL	PLOTTED	Unverified · Output excluded
F100	Unverified source fixture / Strand 6 inch — proper Strand SL15	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F101	Unverified source fixture / PAR64	PLOTTED	Unverified · Output excluded
F102	Unverified source fixture / Berkey 6x9 ERS	PLOTTED	Unverified · Output excluded
F103	Unverified source fixture / Unidentified 6 inch Fresnel	PLOTTED	Unverified · Output excluded
F104	Unverified source fixture / 19 degree profile	PLOTTED	Unverified · Output excluded
F105	Unverified source fixture / Unidentified 8 inch Fresnel	PLOTTED	Unverified · Output excluded
F106	Unverified source fixture / Unidentified 6 foot 4-channel strip-light bar	PLOTTED	Unverified · Output excluded
F107	Unverified source fixture / Unidentified followspot	PLOTTED	Unverified · Output excluded
F108	Unverified source fixture / Unidentified 6 foot 4-channel strip-light bar	PLOTTED	Unverified · Output excluded
F109	Unverified source fixture / Unidentified 3-cell cyc assembly	PLOTTED	Unverified · Output excluded
F110	Unverified source fixture / Unidentified followspot	PLOTTED	Unverified · Output excluded
F111	Unverified source fixture / Unidentified 3-cell cyc assembly	PLOTTED	Unverified · Output excluded
F112	Unverified source fixture / Unidentified 6 foot 4-channel strip-light bar	PLOTTED	Unverified · Output excluded
F113	Unverified source fixture / Unidentified 6 foot 4-channel strip-light bar	PLOTTED	Unverified · Output excluded
F114	Unverified source fixture / Unidentified 3-cell cyc assembly	PLOTTED	Unverified · Output excluded
F115	Unverified source fixture / Unidentified 3-cell cyc assembly	PLOTTED	Unverified · Output excluded
F116	Unverified source fixture / Unidentified 3-cell cyc assembly	PLOTTED	Unverified · Output excluded
F117	Unverified source fixture / Unidentified 3-cell cyc assembly	PLOTTED	Unverified · Output excluded
F118	Unverified source fixture / Unidentified pin spot	PLOTTED	Unverified · Output excluded
F119	Unverified source fixture / Unidentified pin spot	PLOTTED	Unverified · Output excluded
F120	Unverified source fixture / Unidentified 3-cell cyc assembly	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F121	Unverified source fixture / Unidentified 3-cell cyc assembly	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

HitLight

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Main room · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F121 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F121 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 16ee6519118fc42d5bb160e0 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Highline Performing Arts Center

Main room · House rig

401 S 152nd Street, Burien, WA, US

https://www.highlinepac.org/facility-rental

Sources checked 2026-11-03

Generated by HitLight from the reviewed partial Highline Performing Arts Center reconstruction. Venue sources are cited as facts; their original artwork remains private.

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

121 source-based fixture records retain their original printed source identities. The current public view has 105 catalogue body references and 16 visual fallbacks. Installed modes and DMX patch are unverified; all original output exclusions remain.

Fixture heights are approximate; trim heights may differ from the drawing.

121 visible fixture housings from a July22,2013 repertory plot. Current installation and census are unknown. The source mentions additional white strip lights without plotting them; their quantity and positions are not invented.

105 positions have public catalogue body references. Eight unidentified 6-inch Fresnels use explicitly labelled Colortran 6 mechanical donor housings; this does not establish their installed maker. Exact legacy fixture bodies, fixed 19-degree variants and optics remain unresolved.

Eight cyc housings, four strip bars, two pin spots and two followspots retain neutral markers pending exact identity/body evidence.

The source states that left-to-right fixture placement is not to scale. Scale, room frame, every height,side-bank stacking,focus and detached FOH registration are estimates. This is a partial visual reference with all output excluded.

Existing Colortran 8-inch Fresnel / Source Four PAR references now use newly authored approximate public housings. Body details, lens shape and manual bracket pose are estimates. Native controls, fixtures and layout are unchanged. Other-make and unidentified source fixtures using a labelled mechanical donor remain substitutes; this update does not identify installed models, optics or lamp ratings, or establish hardware, clearance or photometric acceptance.

121 source-based fixture records display 105 approximate public catalogue housings and 16 labelled visual fallbacks. New Colortran 6-inch bodies replace procedural displays only. Existing source names, placements, modes, patch and output exclusions are unchanged. Other-make and unidentified Fresnels using Colortran mechanical donors remain labelled substitutes; lamp ratings, optics, current installation and physical acceptance are unverified.

Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

Fixture plot original; visually inspected page(s) 1. Freshness and reuse rights unconfirmed.: https://www.highlinepac.org/_files/ugd/020953_60552e5290e553eb73a69fe69615d2c9.pdf · checked 2026-11-03

Published capacity 800 for Main theatre.: https://www.highlinepac.org/facility-rental · checked 2026-11-03

Public venue page:
https://www.hitlight.app/venues/united-states/highline-performing-arts-center-16ee6519

HitLight | hitlight.app