
UPSTAGE ↑



FIXTURE LEGEND

- **Colorado 2 Quad** Zoom Tour — Other · 4×
- **ETC PAR** — PAR Light · 14×
- **ETC Source Four** 26/36 — Profile Spot · 37×
- **ETC Source Four** 26/36 — Other · 5×
- **Rogue 1 Spot** — Profile Spot · 12×

Stage 17.50 m W × 11.50 m D · Grid 1 m

Broward Center for the Performing Arts · Abdo New River Room

LIGHT PLOT · PLAN · Abdo New River Room

HitLight · Broward Center for the Performing Arts
201 SW 5th Avenue, Fort Lauderdale, United States

DWG HL · SCALE 1:100 · metric · PRINT AT 100%
Drawn HitLight
Generated from the saved show
SOURCE 8244a8675dfc

SYMBOL LEGEND

5 TYPES · 72 FIXTURES · COLOUR BY TYPE



Unverified source fixture Colorado 2 Quad Zoom Tour

Other · Unverified · TBC ch · category symbol

4 physical · 4 plotted

4 disabled · 0 unplaced



Unverified source fixture ETC PAR

PAR Light · Unverified · TBC ch · category symbol

14 physical · 14 plotted

14 disabled · 0 unplaced



Unverified source fixture ETC Source Four 26/36

Profile Spot · Unverified · TBC ch · category symbol

37 physical · 37 plotted

37 disabled · 0 unplaced



Unverified source fixture ETC Source Four 26/36

Other · Unverified · TBC ch · category symbol

5 physical · 5 plotted

5 disabled · 0 unplaced



Unverified source fixture Rogue 1 Spot

Profile Spot · Unverified · TBC ch · category symbol

12 physical · 12 plotted

12 disabled · 0 unplaced

Broward Center for the Performing Arts · Abdo New River Room

SYMBOL LEGEND · Abdo New River Room

HitLight · Broward Center for the Performing Arts

201 SW 5th Avenue, Fort Lauderdale, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 8244a8675dfc

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

HitLight

Broward Center for the Performing Arts · Abdo New River Room

GENERAL NOTES · Abdo New River Room

HitLight · Broward Center for the Performing Arts

201 SW 5th Avenue, Fort Lauderdale, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 8244a8675dfc

STAGE ELEMENTS

NAME	TYPE	POSITION	TRIM / SIZE
SR pipe inner	pipe	X -4.45 m · Z -1.78 m	4.00 m · 5.80 m W × 0.05 m D
SL pipe outer	pipe	X 7.20 m · Z -0.02 m	4.00 m · 5.80 m W × 0.05 m D
Upstage pipe	pipe	X 0.00 m · Z -4.78 m	4.00 m · 6.20 m W × 0.05 m D
SL pipe inner	pipe	X 4.45 m · Z -1.78 m	4.00 m · 5.80 m W × 0.05 m D
SR pipe outer	pipe	X -6.80 m · Z 0.90 m	4.00 m · 5.80 m W × 0.05 m D
FOH pipe 1	pipe	X 0.00 m · Z 2.58 m	4.00 m · 6.20 m W × 0.05 m D
FOH pipe 2	pipe	X 0.00 m · Z 4.40 m	4.00 m · 6.20 m W × 0.05 m D

Broward Center for the Performing Arts · Abdo New River Room

STAGE ELEMENTS · Abdo New River Room

HitLight · Broward Center for the Performing Arts

201 SW 5th Avenue, Fort Lauderdale, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 8244a8675dfc

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / Rogue 1 Spot	FOH pipe 2	Unverified · Output excluded
F002	Unverified source fixture / ETC PAR	Upstage pipe	Unverified · Output excluded
F003	Unverified source fixture / ETC Source Four 26/36	FOH pipe 2	Unverified · Output excluded
F004	Unverified source fixture / Rogue 1 Spot	SL pipe outer	Unverified · Output excluded
F005	Unverified source fixture / ETC PAR	SR pipe inner	Unverified · Output excluded
F006	Unverified source fixture / ETC Source Four 26/36	SR pipe inner	Unverified · Output excluded
F007	Unverified source fixture / ETC Source Four 26/36	SR pipe outer	Unverified · Output excluded
F008	Unverified source fixture / Rogue 1 Spot	FOH pipe 1	Unverified · Output excluded
F009	Unverified source fixture / ETC Source Four 26/36	SL pipe outer	Unverified · Output excluded
F010	Unverified source fixture / ETC Source Four 26/36	SR pipe outer	Unverified · Output excluded
F011	Unverified source fixture / ETC Source Four 26/36	FOH pipe 1	Unverified · Output excluded
F012	Unverified source fixture / ETC Source Four 26/36	SR pipe inner	Unverified · Output excluded
F013	Unverified source fixture / Rogue 1 Spot	FOH pipe 2	Unverified · Output excluded
F014	Unverified source fixture / Rogue 1 Spot	SR pipe outer	Unverified · Output excluded
F015	Unverified source fixture / ETC Source Four 26/36	SL pipe inner	Unverified · Output excluded
F016	Unverified source fixture / Rogue 1 Spot	FOH pipe 1	Unverified · Output excluded
F017	Unverified source fixture / ETC Source Four 26/36	FOH pipe 1	Unverified · Output excluded
F018	Unverified source fixture / ETC Source Four 26/36	FOH pipe 1	Unverified · Output excluded
F019	Unverified source fixture / ETC Source Four 26/36	FOH pipe 2	Unverified · Output excluded
F020	Unverified source fixture / ETC PAR	SR pipe outer	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / ETC PAR	SR pipe inner	Unverified · Output excluded
F022	Unverified source fixture / ETC PAR	Upstage pipe	Unverified · Output excluded
F023	Unverified source fixture / ETC Source Four 26/36	FOH pipe 2	Unverified · Output excluded
F024	Unverified source fixture / ETC PAR	SL pipe inner	Unverified · Output excluded
F025	Unverified source fixture / ETC PAR	Upstage pipe	Unverified · Output excluded
F026	Unverified source fixture / ETC Source Four 26/36	FOH pipe 2	Unverified · Output excluded
F027	Unverified source fixture / Rogue 1 Spot	SL pipe outer	Unverified · Output excluded
F028	Unverified source fixture / ETC Source Four 26/36	FOH pipe 1	Unverified · Output excluded
F029	Unverified source fixture / ETC Source Four 26/36	SR pipe inner	Unverified · Output excluded
F030	Unverified source fixture / ETC PAR	SR pipe outer	Unverified · Output excluded
F031	Unverified source fixture / Rogue 1 Spot	FOH pipe 2	Unverified · Output excluded
F032	Unverified source fixture / ETC PAR	SL pipe inner	Unverified · Output excluded
F033	Unverified source fixture / ETC Source Four 26/36	SR pipe outer	Unverified · Output excluded
F034	Unverified source fixture / Rogue 1 Spot	SR pipe outer	Unverified · Output excluded
F035	Unverified source fixture / ETC Source Four 26/36	SR pipe inner	Unverified · Output excluded
F036	Unverified source fixture / ETC Source Four 26/36	SL pipe outer	Unverified · Output excluded
F037	Unverified source fixture / ETC Source Four 26/36	FOH pipe 1	Unverified · Output excluded
F038	Unverified source fixture / ETC Source Four 26/36	SL pipe inner	Unverified · Output excluded
F039	Unverified source fixture / ETC Source Four 26/36	FOH pipe 2	Unverified · Output excluded
F040	Unverified source fixture / ETC Source Four 26/36	SR pipe inner	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / ETC Source Four 26/36	SL pipe outer	Unverified · Output excluded
F042	Unverified source fixture / ETC Source Four 26/36	SR pipe inner	Unverified · Output excluded
F043	Unverified source fixture / ETC PAR	SR pipe inner	Unverified · Output excluded
F044	Unverified source fixture / ETC PAR	SL pipe outer	Unverified · Output excluded
F045	Unverified source fixture / ETC PAR	SL pipe outer	Unverified · Output excluded
F046	Unverified source fixture / ETC Source Four 26/36	SL pipe outer	Unverified · Output excluded
F047	Unverified source fixture / ETC Source Four 26/36	FOH pipe 2	Unverified · Output excluded
F048	Unverified source fixture / ETC Source Four 26/36	SR pipe inner	Unverified · Output excluded
F049	Unverified source fixture / ETC Source Four 26/36	SL pipe inner	Unverified · Output excluded
F050	Unverified source fixture / ETC Source Four 26/36	SR pipe outer	Unverified · Output excluded
F051	Unverified source fixture / Rogue 1 Spot	SL pipe outer	Unverified · Output excluded
F052	Unverified source fixture / ETC Source Four 26/36	SL pipe inner	Unverified · Output excluded
F053	Unverified source fixture / ETC Source Four 26/36	SL pipe inner	Unverified · Output excluded
F054	Unverified source fixture / ETC Source Four 26/36	SL pipe inner	Unverified · Output excluded
F055	Unverified source fixture / Rogue 1 Spot	SR pipe outer	Unverified · Output excluded
F056	Unverified source fixture / ETC Source Four 26/36	SL pipe outer	Unverified · Output excluded
F057	Unverified source fixture / ETC Source Four 26/36	FOH pipe 1	Unverified · Output excluded
F058	Unverified source fixture / ETC Source Four 26/36	FOH pipe 1	Unverified · Output excluded
F059	Unverified source fixture / ETC Source Four 26/36	FOH pipe 1	Unverified · Output excluded
F060	Unverified source fixture / ETC PAR	SL pipe inner	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	Unverified source fixture / ETC Source Four 26/36	SR pipe inner	Unverified · Output excluded
F062	Unverified source fixture / Rogue 1 Spot	FOH pipe 2	Unverified · Output excluded
F063	Unverified source fixture / ETC PAR	Upstage pipe	Unverified · Output excluded
F064	Unverified source fixture / Colorado 2 Quad Zoom Tour	Upstage pipe	Unverified · Output excluded
F065	Unverified source fixture / ETC Source Four 26/36	SL pipe inner	Unverified · Output excluded
F066	Unverified source fixture / ETC Source Four 26/36	SL pipe inner	Unverified · Output excluded
F067	Unverified source fixture / ETC Source Four 26/36	SL pipe outer	Unverified · Output excluded
F068	Unverified source fixture / Colorado 2 Quad Zoom Tour	Upstage pipe	Unverified · Output excluded
F069	Unverified source fixture / Colorado 2 Quad Zoom Tour	Upstage pipe	Unverified · Output excluded
F070	Unverified source fixture / ETC Source Four 26/36	SR pipe outer	Unverified · Output excluded
F071	Unverified source fixture / ETC Source Four 26/36	SR pipe outer	Unverified · Output excluded
F072	Unverified source fixture / Colorado 2 Quad Zoom Tour	Upstage pipe	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F072 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F072 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 4a4328b518c9b7479919df15 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Broward Center for the Performing Arts

Abdo New River Room · Published house plot

201 SW 5th Avenue, Fort Lauderdale, FL, US

https://www.browardcenter.org/assets/doc/Amaturo-Tech-Spec-Nov-2021-1c8ec3a744.pdf

Sources checked 2026-11-03

Generated by HitLight from the reviewed partial Broward Center for the Performing Arts reconstruction. Venue sources are cited as facts; their original artwork remains private.

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Partial reconstruction from the venue’s lighting documentation; the currently installed rig and its complete fixture census are not verified.

ESTIMATED GEOMETRY: the documents give no complete scale or trim heights, so the stage size, fixture positions in metres and hanging heights are best-guess estimates, not measurements.

72 source-based fixture records have 63 public catalogue housings and 9 visual fallbacks; their original printed source identities are retained, and exact installed identity and mode remain unconfirmed.

Modes and DMX addresses are unverified best guesses; check them with the venue before driving real fixtures.

Where plotted fixtures were closer together than their real bodies, some were moved by at most 10 cm along their bar; the plotted order is unchanged.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

72 source-based fixture records currently display 63 public catalogue housings and 9 visual fallbacks. Original source identities, modes, patch and output exclusions are unchanged.

Existing Source Four PAR / Colortran Fresnel profile references now display newly authored approximate public housings. Existing source identities and any other-maker mechanical substitutes remain labelled; installed optics, modes and patch are not verified.

Original reconstruction notes record illegible 26/36-degree lens labels at 42 Source Four positions. Their retained mechanical donors do not verify the installed optics.

HitLight

VENUE & DRAWING SOURCES

Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

Fixture plot original:
https://www.browardcenter.org/assets/doc/Abdo_NewRiverRoom_TechSpec_October-2021-5862181be0.pdf · checked 2026-11-03

Fixture plot original:
https://www.browardcenter.org/assets/doc/Amaturo-Tech-Spec-Nov-2021-1c8ec3a744.pdf · checked 2026-11-03

Fixture plot original:
https://www.browardcenter.org/assets/doc/PorterBallroom_TechSpecs_Nov-2023-f07e64669e.pdf · checked 2026-11-03

Published capacity 220 for Porter Ballroom:
https://www.browardcenter.org/host-event/venue-rentals/corporate-events/mary-n-porter-riverview-ballroom · checked 2026-11-03

Official venue/technical source page:
https://www.browardcenter.org/host-event/venue-rentals/weddings-receptions/abdo-new-river-room · checked 2026-11-03

Fixture plot original:
https://www.browardcenter.org/assets/doc/AuRene-Tech-Specs-092226-2f8f83cb70.pdf · checked 2026-11-03

Published capacity 2658 for Au-Rene Theater:
https://www.browardcenter.org/visit/venues/detail/au-rene-theater · checked 2026-11-03

Official venue/technical source page:
https://www.browardcenter.org/host-event/technical-specifications · checked 2026-11-03

Public venue page:
https://www.hitlight.app/venues/united-states/broward-center-for-the-performing-arts-4a4328b5

HitLight