
UPSTAGE



FIXTURE LEGEND

- **XLED HD** — PAR Light · 8×
- **Aleda B-EYE K10** — Moving Head · 8×
- **Atomic 3000 DMX** — Strobe · 3×
- **MAC Aura XB** — Moving Head · 6×
- **MAC Viper XIP** — Profile Spot · 6×
- **Juliet Foxy MSR 700 followspot** — Spot Light · 1×
- **PAR64 CP61** — PAR Light · 48×
- **Two-way 4-light blinder** — Blinder · 4×

Stage 11.00 m W × 6.00 m D · Grid 1 m

31 fixture labels omitted in this view due to crowding · see DMX patch

HitLight TECHNICAL LIGHTING REV a1111a461343 · 1/12

Rockefeller · Documented venue / rooms unspecified

LIGHT PLOT · PLAN · Documented venue / rooms unspecified

HitLight · Rockefeller

Oslo, Norway

DWG HL · SCALE 1:100 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE 9f021c531262

SYMBOL LEGEND

8 TYPES · 84 FIXTURES · COLOUR BY TYPE



Bright XLED HD

PAR Light · Unverified · TBC ch · category symbol

8 physical · 8 plotted

8 disabled · 0 unplaced



Clay Paky Aleda B-EYE K10

Moving Head · Unverified · TBC ch · category symbol

8 physical · 8 plotted

8 disabled · 0 unplaced



Martin Professional Atomic 3000 DMX

Strobe · Unverified · TBC ch · category symbol

3 physical · 3 plotted

3 disabled · 0 unplaced



Martin Professional MAC Aura XB

Moving Head · Unverified · TBC ch · category symbol

6 physical · 6 plotted

6 disabled · 0 unplaced



Martin Professional MAC Viper XIP

Profile Spot · Unverified · TBC ch · category symbol

6 physical · 6 plotted

6 disabled · 0 unplaced



Unverified source fixture Juliet Foxy MSR 700 followspot

Spot Light · Unverified · TBC ch · category symbol

1 physical · 1 plotted

1 disabled · 0 unplaced



Unverified source fixture PAR64 CP61

PAR Light · Unverified · TBC ch · category symbol

48 physical · 48 plotted

48 disabled · 0 unplaced



Unverified source fixture Two-way 4-light blinder

Blinder · Unverified · TBC ch · category symbol

4 physical · 4 plotted

4 disabled · 0 unplaced

Rockefeller · Documented venue / rooms unspecified

SYMBOL LEGEND · Documented venue / rooms unspecified

HitLight · Rockefeller

Oslo, Norway

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 9f021c531262

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Partial planning view; modes and patch unverified; output excluded.

HitLight

STAGE ELEMENTS

NAME	TYPE	POSITION	TRIM / SIZE
cross1 schematic member · virtual4.5m trim	trussStraight	X 0.00 m · Z 0.68 m	5.75 m · 11.00 m W × 0.30 m D
cross2 schematic member · virtual4.5m trim	trussStraight	X 0.00 m · Z 2.44 m	5.75 m · 11.00 m W × 0.30 m D
cross3 schematic member · virtual4.5m trim	trussStraight	X 0.00 m · Z 2.68 m	5.75 m · 11.00 m W × 0.30 m D
front schematic member · virtual4.5m trim	trussStraight	X 0.00 m · Z 3.00 m	5.75 m · 11.00 m W × 0.30 m D
left schematic member · virtual4.5m trim	trussStraight	X -5.50 m · Z 0.00 m	5.75 m · 6.00 m W × 0.30 m D
middle schematic member · virtual4.5m trim	trussStraight	X 0.00 m · Z -1.92 m	5.75 m · 11.00 m W × 0.30 m D
rear schematic member · virtual4.5m trim	trussStraight	X 0.00 m · Z -3.00 m	5.75 m · 11.00 m W × 0.30 m D
right schematic member · virtual4.5m trim	trussStraight	X 5.50 m · Z 0.00 m	5.75 m · 6.00 m W × 0.30 m D
ASSUMED deck · 11x4m main	floorSection	X 0.00 m · Z 1.00 m	1.19 m · 11.00 m W × 4.00 m D
ASSUMED deck · 9x2m narrowing upstage	floorSection	X 0.00 m · Z -2.00 m	1.19 m · 9.00 m W × 2.00 m D
ASSUMED FOH followspot stand · hall floor offset	boom	X -0.35 m · Z 12.00 m	0.75 m · 0.50 m W × 0.50 m D
ASSUMED barrel 1 · 4.10m trim	pipe	X -0.01 m · Z -2.70 m	5.35 m · 11.07 m W × 0.05 m D
ASSUMED barrel 2 · 4.10m trim	pipe	X -0.01 m · Z -2.40 m	5.35 m · 11.06 m W × 0.05 m D
ASSUMED barrel 3 · 4.10m trim	pipe	X 0.02 m · Z -2.10 m	5.35 m · 11.06 m W × 0.05 m D
ASSUMED barrel 4 · 4.10m trim	pipe	X -0.04 m · Z 0.61 m	5.35 m · 14.82 m W × 0.05 m D
ASSUMED barrel 5 · 4.10m trim	pipe	X -0.04 m · Z -0.33 m	5.35 m · 14.82 m W × 0.05 m D

Rockefeller · Documented venue / rooms unspecified

STAGE ELEMENTS · Documented venue / rooms unspecified

HitLight · Rockefeller

Oslo, Norway

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 9f021c531262

STAGE ELEMENTS · CONTINUED

NAME	TYPE	POSITION	TRIM / SIZE
ASSUMED barrel 6 · 4.10m trim	pipe	X -0.04 m · Z -1.33 m	5.35 m · 14.82 m W × 0.05 m D
ASSUMED barrel 7 · 4.10m trim	pipe	X -7.20 m · Z -2.29 m	5.35 m · 0.60 m W × 0.05 m D
ASSUMED barrel 8 · 4.10m trim	pipe	X 7.12 m · Z -2.27 m	5.35 m · 0.60 m W × 0.05 m D

HitLight

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F002	Unverified source fixture / Two-way 4-light blinder	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F003	Martin Professional / Atomic 3000 DMX	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F004	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F005	Bright / XLED HD	ASSUMED barrel 6 · 4.10m trim	Unverified · Output excluded
F006	Unverified source fixture / Two-way 4-light blinder	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F007	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F008	Clay Paky / Aleda B-EYE K10	rear schematic member · virtual4.5m trim	Unverified · Output excluded
F009	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F010	Martin Professional / MAC Viper XIP	rear schematic member · virtual4.5m trim	Unverified · Output excluded
F011	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F012	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F013	Clay Paky / Aleda B-EYE K10	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F014	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F015	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F016	Unverified source fixture / Two-way 4-light blinder	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F017	Bright / XLED HD	ASSUMED barrel 4 · 4.10m trim	Unverified · Output excluded
F018	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F019	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F020	Martin Professional / MAC Aura XB	front schematic member · virtual4.5m trim	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F022	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F023	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F024	Martin Professional / MAC Aura XB	front schematic member · virtual4.5m trim	Unverified · Output excluded
F025	Martin Professional / MAC Viper XIP	left schematic member · virtual4.5m trim	Unverified · Output excluded
F026	Clay Paky / Aleda B-EYE K10	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F027	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F028	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F029	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F030	Bright / XLED HD	ASSUMED barrel 7 · 4.10m trim	Unverified · Output excluded
F031	Martin Professional / Atomic 3000 DMX	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F032	Clay Paky / Aleda B-EYE K10	rear schematic member · virtual4.5m trim	Unverified · Output excluded
F033	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F034	Martin Professional / MAC Aura XB	front schematic member · virtual4.5m trim	Unverified · Output excluded
F035	Clay Paky / Aleda B-EYE K10	right schematic member · virtual4.5m trim	Unverified · Output excluded
F036	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F037	Bright / XLED HD	ASSUMED barrel 6 · 4.10m trim	Unverified · Output excluded
F038	Unverified source fixture / Two-way 4-light blinder	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F039	Clay Paky / Aleda B-EYE K10	rear schematic member · virtual4.5m trim	Unverified · Output excluded
F040	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F042	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F043	Martin Professional / Atomic 3000 DMX	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F044	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F045	Martin Professional / MAC Aura XB	front schematic member · virtual4.5m trim	Unverified · Output excluded
F046	Martin Professional / MAC Viper XIP	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F047	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F048	Clay Paky / Aleda B-EYE K10	rear schematic member · virtual4.5m trim	Unverified · Output excluded
F049	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F050	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F051	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F052	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F053	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F054	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F055	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F056	Martin Professional / MAC Viper XIP	right schematic member · virtual4.5m trim	Unverified · Output excluded
F057	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F058	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F059	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F060	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F062	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F063	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F064	Unverified source fixture / Juliet Foxy MSR 700 followspot	ASSUMED FOH followspot stand · hall floor offset	Unverified · Output excluded
F065	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F066	Clay Paky / Aleda B-EYE K10	left schematic member · virtual4.5m trim	Unverified · Output excluded
F067	Martin Professional / MAC Viper XIP	middle schematic member · virtual4.5m trim	Unverified · Output excluded
F068	Bright / XLED HD	ASSUMED barrel 8 · 4.10m trim	Unverified · Output excluded
F069	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F070	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F071	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F072	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F073	Unverified source fixture / PAR64 CP61	ASSUMED barrel 3 · 4.10m trim	Unverified · Output excluded
F074	Martin Professional / MAC Aura XB	front schematic member · virtual4.5m trim	Unverified · Output excluded
F075	Martin Professional / MAC Aura XB	front schematic member · virtual4.5m trim	Unverified · Output excluded
F076	Unverified source fixture / PAR64 CP61	ASSUMED barrel 2 · 4.10m trim	Unverified · Output excluded
F077	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F078	Bright / XLED HD	ASSUMED barrel 5 · 4.10m trim	Unverified · Output excluded
F079	Bright / XLED HD	ASSUMED barrel 5 · 4.10m trim	Unverified · Output excluded
F080	Bright / XLED HD	ASSUMED barrel 4 · 4.10m trim	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F081	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F082	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F083	Unverified source fixture / PAR64 CP61	ASSUMED barrel 1 · 4.10m trim	Unverified · Output excluded
F084	Martin Professional / MAC Viper XIP	rear schematic member · virtual4.5m trim	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

HitLight

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Documented venue / rooms unspecified · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F084 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F084 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 4d683eeb00db0c224170dcd6 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Rockefeller

Documented venue / rooms unspecified · 2025–26 published technical pack · provisional lighting reconstruction

Oslo, NO

https://www.rockefeller.no/kontakt

Sources checked 2026-10-29

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Reviewed as a visual reference on 29 October 2026 using source documents and owner-authorized best guesses. Current physical installation is unverified.

Stage shape, registration, supports, trims and fixture placements include estimates. Confirm technical details with the venue.

Inventory entries describe the chosen preview profiles, including substitute models; they are not an exact installed-equipment inventory or a complete physical census.

Preview mode choices are estimated where undocumented. Live DMX addresses are withheld; the saved fixtures are disabled and unpatched.

Guest 3D views display approximate public catalogue housings where approved bodies are available; unresolved records retain labelled visual markers. Control profiles and original source files remain private.

Reconstruction of the published 2025–26 technical pack, not a verification of present equipment. Followspot body, preview protocol and position are substitutes or estimates.

11x6m performance deck, last 2m narrowing to 9m, from the current venue pack; lightgrid registration/trim remain selected estimates. Hall floor zero and documented deck rise 1.25m are rendered.

Partial source-based planning reconstruction; the current installation and complete fixture census are unverified.

Source-matched catalogue bodies are shown where available. Unresolved source identities remain labelled visual markers. Installed modes and DMX patch require verification; visual-only fixtures remain excluded from output.

84 source-based records in this scenario display 83 approximate public catalogue housings and 1 labelled visual fallbacks. 48 existing display references now use their available approved bodies. Source identities, labelled donors, modes, patch and output exclusions remain unchanged; current installation and optics are unverified.

Partial planning view; modes and patch unverified; output excluded.

Official venue information: https://www.rockefeller.no/kontakt · checked 2026-10-29

Published technical documents:
https://www.dropbox.com/scl/fo/oq2v00t0bh6ueui1jt5dz/AKD1m7RHrM6dStfBbEByZZE?rlkey=ui3sldsadz4n1imxnvjffok7t&dl=1 · checked 2026-10-28

Public venue page: https://www.hitlight.app/venues/norway/rockefeller-4d683eeb

HitLight | hitlight.app