
UPSTAGE ↑



FIXTURE LEGEND

- **Altman 6-inch** Fresnel — Spot Light · 40×
- **ETC Source Four** 36 — Profile Spot · 20×
- **ETC Source Four** 50 — Profile Spot · 10×

Stage 18.00 m W × 18.00 m D · Grid 1 m

14 fixture labels omitted in this view due to crowding · see DMX patch

Theatre Puget Sound · Carleton Playhouse / Center Theatre

LIGHT PLOT · PLAN · Carleton Playhouse / Center Theatre

HitLight · Theatre Puget Sound

305 Harrison Street, Seattle, United States

DWG HL · SCALE 1:100 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE cc7f9bd0edea

SYMBOL LEGEND

3 TYPES · 70 FIXTURES · COLOUR BY TYPE



Unverified source fixture Altman 6-inch Fresnel

Spot Light · Unverified · TBC ch · category symbol

40 physical · 40 plotted

40 disabled · 0 unplaced



Unverified source fixture ETC Source Four 36

Profile Spot · Unverified · TBC ch · category symbol

20 physical · 20 plotted

20 disabled · 0 unplaced



Unverified source fixture ETC Source Four 50

Profile Spot · Unverified · TBC ch · category symbol

10 physical · 10 plotted

10 disabled · 0 unplaced

HitLight

Theatre Puget Sound · Carleton Playhouse / Center Theatre

SYMBOL LEGEND · Carleton Playhouse / Center Theatre

HitLight · Theatre Puget Sound

305 Harrison Street, Seattle, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE cc7f9bd0edea

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

HitLight

Theatre Puget Sound · Carleton Playhouse / Center Theatre

GENERAL NOTES · Carleton Playhouse / Center Theatre

HitLight · Theatre Puget Sound

305 Harrison Street, Seattle, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE cc7f9bd0edea

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F002	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F003	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F004	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F005	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F006	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F007	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F008	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F009	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F010	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F011	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F012	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F013	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F014	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F015	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F016	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F017	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F018	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F019	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F020	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Theatre Puget Sound · Carleton Playhouse / Center Theatre

FIXTURE SCHEDULE · Carleton Playhouse / Center Theatre

HitLight · Theatre Puget Sound

305 Harrison Street, Seattle, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE cc7f9bd0edea

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F022	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F023	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F024	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F025	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F026	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F027	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F028	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F029	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F030	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F031	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F032	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F033	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F034	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F035	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F036	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F037	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F038	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F039	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F040	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Theatre Puget Sound · Carleton Playhouse / Center Theatre

FIXTURE SCHEDULE · Carleton Playhouse / Center Theatre

HitLight · Theatre Puget Sound

305 Harrison Street, Seattle, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE cc7f9bd0edea

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F042	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F043	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F044	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F045	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F046	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F047	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F048	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F049	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F050	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F051	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F052	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F053	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F054	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F055	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F056	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F057	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F058	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F059	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F060	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F062	Unverified source fixture / ETC Source Four 50	PLOTTED	Unverified · Output excluded
F063	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F064	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F065	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F066	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F067	Unverified source fixture / ETC Source Four 36	PLOTTED	Unverified · Output excluded
F068	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F069	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded
F070	Unverified source fixture / Altman 6-inch Fresnel	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Carleton Playhouse / Center Theatre · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F070 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F070 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 60189903eaa2aeab213f7917 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Theatre Puget Sound

Carleton Playhouse / Center Theatre · Published house plot

305 Harrison Street, Seattle, WA, US

https://theatrepugetsound.org/product/center-theatre/

Sources checked 2026-11-03

Generated by HitLight from the reviewed partial Theatre Puget Sound reconstruction. Venue sources are cited as facts; their original artwork remains private.

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

Fixture heights are approximate; trim heights may differ from the drawing.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

70 source-based fixture records currently display 70 public catalogue housings and 0 visual fallbacks. Original source identities, modes, patch and output exclusions are unchanged.

Forty source-labelled Altman six-inch Fresnels, whose exact model is unknown, retain labelled Colortran 6 housing substitutes. Catalogue housings for all seventy records do not verify installed identities, optics or modes.

Existing Colortran 6-inch/8-inch Fresnel / Source Four PAR references now use newly authored approximate public housings. Body details, lens shape and manual bracket pose are estimates. Native controls, fixtures and layout are unchanged. Other-make and unidentified source fixtures using a labelled mechanical donor remain substitutes; this update does not identify installed models, optics or lamp ratings, or establish hardware, clearance or photometric acceptance.

Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

Fixture plot original; visually inspected page(s) 1. Freshness and reuse rights unconfirmed.: https://theatrepugetsound.org/wp-content/uploads/2025/03/2025-CT-Rep-Plot-11x17-1.pdf · checked 2026-11-03

HitLight

VENUE & DRAWING SOURCES

Published capacity 195 for Carleton Playhouse / Center Theatre.: https://soundtheatrecompany.org/2026-season/you-will-get-sick/ · checked 2026-11-03

Official venue/technical source page.: https://theatrepugetsound.org/product/center-theatre/ · checked 2026-11-03

Public venue page: https://www.hitlight.app/venues/united-states/theatre-puget-sound-60189903

HitLight