
UPSTAGE ↑



FIXTURE LEGEND

- **Unresolved** fixture identity — Other · 34×
- **Unspecified** compact wash — PAR Light · 30×
- **Unspecified** conventional profile — Profile Spot · 100×
- **Unspecified** linear/cyc fixture — Other · 5×
- **Unspecified** moving luminaire — Other · 3×

Stage 32.00 m W × 26.00 m D · Grid 1 m

56 fixture labels omitted in this view due to crowding · see DMX patch

Meydenbauer Center Theatre · Main room

LIGHT PLOT · PLAN · Main room

HitLight · Meydenbauer Center Theatre

11100 NE 6th Street, Bellevue, United States

DWG HL · SCALE 1:125 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE 5943512537eb

SYMBOL LEGEND

5 TYPES · 172 FIXTURES · COLOUR BY TYPE



Unverified source fixture Unresolved fixture identity

Other · Unverified · TBC ch · category symbol

34 physical · 34 plotted

34 disabled · 0 unplaced



Unverified source fixture Unspecified compact wash

PAR Light · Unverified · TBC ch · category symbol

30 physical · 30 plotted

30 disabled · 0 unplaced



Unverified source fixture Unspecified conventional profile

Profile Spot · Unverified · TBC ch · category symbol

100 physical · 100 plotted

100 disabled · 0 unplaced



Unverified source fixture Unspecified linear/cyc fixture

Other · Unverified · TBC ch · category symbol

5 physical · 5 plotted

5 disabled · 0 unplaced



Unverified source fixture Unspecified moving luminaire

Other · Unverified · TBC ch · category symbol

3 physical · 3 plotted

3 disabled · 0 unplaced

Meydenbauer Center Theatre · Main room

SYMBOL LEGEND · Main room

HitLight · Meydenbauer Center Theatre

11100 NE 6th Street, Bellevue, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 5943512537eb

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Partial planning view; modes and patch unverified; output excluded.

HitLight

Meydenbauer Center Theatre · Main room

GENERAL NOTES · Main room

HitLight · Meydenbauer Center Theatre

11100 NE 6th Street, Bellevue, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 5943512537eb

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F002	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F003	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F004	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F005	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F006	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F007	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F008	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F009	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F010	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F011	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F012	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F013	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F014	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F015	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F016	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F017	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F018	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F019	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F020	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Meydenbauer Center Theatre · Main room

FIXTURE SCHEDULE · Main room

HitLight · Meydenbauer Center Theatre

11100 NE 6th Street, Bellevue, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 5943512537eb

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F022	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F023	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F024	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F025	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F026	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F027	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F028	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F029	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F030	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F031	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F032	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F033	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F034	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F035	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F036	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F037	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F038	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F039	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F040	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F042	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F043	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F044	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F045	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F046	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F047	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F048	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F049	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F050	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F051	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F052	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F053	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F054	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F055	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F056	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F057	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F058	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F059	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F060	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Meydenbauer Center Theatre · Main room

FIXTURE SCHEDULE · Main room

HitLight · Meydenbauer Center Theatre

11100 NE 6th Street, Bellevue, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 5943512537eb

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F062	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F063	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F064	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F065	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F066	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F067	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F068	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F069	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F070	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F071	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F072	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F073	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F074	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F075	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F076	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F077	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F078	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F079	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F080	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Meydenbauer Center Theatre · Main room

FIXTURE SCHEDULE · Main room

HitLight · Meydenbauer Center Theatre

11100 NE 6th Street, Bellevue, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 5943512537eb

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F081	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F082	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F083	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F084	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F085	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F086	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F087	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F088	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F089	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F090	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F091	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F092	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F093	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F094	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F095	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F096	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F097	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F098	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F099	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F100	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Meydenbauer Center Theatre · Main room

FIXTURE SCHEDULE · Main room

HitLight · Meydenbauer Center Theatre

11100 NE 6th Street, Bellevue, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 5943512537eb

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F101	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F102	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F103	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F104	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F105	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F106	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F107	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F108	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F109	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F110	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F111	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F112	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F113	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F114	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F115	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F116	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F117	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F118	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F119	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F120	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F121	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F122	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F123	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F124	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F125	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F126	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F127	Unverified source fixture / Unspecified compact wash	PLOTTED	Unverified · Output excluded
F128	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F129	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F130	Unverified source fixture / Unspecified conventional profile	PLOTTED	Unverified · Output excluded
F131	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F132	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F133	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F134	Unverified source fixture / Unspecified linear/cyc fixture	PLOTTED	Unverified · Output excluded
F135	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F136	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F137	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F138	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F139	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F140	Unverified source fixture / Unspecified linear/cyc fixture	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F141	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F142	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F143	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F144	Unverified source fixture / Unspecified moving luminaire	PLOTTED	Unverified · Output excluded
F145	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F146	Unverified source fixture / Unspecified moving luminaire	PLOTTED	Unverified · Output excluded
F147	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F148	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F149	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F150	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F151	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F152	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F153	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F154	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F155	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F156	Unverified source fixture / Unspecified moving luminaire	PLOTTED	Unverified · Output excluded
F157	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F158	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F159	Unverified source fixture / Unspecified linear/cyc fixture	PLOTTED	Unverified · Output excluded
F160	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F161	Unverified source fixture / Unspecified linear/cyc fixture	PLOTTED	Unverified · Output excluded
F162	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F163	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F164	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F165	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F166	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F167	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F168	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F169	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F170	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F171	Unverified source fixture / Unspecified linear/cyc fixture	PLOTTED	Unverified · Output excluded
F172	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Main room · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F172 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F172 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 61fa1e1e7dfbd4136c996fff · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Meydenbauer Center Theatre

Main room · House rig

11100 NE 6th Street, Bellevue, WA, US

https://meydenbauer.com/theatre/put-on-a-show/amenities/

Sources checked 2026-11-05

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

172 source-based fixture records retain their original printed source identities. The current public view has 130 catalogue body references and 42 visual fallbacks. Installed modes and DMX patch are unverified; all original output exclusions remain.

Fixture heights are approximate; trim heights may differ from the drawing.

Historical rep plot:172 individually drawn positions. The current venue description says130 instruments; these are separate observations.

130 positions use labelled profile/wash body donors;42 neutral markers retain fixtures whose identity or class is unresolved. Installed manufacturers, models and optics are unverified.

Scale, room registration, hanging heights, side-array tiers and focus are estimates. The supporting floorplan has conflicting stage-depth figures.

All fixtures are excluded from output; source circuit/unit labels do not establish a verified DMX patch.

172 source-based fixture records currently display 130 public catalogue housings and 42 visual fallbacks. Original source identities, modes, patch and output exclusions are unchanged.

Existing Source Four PAR / Colortran Fresnel profile references now display newly authored approximate public housings. Existing source identities and any other-maker mechanical substitutes remain labelled; installed optics, modes and patch are not verified.

Partial planning view; modes and patch unverified; output excluded.

Fixture plot original; visually inspected page(s) 1. Freshness and reuse rights unconfirmed.: https://meydenbauer.com/wp-content/uploads/2019/10/Rep_Plot_Meydenbauer_Center_Theatre.pdf · checked

HitLight

VENUE & DRAWING SOURCES

2026-11-03

Published capacity 410 for Main theatre.: https://meydenbauer.com/theatre/put-on-a-show/amenities/ · checked 2026-11-03

Official linked3pagefloorplan/facilitysummary; theatre40ftwide34ftdeep20fthigh narrative versus36ftdeep table discrepancy retained; conferencehall/otherroomdime: https://meydenbauer.com/wp-content/uploads/2019/10/Theatre_Floorplan-Updated-06.14.21.pdf · checked 2026-11-05

Official separate410seat theatre chart; seating positions not lightingfixture evidence.: https://meydenbauer.com/wp-content/uploads/2019/10/Theatre_Seating_Chart_Meydenbauer_Center.pdf · checked 2026-11-05

Public venue page: https://www.hitlight.app/venues/united-states/meydenbauer-center-theatre-61fa1e1e

HitLight