
UPSTAGE ↑

FIXTURE LEGEND

- **Source Four 26**
  Profile Spot · 7×
- **Source Four 36**
  Profile Spot · 5×
- **Atomic 3000 DMX**
  Strobe · 6×
- **ETC**
  SourceFourPAR
  MFL750W
  PAR Light · 30×
- **ETC**
  SourceFourPAR
  NSP750W
  PAR Light · 18×
- **Three-lamp**
  DWE1950W blinder
  Blinder · 2×
- **VariLite**
  VL2500Spot
  Profile Spot · 8×



Stage 14.00 m W × 16.00 m D · Grid 1 m

13 fixture labels omitted in this view due to crowding · see DMX patch

The Regency Center · Regency Ballroom

LIGHT PLOT · PLAN · Regency Ballroom

HitLight · The Regency Center

1300 Van Ness Avenue, San Francisco, United States

DWG HL · SCALE 1:100 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE 85d828307050

SYMBOL LEGEND

7 TYPES · 76 FIXTURES · COLOUR BY TYPE



ETC Source Four 26

Profile Spot · Unverified · TBC ch · category symbol

7 physical · 7 plotted

7 disabled · 0 unplaced



ETC Source Four 36

Profile Spot · Unverified · TBC ch · category symbol

5 physical · 5 plotted

5 disabled · 0 unplaced



Martin Professional Atomic 3000 DMX

Strobe · Unverified · TBC ch · category symbol

6 physical · 6 plotted

6 disabled · 0 unplaced



Unverified source fixture ETC SourceFourPAR MFL750W

PAR Light · Unverified · TBC ch · category symbol

30 physical · 30 plotted

30 disabled · 0 unplaced



Unverified source fixture ETC SourceFourPAR NSP750W

PAR Light · Unverified · TBC ch · category symbol

18 physical · 18 plotted

18 disabled · 0 unplaced



Unverified source fixture Three-lamp DWE1950W blinder

Blinder · Unverified · TBC ch · category symbol

2 physical · 2 plotted

2 disabled · 0 unplaced



Unverified source fixture VariLite VL2500Spot

Profile Spot · Unverified · TBC ch · category symbol

8 physical · 8 plotted

8 disabled · 0 unplaced

The Regency Center · Regency Ballroom

SYMBOL LEGEND · Regency Ballroom

HitLight · The Regency Center

1300 Van Ness Avenue, San Francisco, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 85d828307050

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Partial planning view; modes and patch unverified; output excluded.

HitLight

The Regency Center · Regency Ballroom

GENERAL NOTES · Regency Ballroom

HitLight · The Regency Center

1300 Van Ness Avenue, San Francisco, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 85d828307050

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F002	Unverified source fixture / Three-lamp DWE1950W blinder	PLOTTED	Unverified · Output excluded
F003	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F004	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F005	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F006	Unverified source fixture / VariLite VL2500Spot	PLOTTED	Unverified · Output excluded
F007	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F008	Martin Professional / Atomic 3000 DMX	PLOTTED	Unverified · Output excluded
F009	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F010	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F011	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F012	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F013	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F014	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F015	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F016	Unverified source fixture / VariLite VL2500Spot	PLOTTED	Unverified · Output excluded
F017	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F018	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F019	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F020	ETC / Source Four 36	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F022	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F023	Martin Professional / Atomic 3000 DMX	PLOTTED	Unverified · Output excluded
F024	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F025	Unverified source fixture / VariLite VL2500Spot	PLOTTED	Unverified · Output excluded
F026	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F027	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F028	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F029	Unverified source fixture / VariLite VL2500Spot	PLOTTED	Unverified · Output excluded
F030	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F031	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F032	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F033	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F034	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F035	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F036	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F037	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F038	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F039	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F040	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F042	Martin Professional / Atomic 3000 DMX	PLOTTED	Unverified · Output excluded
F043	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F044	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F045	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F046	Martin Professional / Atomic 3000 DMX	PLOTTED	Unverified · Output excluded
F047	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F048	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F049	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F050	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F051	Martin Professional / Atomic 3000 DMX	PLOTTED	Unverified · Output excluded
F052	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F053	Unverified source fixture / VariLite VL2500Spot	PLOTTED	Unverified · Output excluded
F054	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F055	Unverified source fixture / VariLite VL2500Spot	PLOTTED	Unverified · Output excluded
F056	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F057	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F058	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F059	Unverified source fixture / VariLite VL2500Spot	PLOTTED	Unverified · Output excluded
F060	Martin Professional / Atomic 3000 DMX	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F062	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F063	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F064	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F065	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F066	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F067	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded
F068	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F069	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F070	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F071	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F072	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F073	Unverified source fixture / Three-lamp DWE1950W blinder	PLOTTED	Unverified · Output excluded
F074	Unverified source fixture / ETC SourceFourPAR MFL750W	PLOTTED	Unverified · Output excluded
F075	Unverified source fixture / VariLite VL2500Spot	PLOTTED	Unverified · Output excluded
F076	Unverified source fixture / ETC SourceFourPAR NSP750W	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Regency Ballroom · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F076 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F076 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 67282ee493aa6424f3292601 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

The Regency Center

Regency Ballroom · Published house plot

1300 Van Ness Avenue, San Francisco, CA, US

https://www.theregencyballroom.com/

Sources checked 2026-11-03

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

Fixture heights are approximate; trim heights may differ from the drawing.

Partial source-based planning reconstruction; the current installation and complete fixture census are unverified.

Source-matched catalogue bodies are shown where available. Unresolved source identities remain labelled visual markers. Installed modes and DMX patch require verification; visual-only fixtures remain excluded from output.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

76 source-based fixture records currently display 68 public catalogue housings and 8 visual fallbacks. Original source identities, modes, patch and output exclusions are unchanged.

Existing Source Four PAR / Colortran Fresnel profile references now display newly authored approximate public housings. Existing source identities and any other-maker mechanical substitutes remain labelled; installed optics, modes and patch are not verified.

Partial planning view; modes and patch unverified; output excluded.

Fixture plot original; visually inspected page(s) 6. Freshness and reuse rights unconfirmed.: https://aeglive-theregencyballroom.s3.amazonaws.com/doc/regency_ballroom_tech_april2014.pdf · checked 2026-11-03

Published capacity 1400 for Regency Ballroom.: https://www.theregencyballroom.com/rental-info/ · checked 2026-11-03

Official venue/technical source page.: https://www.theregencyballroom.com/ · checked 2026-11-03

Public venue page: https://www.hitlight.app/venues/united-states/the-regency-center-67282ee4

HitLight