
UPSTAGE ↑



FIXTURE LEGEND

- **Source Four 19** — Profile Spot · 14×
- **Source Four 26** — Profile Spot · 36×
- **Source Four 36** — Profile Spot · 16×
- **Source Four 50** — Profile Spot · 10×
- **ColorBlaze TRX** /930W linear fixture — PAR Light · 5×
- **ETC ColorSource** PAR /MFL round 107W — PAR Light · 5×
- **ETC Source Four** PAR MFL /750W — PAR Light · 10×
- **PAR64 WFL** — PAR Light · 4×

Stage 20.00 m W × 22.00 m D · Grid 1 m

10 fixture labels omitted in this view due to crowding · see DMX patch

University of Iowa Theatre Building · Alan MacVey Theatre

LIGHT PLOT · PLAN · Alan MacVey Theatre

HitLight · University of Iowa Theatre Building

200 North Riverside Drive, Iowa City, United States

DWG HL · SCALE 1:100 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE 6ca4d8fb61e3

SYMBOL LEGEND

8 TYPES · 100 FIXTURES · COLOUR BY TYPE



ETC Source Four 19

Profile Spot · Unverified · TBC ch · category symbol

14 physical · 14 plotted

14 disabled · 0 unplaced



ETC Source Four 26

Profile Spot · Unverified · TBC ch · category symbol

36 physical · 36 plotted

36 disabled · 0 unplaced



ETC Source Four 36

Profile Spot · Unverified · TBC ch · category symbol

16 physical · 16 plotted

16 disabled · 0 unplaced



ETC Source Four 50

Profile Spot · Unverified · TBC ch · category symbol

10 physical · 10 plotted

10 disabled · 0 unplaced



Unverified source fixture ColorBlaze TRX /930W linear fixture

PAR Light · Unverified · TBC ch · category symbol

5 physical · 5 plotted

5 disabled · 0 unplaced



Unverified source fixture ETC ColorSource PAR /MFL round 107W

PAR Light · Unverified · TBC ch · category symbol

5 physical · 5 plotted

5 disabled · 0 unplaced



Unverified source fixture ETC Source Four PAR MFL /750W

PAR Light · Unverified · TBC ch · category symbol

10 physical · 10 plotted

10 disabled · 0 unplaced



Unverified source fixture PAR64 WFL

PAR Light · Unverified · TBC ch · category symbol

4 physical · 4 plotted

4 disabled · 0 unplaced

University of Iowa Theatre Building · Alan MacVey Theatre

SYMBOL LEGEND · Alan MacVey Theatre

HitLight · University of Iowa Theatre Building

200 North Riverside Drive, Iowa City, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 6ca4d8fb61e3

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Partial planning view; modes and patch unverified; output excluded.

HitLight

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F002	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F003	Unverified source fixture / ColorBlaze TRX /930W linear fixture	PLOTTED	Unverified · Output excluded
F004	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F005	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F006	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F007	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F008	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F009	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F010	Unverified source fixture / PAR64 WFL	PLOTTED	Unverified · Output excluded
F011	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F012	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F013	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F014	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F015	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F016	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F017	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F018	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F019	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F020	ETC / Source Four 26	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

University of Iowa Theatre Building · Alan MacVey Theatre

FIXTURE SCHEDULE · Alan MacVey Theatre

HitLight · University of Iowa Theatre Building

200 North Riverside Drive, Iowa City, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 6ca4d8fb61e3

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F022	Unverified source fixture / ColorBlaze TRX /930W linear fixture	PLOTTED	Unverified · Output excluded
F023	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F024	Unverified source fixture / PAR64 WFL	PLOTTED	Unverified · Output excluded
F025	Unverified source fixture / PAR64 WFL	PLOTTED	Unverified · Output excluded
F026	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F027	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F028	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F029	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F030	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F031	Unverified source fixture / ETC ColorSource PAR /MFL round 107W	PLOTTED	Unverified · Output excluded
F032	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F033	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F034	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F035	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F036	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F037	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F038	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F039	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F040	ETC / Source Four 36	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

University of Iowa Theatre Building · Alan MacVey Theatre

FIXTURE SCHEDULE · Alan MacVey Theatre

HitLight · University of Iowa Theatre Building

200 North Riverside Drive, Iowa City, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 6ca4d8fb61e3

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F042	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F043	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F044	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F045	Unverified source fixture / ColorBlaze TRX /930W linear fixture	PLOTTED	Unverified · Output excluded
F046	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F047	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F048	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F049	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F050	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F051	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F052	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F053	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F054	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F055	Unverified source fixture / ETC ColorSource PAR /MFL round 107W	PLOTTED	Unverified · Output excluded
F056	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F057	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F058	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F059	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F060	ETC / Source Four 36	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

University of Iowa Theatre Building · Alan MacVey Theatre

FIXTURE SCHEDULE · Alan MacVey Theatre

HitLight · University of Iowa Theatre Building

200 North Riverside Drive, Iowa City, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 6ca4d8fb61e3

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F062	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F063	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F064	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F065	Unverified source fixture / ETC Source Four PAR MFL /750W	PLOTTED	Unverified · Output excluded
F066	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F067	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F068	Unverified source fixture / PAR64 WFL	PLOTTED	Unverified · Output excluded
F069	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F070	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F071	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F072	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F073	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F074	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F075	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F076	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F077	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F078	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F079	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F080	Unverified source fixture / ColorBlaze TRX /930W linear fixture	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

University of Iowa Theatre Building · Alan MacVey Theatre

FIXTURE SCHEDULE · Alan MacVey Theatre

HitLight · University of Iowa Theatre Building

200 North Riverside Drive, Iowa City, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 6ca4d8fb61e3

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F081	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F082	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F083	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F084	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F085	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F086	Unverified source fixture / ColorBlaze TRX /930W linear fixture	PLOTTED	Unverified · Output excluded
F087	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F088	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F089	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F090	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F091	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F092	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F093	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F094	Unverified source fixture / ETC ColorSource PAR /MFL round 107W	PLOTTED	Unverified · Output excluded
F095	Unverified source fixture / ETC ColorSource PAR /MFL round 107W	PLOTTED	Unverified · Output excluded
F096	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F097	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F098	Unverified source fixture / ETC ColorSource PAR /MFL round 107W	PLOTTED	Unverified · Output excluded
F099	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F100	ETC / Source Four 19	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Alan MacVey Theatre · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F100 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F100 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 6a940471c1e52f4eb5b168b9 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

University of Iowa Theatre Building

Alan MacVey Theatre · Published house plot

200 North Riverside Drive, Iowa City, IA, US

https://theatre.uiowa.edu/facilities

Sources checked 2026-11-03

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

Fixture heights are approximate; trim heights may differ from the drawing.

Partial source-based planning reconstruction; the current installation and complete fixture census are unverified.

Source-matched catalogue bodies are shown where available. Unresolved source identities remain labelled visual markers. Installed modes and DMX patch require verification; visual-only fixtures remain excluded from output.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

100 source-based fixture records currently display 100 public catalogue housings and 0 visual fallbacks. Original source identities, modes, patch and output exclusions are unchanged.

Existing Source Four PAR / Colortran Fresnel profile references now display newly authored approximate public housings. Existing source identities and any other-maker mechanical substitutes remain labelled; installed optics, modes and patch are not verified.

Partial planning view; modes and patch unverified; output excluded.

Fixture plot original; visually inspected page(s) 1. Freshness and reuse rights unconfirmed.: https://theatre.uiowa.edu/sites/theatre.uiowa.edu/files/2023-08/Rep-Lighting-Plot.pdf · checked 2026-11-03

Published capacity 138 for Alan MacVey Theatre.: https://callboard.performingarts.uiowa.edu/theatre-callboard/theatre-productions/new-play-festival · checked 2026-11-03

Official venue/technical source page.: https://theatre.uiowa.edu/facilities · checked 2026-11-03

Public venue page:
https://www.hitlight.app/venues/united-states/university-of-iowa-theatre-building-6a940471

HitLight