
UPSTAGE ↑



FIXTURE LEGEND

- **ETC SourceFour** 5degree — Profile Spot · 10×
- **ETC SourceFour** 19degree — Profile Spot · 10×
- **ETC SourceFour** 26degree — Profile Spot · 14×
- **ETC SourceFour** 36degree — Profile Spot · 43×
- **ETC SourceFour** PAR MFL — PAR Light · 60×
- **Strand IRIS3 —** three-cell cyc housing — Other · 9×

Stage 32.00 m W × 32.00 m D · Grid 1 m

73 fixture labels omitted in this view due to crowding · see DMX patch

E. C. Glass Civic Auditorium · Main room

LIGHT PLOT · PLAN · Main room

HitLight · E. C. Glass Civic Auditorium

2111 Memorial Avenue, Lynchburg, United States

DWG HL · SCALE 1:200 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE a87376f42200

SYMBOL LEGEND

6 TYPES · 146 FIXTURES · COLOUR BY TYPE



Unverified source fixture ETC SourceFour 5degree

Profile Spot · Unverified · TBC ch · category symbol

10 physical · 10 plotted

10 disabled · 0 unplaced



Unverified source fixture ETC SourceFour 19degree

Profile Spot · Unverified · TBC ch · category symbol

10 physical · 10 plotted

10 disabled · 0 unplaced



Unverified source fixture ETC SourceFour 26degree

Profile Spot · Unverified · TBC ch · category symbol

14 physical · 14 plotted

14 disabled · 0 unplaced



Unverified source fixture ETC SourceFour 36degree

Profile Spot · Unverified · TBC ch · category symbol

43 physical · 43 plotted

43 disabled · 0 unplaced



Unverified source fixture ETC SourceFour PAR MFL

PAR Light · Unverified · TBC ch · category symbol

60 physical · 60 plotted

60 disabled · 0 unplaced



Unverified source fixture Strand IRIS3 — three-cell cyc housing

Other · Unverified · TBC ch · category symbol

9 physical · 9 plotted

9 disabled · 0 unplaced

E. C. Glass Civic Auditorium · Main room

SYMBOL LEGEND · Main room

HitLight · E. C. Glass Civic Auditorium

2111 Memorial Avenue, Lynchburg, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE a87376f42200

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Partial planning view; modes and patch unverified; output excluded.

HitLight

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F002	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F003	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F004	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F005	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F006	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F007	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F008	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F009	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F010	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F011	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F012	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F013	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F014	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F015	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F016	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F017	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F018	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F019	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F020	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

E. C. Glass Civic Auditorium · Main room

FIXTURE SCHEDULE · Main room

HitLight · E. C. Glass Civic Auditorium

2111 Memorial Avenue, Lynchburg, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE a87376f42200

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F022	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F023	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F024	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F025	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F026	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F027	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F028	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F029	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F030	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F031	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F032	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F033	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F034	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F035	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F036	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F037	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F038	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F039	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F040	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F042	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F043	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F044	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F045	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F046	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F047	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F048	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F049	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F050	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F051	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F052	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F053	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F054	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F055	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F056	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F057	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F058	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F059	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F060	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F062	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F063	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F064	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F065	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F066	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F067	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F068	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F069	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F070	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F071	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F072	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F073	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F074	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F075	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F076	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F077	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F078	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F079	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F080	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F081	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F082	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F083	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F084	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F085	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F086	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F087	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F088	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F089	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F090	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F091	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F092	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F093	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F094	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F095	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F096	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F097	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F098	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F099	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F100	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F101	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F102	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F103	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F104	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F105	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F106	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F107	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F108	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F109	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F110	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F111	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F112	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F113	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F114	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F115	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F116	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F117	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F118	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F119	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F120	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F121	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F122	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F123	Unverified source fixture / ETC SourceFour 19degree	PLOTTED	Unverified · Output excluded
F124	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F125	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F126	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F127	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F128	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F129	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F130	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F131	Unverified source fixture / ETC SourceFour 5degree	PLOTTED	Unverified · Output excluded
F132	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F133	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F134	Unverified source fixture / ETC SourceFour 26degree	PLOTTED	Unverified · Output excluded
F135	Unverified source fixture / ETC SourceFour PAR MFL	PLOTTED	Unverified · Output excluded
F136	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F137	Unverified source fixture / ETC SourceFour 36degree	PLOTTED	Unverified · Output excluded
F138	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded
F139	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded
F140	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

E. C. Glass Civic Auditorium · Main room

FIXTURE SCHEDULE · Main room

HitLight · E. C. Glass Civic Auditorium

2111 Memorial Avenue, Lynchburg, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE a87376f42200

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F141	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded
F142	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded
F143	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded
F144	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded
F145	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded
F146	Unverified source fixture / Strand IRIS3 — three-cell cyc housing	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

HitLight

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Main room · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F146 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F146 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 788edfb521bec30215f53087 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

E. C. Glass Civic Auditorium

Main room · House rig

2111 Memorial Avenue, Lynchburg, VA, US

https://lcsedu.net/departments/facilities/rentals/e-c-glass-civic-auditorium

Sources checked 2026-11-03

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

Fixture heights are approximate; trim heights may differ from the drawing.

146 individual housings from the October2015 house plot:77 profiles,60 PARs and9 three-cell Strand IRIS3 fixtures. Present installation is unverified.

137 positions use proper catalogue bodies; nine IRIS3 housings retain neutral markers. Profile optic-cap interpretation is provisional.

Printed3ft spacing calibrates the scale and conflicts with the nominal half-inch sheet title. Room frame, heights, focus and labelled clearance tiers are estimates.

All FOH is explicitly displaced in the source; its registration is estimated and labelled. Every fixture is excluded from output.

137 public catalogue bodies include newly authored approximate Source Four PAR / Colortran housings and labelled mechanical donors; 9 records retain visual fallbacks. Source identities and output exclusions are retained; optics, modes and patch are unverified.

Partial planning view; modes and patch unverified; output excluded.

Fixture plot original; visually inspected page(s) 1. Freshness and reuse rights unconfirmed.: https://lcsedu.net/sites/default/files/pdfs/ecg_civic_auditorium_rep_light_plot.pdf · checked 2026-11-03

Published capacity 2104 for Main theatre.: https://lcsedu.net/departments/facilities/rentals/e-c-glass-civic-auditorium · checked 2026-11-03

Public venue page: https://www.hitlight.app/venues/united-states/e-c-glass-civic-auditorium-788edfb5

HitLight