
UPSTAGE ↑



FIXTURE LEGEND

- **ColorSource Par** — PAR Light · 20×
- **Source Four jr** — Zoom Profile Spot · 18×
- **Source Four** — PARNel Spot Light · 12×
- **Source Four Zoom** — 25-50 Profile Spot · 8×
- **ETCColorSourceSpot·25–50/15** — Profile Spot · 32×
- **ETCSelador** — LED Bar · 12×
- **ETCSourceFourPAR** — PAR Light · 7×
- **Unresolved** — fixture identity Moving Head · 2×

Stage 20.00 m W × 20.00 m D · Grid 1 m

48 fixture labels omitted in this view due to crowding · see DMX patch

Nicolet College Theatre · Main room

LIGHT PLOT · PLAN · Main room

HitLight · Nicolet College Theatre

5364 College Drive, Rhinelander, United States

DWG HL · SCALE 1:100 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE 3254350715a1

SYMBOL LEGEND

8 TYPES · 111 FIXTURES · COLOUR BY TYPE



ETC ColorSource Par

PAR Light · Unverified · TBC ch · category symbol

20 physical · 20 plotted

20 disabled · 0 unplaced



ETC Source Four jr Zoom

Profile Spot · Unverified · TBC ch · category symbol

18 physical · 18 plotted

18 disabled · 0 unplaced



ETC Source Four PARNel

Spot Light · Unverified · TBC ch · category symbol

12 physical · 12 plotted

12 disabled · 0 unplaced



ETC Source Four Zoom 25-50

Profile Spot · Unverified · TBC ch · category symbol

8 physical · 8 plotted

8 disabled · 0 unplaced



Unverified source fixture ETCColorSourceSpot·25–50/15

Profile Spot · Unverified · TBC ch · category symbol

32 physical · 32 plotted

32 disabled · 0 unplaced



Unverified source fixture ETCSelador

LED Bar · Unverified · TBC ch · category symbol

12 physical · 12 plotted

12 disabled · 0 unplaced



Unverified source fixture ETCSourceFourPAR

PAR Light · Unverified · TBC ch · category symbol

7 physical · 7 plotted

7 disabled · 0 unplaced



Unverified source fixture Unresolved fixture identity

Moving Head · Unverified · TBC ch · category symbol

2 physical · 2 plotted

2 disabled · 0 unplaced

Nicolet College Theatre · Main room

SYMBOL LEGEND · Main room

HitLight · Nicolet College Theatre

5364 College Drive, Rhinelander, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 3254350715a1

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Partial planning view; modes and patch unverified; output excluded.

HitLight

Nicolet College Theatre · Main room

GENERAL NOTES · Main room

HitLight · Nicolet College Theatre

5364 College Drive, Rhinelander, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 3254350715a1

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F002	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F003	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F004	ETC / Source Four Zoom 25-50	PLOTTED	Unverified · Output excluded
F005	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F006	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F007	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F008	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F009	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F010	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F011	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F012	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F013	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F014	ETC / Source Four Zoom 25-50	PLOTTED	Unverified · Output excluded
F015	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F016	ETC / Source Four Zoom 25-50	PLOTTED	Unverified · Output excluded
F017	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F018	ETC / Source Four Zoom 25-50	PLOTTED	Unverified · Output excluded
F019	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F020	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Nicolet College Theatre · Main room

FIXTURE SCHEDULE · Main room

HitLight · Nicolet College Theatre

5364 College Drive, Rhinelander, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 3254350715a1

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F022	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F023	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F024	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F025	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F026	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F027	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F028	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F029	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F030	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F031	ETC / Source Four Zoom 25-50	PLOTTED	Unverified · Output excluded
F032	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F033	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F034	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F035	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F036	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F037	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F038	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F039	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F040	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F042	ETC / Source Four Zoom 25-50	PLOTTED	Unverified · Output excluded
F043	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F044	Unverified source fixture / ETCSourceFourPAR	PLOTTED	Unverified · Output excluded
F045	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F046	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F047	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F048	Unverified source fixture / ETCSourceFourPAR	PLOTTED	Unverified · Output excluded
F049	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F050	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F051	Unverified source fixture / ETCSourceFourPAR	PLOTTED	Unverified · Output excluded
F052	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F053	Unverified source fixture / ETCSourceFourPAR	PLOTTED	Unverified · Output excluded
F054	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F055	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F056	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F057	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F058	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F059	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F060	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F062	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F063	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F064	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F065	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F066	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F067	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F068	ETC / Source Four Zoom 25-50	PLOTTED	Unverified · Output excluded
F069	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F070	Unverified source fixture / ETCSourceFourPAR	PLOTTED	Unverified · Output excluded
F071	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F072	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F073	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F074	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F075	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F076	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F077	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F078	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F079	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F080	Unverified source fixture / ETCSourceFourPAR	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Nicolet College Theatre · Main room

FIXTURE SCHEDULE · Main room

HitLight · Nicolet College Theatre

5364 College Drive, Rhinelander, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 3254350715a1

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F081	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F082	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F083	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F084	Unverified source fixture / Unresolved fixture identity	PLOTTED	Unverified · Output excluded
F085	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F086	Unverified source fixture / ETCSourceFourPAR	PLOTTED	Unverified · Output excluded
F087	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F088	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F089	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F090	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F091	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F092	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F093	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F094	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F095	ETC / Source Four Zoom 25-50	PLOTTED	Unverified · Output excluded
F096	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F097	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F098	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F099	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F100	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F101	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F102	ETC / Source Four PARNel	PLOTTED	Unverified · Output excluded
F103	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F104	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F105	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F106	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F107	ETC / ColorSource Par	PLOTTED	Unverified · Output excluded
F108	Unverified source fixture / ETCSelador	PLOTTED	Unverified · Output excluded
F109	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded
F110	Unverified source fixture / ETCColorSourceSpot·25–50/15	PLOTTED	Unverified · Output excluded
F111	ETC / Source Four jr Zoom	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Main room · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F111 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F111 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: 8c7ea74d01d5946edc1811ef · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Nicolet College Theatre

Main room · House rig

5364 College Drive, Rhinelander, WI, US

https://www.nicoletcollege.edu/community/theatre/theatre-box-office

Sources checked 2026-11-03

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

The plot gives no full scale or trim heights, so scale and heights are estimated.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

111 source-based fixture records currently display 111 public catalogue housings and 0 visual fallbacks. Original source identities, modes, patch and output exclusions are unchanged.

Existing Source Four PAR / Colortran Fresnel profile references now display newly authored approximate public housings. Existing source identities and any other-maker mechanical substitutes remain labelled; installed optics, modes and patch are not verified.

Partial planning view; modes and patch unverified; output excluded.

Fixture plot original; visually inspected page(s) 1. Freshness and reuse rights unconfirmed.: https://www.nicoletcollege.edu/sites/default/files/2020-04/nicolet_theatre_light_plot.pdf · checked 2026-11-03

Published capacity 260 for Main theatre.: https://www.nicoletcollege.edu/sites/default/files/2024-03/NICOLET%20THEATER%20SPECS%202024.pdf · checked 2026-11-03

Official venue/technical source page.: https://www.nicoletcollege.edu/community/theatre/theatre-box-office · checked 2026-11-03

Public venue page: https://www.hitlight.app/venues/united-states/nicolet-college-theatre-8c7ea74d

HitLight