
UPSTAGE ↑



FIXTURE LEGEND

- **Source Four 36** — Profile Spot · 5×
- **Source Four Zoom** 25-50 — Profile Spot · 4×
- **MAC Aura** — Moving Head · 9×
- **RUSH PAR 2 RGBW** Zoom — PAR Light · 16×
- **ADBC103PC1kW · 7** — Other · 1×
- **ADBC103PC1kW · 8** — Other · 1×
- **ADBC103PC1kW · 9** — Other · 1×
- **ADBC103PC1kW ·** 10 — Other · 1×
- **ADBC103PC1kW ·** 11 — Other · 1×
- **ADBC103PC1kW ·** 31 — Other · 1×
- **ADBC103PC1kW ·** 32 — Other · 1×
- **ADBC103PC1kW ·** 33 — Other · 1×
- **ADBC103PC1kW ·** 34 — Other · 1×
- **ADBC103PC1kW ·** 35 — Other · 1×
- **ADBC103PC1kW ·** 36 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 4 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 5 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 6 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 14 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 15 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 16 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 17 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 18 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 23 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 24 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 25 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 26 — Other · 1×
- **DeSistiLeonardo3** 10F1kW · 27 — Other · 1×
- **ETCColorSourceSp** otRGBL36 · F11 — PAR Light · 1×

+5 types on legend sheet

Stage 12.20 m W × 7.16 m D · Grid 1 m

4 fixture labels omitted in this view due to crowding · see DMX patch

Kleines Haus — Staatsschauspiel Dresden · kh3

LIGHT PLOT · PLAN · kh3

HitLight · Kleines Haus — Staatsschauspiel Dresden

Glacisstraße 28, 01099, Dresden, Germany

DWG HL · SCALE 1:100 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE 1e28c4499b08

SYMBOL LEGEND

34 TYPES · 64 FIXTURES · COLOUR BY TYPE



ETC Source Four 36

Profile Spot · Unverified · TBC ch · category symbol

5 physical · 5 plotted

5 disabled · 0 unplaced



ETC Source Four Zoom 25-50

Profile Spot · Unverified · TBC ch · category symbol

4 physical · 4 plotted

4 disabled · 0 unplaced



Martin Professional MAC Aura

Moving Head · Unverified · TBC ch · category symbol

9 physical · 9 plotted

9 disabled · 0 unplaced



Martin Professional RUSH PAR 2 RGBW Zoom

PAR Light · Unverified · TBC ch · category symbol

16 physical · 16 plotted

16 disabled · 0 unplaced



Unverified source fixture ADBC103PC1kW · 7

Other · Unverified · TBC ch · category symbol

1 physical · 1 plotted

1 disabled · 0 unplaced



Unverified source fixture ADBC103PC1kW · 8

Other · Unverified · TBC ch · category symbol

1 physical · 1 plotted

1 disabled · 0 unplaced



Unverified source fixture ADBC103PC1kW · 9

Other · Unverified · TBC ch · category symbol

1 physical · 1 plotted

1 disabled · 0 unplaced



Unverified source fixture ADBC103PC1kW · 10

Other · Unverified · TBC ch · category symbol

1 physical · 1 plotted

1 disabled · 0 unplaced

Kleines Haus — Staatsschauspiel Dresden · kh3

SYMBOL LEGEND · kh3

HitLight · Kleines Haus — Staatsschauspiel Dresden

Glacisstraße 28, 01099, Dresden, Germany

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 1e28c4499b08

Unverified source fixture ADBC103PC1kW · 11 Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
Unverified source fixture ADBC103PC1kW · 31 Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
Unverified source fixture ADBC103PC1kW · 32 Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
Unverified source fixture ADBC103PC1kW · 33 Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
Unverified source fixture ADBC103PC1kW · 34 Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
Unverified source fixture ADBC103PC1kW · 35 Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
Unverified source fixture ADBC103PC1kW · 36 Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
Unverified source fixture DeSistiLeonardo310F1kW · 4 Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced

Kleines Haus — Staatsschauspiel Dresden · kh3

SYMBOL LEGEND · kh3

HitLight · Kleines Haus — Staatsschauspiel Dresden

Glacisstraße 28, 01099, Dresden, Germany

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 1e28c4499b08

☒	**Unverified source fixture DeSistiLeonardo310F1kW · 5** Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
☒	**Unverified source fixture DeSistiLeonardo310F1kW · 6** Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
☒	**Unverified source fixture DeSistiLeonardo310F1kW · 14** Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
☒	**Unverified source fixture DeSistiLeonardo310F1kW · 15** Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
☒	**Unverified source fixture DeSistiLeonardo310F1kW · 16** Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
☒	**Unverified source fixture DeSistiLeonardo310F1kW · 17** Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
☒	**Unverified source fixture DeSistiLeonardo310F1kW · 18** Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced
☒	**Unverified source fixture DeSistiLeonardo310F1kW · 23** Other · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced

Kleines Haus — Staatsschauspiel Dresden · kh3

SYMBOL LEGEND · kh3

HitLight · Kleines Haus — Staatsschauspiel Dresden

Glacisstraße 28, 01099, Dresden, Germany

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 1e28c4499b08

Unverified source fixture DeSistiLeonardo310F1kW · 24
Other · Unverified · TBC ch · category symbol
1 physical · 1 plotted
1 disabled · 0 unplaced

Unverified source fixture DeSistiLeonardo310F1kW · 25
Other · Unverified · TBC ch · category symbol
1 physical · 1 plotted
1 disabled · 0 unplaced

Unverified source fixture DeSistiLeonardo310F1kW · 26
Other · Unverified · TBC ch · category symbol
1 physical · 1 plotted
1 disabled · 0 unplaced

Unverified source fixture DeSistiLeonardo310F1kW · 27
Other · Unverified · TBC ch · category symbol
1 physical · 1 plotted
1 disabled · 0 unplaced

Unverified source fixture ETCColorSourceSpotRGBL36 · F11
PAR Light · Unverified · TBC ch · category symbol
1 physical · 1 plotted
1 disabled · 0 unplaced

Unverified source fixture ETCColorSourceSpotRGBL36 · F12
PAR Light · Unverified · TBC ch · category symbol
1 physical · 1 plotted
1 disabled · 0 unplaced

Unverified source fixture ETCColorSourceSpotRGBL36 · F13
PAR Light · Unverified · TBC ch · category symbol
1 physical · 1 plotted
1 disabled · 0 unplaced

Unverified source fixture ETCColorSourceSpotRGBL36 · F14
PAR Light · Unverified · TBC ch · category symbol
1 physical · 1 plotted
1 disabled · 0 unplaced

Kleines Haus — Staatsschauspiel Dresden · kh3

SYMBOL LEGEND · kh3

HitLight · Kleines Haus — Staatsschauspiel Dresden
Glacisstraße 28, 01099, Dresden, Germany

DWG HL · METRIC
Drawn HitLight
Generated from the saved show
SOURCE 1e28c4499b08



Unverified source fixture ETCColorSourceSpotRGBL36 · F16-left

PAR Light · Unverified · TBC ch · category symbol

1 physical · 1 plotted

1 disabled · 0 unplaced



Unverified source fixture ETCColorSourceSpotRGBL36 · F16-right

PAR Light · Unverified · TBC ch · category symbol

1 physical · 1 plotted

1 disabled · 0 unplaced

HitLight

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. The reconstruction retains its documented coverage and geometry assumptions; confirm the current setup with the venue.
5. Output remains excluded for visual-only fixtures. Catalogue identity does not verify installed modes, addresses or the current installation.

HitLight

STAGE ELEMENTS

NAME	TYPE	POSITION	TRIM / SIZE
KH3 plotted inner-L · 4.40 m underside	pipe	X -1.45 m · Z 3.54 m	4.42 m · 12.00 m W × 0.05 m D
KH3 plotted inner-R · 4.40 m underside	pipe	X 3.05 m · Z 3.54 m	4.42 m · 12.00 m W × 0.05 m D
KH3 plotted main-1 · 4.40 m underside	pipe	X 0.80 m · Z -2.43 m	4.42 m · 5.00 m W × 0.05 m D
KH3 plotted main-2 · 4.40 m underside	pipe	X 0.80 m · Z -0.98 m	4.42 m · 5.00 m W × 0.05 m D
KH3 plotted main-3 · 4.40 m underside	pipe	X 0.80 m · Z 0.47 m	4.42 m · 5.00 m W × 0.05 m D
KH3 plotted main-4 · 4.40 m underside	pipe	X 0.80 m · Z 1.92 m	4.42 m · 5.00 m W × 0.05 m D
KH3 plotted main-5 · 4.40 m underside	pipe	X 0.80 m · Z 3.37 m	4.42 m · 5.00 m W × 0.05 m D
KH3 plotted main-6 · 4.40 m underside	pipe	X 0.80 m · Z 4.82 m	4.42 m · 5.00 m W × 0.05 m D
KH3 plotted main-7 · 4.40 m underside	pipe	X 0.80 m · Z 7.47 m	4.42 m · 5.00 m W × 0.05 m D
KH3 plotted main-8 · 4.40 m underside	pipe	X 0.80 m · Z 9.17 m	4.42 m · 5.00 m W × 0.05 m D
KH3 plotted side-L · 3.05 m underside	pipe	X -3.82 m · Z 3.42 m	3.07 m · 12.00 m W × 0.05 m D
KH3 plotted side-R · 3.05 m underside	pipe	X 5.43 m · Z 3.42 m	3.07 m · 12.00 m W × 0.05 m D

Kleines Haus — Staatsschauspiel Dresden · kh3

STAGE ELEMENTS · kh3

HitLight · Kleines Haus — Staatsschauspiel Dresden

Glacisstraße 28, 01099, Dresden, Germany

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 1e28c4499b08

FIXTURE SCHEDULE

64 FIXTURES · PATCH WITHHELD

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / DeSistiLeonardo310F1kW · 23	KH3 plotted main-2 · 4.40 m underside	Unverified · Output excluded
F002	Unverified source fixture / DeSistiLeonardo310F1kW · 26	KH3 plotted main-1 · 4.40 m underside	Unverified · Output excluded
F003	Unverified source fixture / DeSistiLeonardo310F1kW · 5	KH3 plotted main-7 · 4.40 m underside	Unverified · Output excluded
F004	Unverified source fixture / ADBC103PC1kW · 34	KH3 plotted side-R · 3.05 m underside	Unverified · Output excluded
F005	Martin Professional / MAC Aura	KH3 plotted inner-R · 4.40 m underside	Unverified · Output excluded
F006	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted side-L · 3.05 m underside	Unverified · Output excluded
F007	Unverified source fixture / ETCColorSourceSpotRGBL36 · F16-left	KH3 plotted main-5 · 4.40 m underside	Unverified · Output excluded
F008	Unverified source fixture / ETCColorSourceSpotRGBL36 · F14	KH3 plotted main-5 · 4.40 m underside	Unverified · Output excluded
F009	Unverified source fixture / ADBC103PC1kW · 36	KH3 plotted side-R · 3.05 m underside	Unverified · Output excluded
F010	ETC / Source Four 36	KH3 plotted main-8 · 4.40 m underside	Unverified · Output excluded
F011	Martin Professional / MAC Aura	KH3 plotted main-7 · 4.40 m underside	Unverified · Output excluded
F012	Unverified source fixture / ADBC103PC1kW · 9	KH3 plotted main-6 · 4.40 m underside	Unverified · Output excluded
F013	Martin Professional / MAC Aura	KH3 plotted main-3 · 4.40 m underside	Unverified · Output excluded
F014	ETC / Source Four 36	KH3 plotted main-8 · 4.40 m underside	Unverified · Output excluded
F015	Unverified source fixture / DeSistiLeonardo310F1kW · 18	KH3 plotted main-4 · 4.40 m underside	Unverified · Output excluded
F016	Unverified source fixture / ETCColorSourceSpotRGBL36 · F11	KH3 plotted main-8 · 4.40 m underside	Unverified · Output excluded
F017	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-2 · 4.40 m underside	Unverified · Output excluded
F018	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted side-L · 3.05 m underside	Unverified · Output excluded
F019	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-7 · 4.40 m underside	Unverified · Output excluded
F020	ETC / Source Four 36	KH3 plotted main-8 · 4.40 m underside	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Kleines Haus — Staatsschauspiel Dresden · kh3

FIXTURE SCHEDULE · kh3

HitLight · Kleines Haus — Staatsschauspiel Dresden

Glacisstraße 28, 01099, Dresden, Germany

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 1e28c4499b08

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / DeSistiLeonardo310F1kW · 6	KH3 plotted main-7 · 4.40 m underside	Unverified · Output excluded
F022	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-2 · 4.40 m underside	Unverified · Output excluded
F023	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-2 · 4.40 m underside	Unverified · Output excluded
F024	Martin Professional / MAC Aura	KH3 plotted main-1 · 4.40 m underside	Unverified · Output excluded
F025	Unverified source fixture / ADBC103PC1kW · 32	KH3 plotted side-L · 3.05 m underside	Unverified · Output excluded
F026	Unverified source fixture / DeSistiLeonardo310F1kW · 17	KH3 plotted main-4 · 4.40 m underside	Unverified · Output excluded
F027	Unverified source fixture / ADBC103PC1kW · 10	KH3 plotted main-6 · 4.40 m underside	Unverified · Output excluded
F028	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-7 · 4.40 m underside	Unverified · Output excluded
F029	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-6 · 4.40 m underside	Unverified · Output excluded
F030	Unverified source fixture / DeSistiLeonardo310F1kW · 4	KH3 plotted main-7 · 4.40 m underside	Unverified · Output excluded
F031	Unverified source fixture / DeSistiLeonardo310F1kW · 25	KH3 plotted main-2 · 4.40 m underside	Unverified · Output excluded
F032	Martin Professional / MAC Aura	KH3 plotted main-7 · 4.40 m underside	Unverified · Output excluded
F033	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-7 · 4.40 m underside	Unverified · Output excluded
F034	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-6 · 4.40 m underside	Unverified · Output excluded
F035	Unverified source fixture / DeSistiLeonardo310F1kW · 24	KH3 plotted main-2 · 4.40 m underside	Unverified · Output excluded
F036	Martin Professional / MAC Aura	KH3 plotted main-1 · 4.40 m underside	Unverified · Output excluded
F037	ETC / Source Four 36	KH3 plotted main-5 · 4.40 m underside	Unverified · Output excluded
F038	Unverified source fixture / ADBC103PC1kW · 8	KH3 plotted main-6 · 4.40 m underside	Unverified · Output excluded
F039	Unverified source fixture / DeSistiLeonardo310F1kW · 27	KH3 plotted main-1 · 4.40 m underside	Unverified · Output excluded
F040	ETC / Source Four Zoom 25-50	KH3 plotted main-3 · 4.40 m underside	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / ETCColorSourceSpotRGBL36 · F12	KH3 plotted main-8 · 4.40 m underside	Unverified · Output excluded
F042	Martin Professional / MAC Aura	KH3 plotted inner-L · 4.40 m underside	Unverified · Output excluded
F043	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-2 · 4.40 m underside	Unverified · Output excluded
F044	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted main-6 · 4.40 m underside	Unverified · Output excluded
F045	Unverified source fixture / ADBC103PC1kW · 33	KH3 plotted side-L · 3.05 m underside	Unverified · Output excluded
F046	Unverified source fixture / ETCColorSourceSpotRGBL36 · F13	KH3 plotted main-8 · 4.40 m underside	Unverified · Output excluded
F047	Unverified source fixture / ADBC103PC1kW · 31	KH3 plotted side-L · 3.05 m underside	Unverified · Output excluded
F048	ETC / Source Four Zoom 25-50	KH3 plotted main-3 · 4.40 m underside	Unverified · Output excluded
F049	Unverified source fixture / ADBC103PC1kW · 11	KH3 plotted main-6 · 4.40 m underside	Unverified · Output excluded
F050	ETC / Source Four 36	KH3 plotted main-5 · 4.40 m underside	Unverified · Output excluded
F051	ETC / Source Four Zoom 25-50	KH3 plotted main-3 · 4.40 m underside	Unverified · Output excluded
F052	Martin Professional / MAC Aura	KH3 plotted main-3 · 4.40 m underside	Unverified · Output excluded
F053	Unverified source fixture / ETCColorSourceSpotRGBL36 · F16-right	KH3 plotted main-5 · 4.40 m underside	Unverified · Output excluded
F054	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted side-R · 3.05 m underside	Unverified · Output excluded
F055	Unverified source fixture / ADBC103PC1kW · 7	KH3 plotted main-6 · 4.40 m underside	Unverified · Output excluded
F056	Unverified source fixture / DeSistiLeonardo310F1kW · 15	KH3 plotted main-4 · 4.40 m underside	Unverified · Output excluded
F057	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted side-L · 3.05 m underside	Unverified · Output excluded
F058	Unverified source fixture / DeSistiLeonardo310F1kW · 14	KH3 plotted main-4 · 4.40 m underside	Unverified · Output excluded
F059	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted side-R · 3.05 m underside	Unverified · Output excluded
F060	ETC / Source Four Zoom 25-50	KH3 plotted main-3 · 4.40 m underside	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	Unverified source fixture / ADBC103PC1kW · 35	KH3 plotted side-R · 3.05 m underside	Unverified · Output excluded
F062	Unverified source fixture / DeSistiLeonardo310F1kW · 16	KH3 plotted main-4 · 4.40 m underside	Unverified · Output excluded
F063	Martin Professional / RUSH PAR 2 RGBW Zoom	KH3 plotted side-R · 3.05 m underside	Unverified · Output excluded
F064	Martin Professional / MAC Aura	KH3 plotted main-1 · 4.40 m underside	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

HitLight

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: kh3 · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F064 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F064 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: a6a386555b309104ff245952 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Kleines Haus — Staatsschauspiel Dresden

kh3 · Published house/room; own dates explicit and current rig unverified

Glacisstraße 28, 01099, Dresden, DE

https://www.staatsschauspiel-dresden.de/service/anfahrt/

Sources checked 2026-10-20

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Source-based reconstruction. Confirm the current installation and equipment availability with the venue.

Scale, fixture positions, mounting heights and aiming may include estimates; this is not a rigging specification.

Provisional fixture matches are labelled as placeholders. The recorded subset is not a complete physical inventory.

DMX addresses are withheld from public plans until their exact source patch is reconciled.

Partial source-based planning reconstruction; the current installation and complete fixture census are unverified.

Source-matched catalogue bodies are shown where available. Unresolved source identities remain labelled visual markers. Installed modes and DMX patch require verification; visual-only fixtures remain excluded from output.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

The reconstruction retains its documented coverage and geometry assumptions; confirm the current setup with the venue.

Output remains excluded for visual-only fixtures. Catalogue identity does not verify installed modes, addresses or the current installation.

Source-based reconstruction. Confirm the current installation and equipment availability with the venue.

Scale, fixture positions, mounting heights and aiming may include estimates; this is not a rigging specification.

Provisional fixture matches are labelled as placeholders. The recorded subset is not a complete physical inventory.

DMX addresses are withheld from public plans until their exact source patch is reconciled.

Partial source-based planning reconstruction; the current installation and complete fixture census are unverified.

Source-matched catalogue bodies are shown where available. Unresolved source identities remain labelled visual markers. Installed modes and DMX patch require verification; visual-only fixtures remain excluded from output.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

Official venue information: https://www.staatsschauspiel-dresden.de/service/anfahrt/ · checked 2026-10-20

beleuchtungsplan_kh_3.pdf: https://www.staatsschauspiel-dresden.de/ueber-uns/technische-information/ · checked 2026-10-20

HitLight | hitlight.app

VENUE & DRAWING SOURCES

Public venue page:
https://www.hitlight.app/venues/germany/kleines-haus-staatsschauspiel-dresden-a6a38655

HitLight