
UPSTAGE ↑



Stage 26.00 m W × 26.00 m D · Grid 1 m

12 fixture labels omitted in this view due to crowding · see DMX patch

FIXTURE LEGEND

- **Source Four 19** — Profile Spot · 26×
- **Source Four 26** — Profile Spot · 12×
- **Source Four 36** — Profile Spot · 20×
- **Source Four 50** — Profile Spot · 8×
- **RUSH PAR 2 RGBW** — Zoom — PAR Light · 6×
- **Chauvet** — Intimidator Hybrid251SR — Moving Head · 4×
- **ETC ColorSource** — CYC — Cyc Light · 10×
- **ETC ColorSource** — Spot V — Profile Spot · 8×
- **ETC Source Four** — PAR MFL / source575W — PAR Light · 16×

Stockbridge Theatre · Main room

LIGHT PLOT · PLAN · Main room

HitLight · Stockbridge Theatre

44 North Main Street, Derry, United States

DWG HL · SCALE 1:125 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE 7f5c3ac32777

SYMBOL LEGEND

9 TYPES · 110 FIXTURES · COLOUR BY TYPE



ETC Source Four 19

Profile Spot · Unverified · TBC ch · category symbol

26 physical · 26 plotted

26 disabled · 0 unplaced



ETC Source Four 26

Profile Spot · Unverified · TBC ch · category symbol

12 physical · 12 plotted

12 disabled · 0 unplaced



ETC Source Four 36

Profile Spot · Unverified · TBC ch · category symbol

20 physical · 20 plotted

20 disabled · 0 unplaced



ETC Source Four 50

Profile Spot · Unverified · TBC ch · category symbol

8 physical · 8 plotted

8 disabled · 0 unplaced



Martin Professional RUSH PAR 2 RGBW Zoom

PAR Light · Unverified · TBC ch · category symbol

6 physical · 6 plotted

6 disabled · 0 unplaced



Unverified source fixture Chauvet Intimidator Hybrid251SR

Moving Head · Unverified · TBC ch · category symbol

4 physical · 4 plotted

4 disabled · 0 unplaced



Unverified source fixture ETC ColorSource CYC

Cyc Light · Unverified · TBC ch · category symbol

10 physical · 10 plotted

10 disabled · 0 unplaced



Unverified source fixture ETC ColorSource Spot V

Profile Spot · Unverified · TBC ch · category symbol

8 physical · 8 plotted

8 disabled · 0 unplaced

Stockbridge Theatre · Main room

SYMBOL LEGEND · Main room

HitLight · Stockbridge Theatre

44 North Main Street, Derry, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 7f5c3ac32777



Unverified source fixture ETC Source Four PAR MFL / source575W

PAR Light · Unverified · TBC ch · category symbol

16 physical · 16 plotted

16 disabled · 0 unplaced

HitLight

Stockbridge Theatre · Main room

SYMBOL LEGEND · Main room

HitLight · Stockbridge Theatre

44 North Main Street, Derry, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 7f5c3ac32777

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

HitLight

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F002	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F003	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F004	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F005	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F006	Unverified source fixture / ETC ColorSource Spot V	PLOTTED	Unverified · Output excluded
F007	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F008	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F009	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F010	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F011	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F012	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F013	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F014	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F015	Unverified source fixture / ETC ColorSource Spot V	PLOTTED	Unverified · Output excluded
F016	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F017	Martin Professional / RUSH PAR 2 RGBW Zoom	PLOTTED	Unverified · Output excluded
F018	Unverified source fixture / ETC ColorSource Spot V	PLOTTED	Unverified · Output excluded
F019	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F020	ETC / Source Four 19	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Stockbridge Theatre · Main room

FIXTURE SCHEDULE · Main room

HitLight · Stockbridge Theatre

44 North Main Street, Derry, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 7f5c3ac32777

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F022	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F023	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F024	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F025	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F026	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F027	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F028	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F029	Unverified source fixture / ETC ColorSource Spot V	PLOTTED	Unverified · Output excluded
F030	Martin Professional / RUSH PAR 2 RGBW Zoom	PLOTTED	Unverified · Output excluded
F031	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F032	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F033	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F034	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F035	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F036	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F037	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F038	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F039	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F040	ETC / Source Four 19	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / ETC ColorSource Spot V	PLOTTED	Unverified · Output excluded
F042	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F043	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F044	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F045	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F046	Martin Professional / RUSH PAR 2 RGBW Zoom	PLOTTED	Unverified · Output excluded
F047	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F048	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F049	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F050	Unverified source fixture / Chauvet Intimidator Hybrid251SR	PLOTTED	Unverified · Output excluded
F051	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F052	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F053	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F054	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F055	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F056	Unverified source fixture / ETC ColorSource Spot V	PLOTTED	Unverified · Output excluded
F057	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F058	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F059	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F060	ETC / Source Four 19	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F061	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F062	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F063	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F064	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F065	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F066	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F067	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F068	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F069	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F070	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F071	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F072	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F073	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F074	Unverified source fixture / ETC ColorSource Spot V	PLOTTED	Unverified · Output excluded
F075	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F076	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F077	Unverified source fixture / Chauvet Intimidator Hybrid251SR	PLOTTED	Unverified · Output excluded
F078	Martin Professional / RUSH PAR 2 RGBW Zoom	PLOTTED	Unverified · Output excluded
F079	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F080	Unverified source fixture / ETC ColorSource Spot V	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F081	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F082	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F083	Unverified source fixture / Chauvet Intimidator Hybrid251SR	PLOTTED	Unverified · Output excluded
F084	Martin Professional / RUSH PAR 2 RGBW Zoom	PLOTTED	Unverified · Output excluded
F085	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F086	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F087	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F088	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F089	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F090	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F091	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F092	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F093	Martin Professional / RUSH PAR 2 RGBW Zoom	PLOTTED	Unverified · Output excluded
F094	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F095	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F096	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F097	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F098	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F099	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F100	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F101	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F102	Unverified source fixture / Chauvet Intimidator Hybrid251SR	PLOTTED	Unverified · Output excluded
F103	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F104	ETC / Source Four 50	PLOTTED	Unverified · Output excluded
F105	ETC / Source Four 36	PLOTTED	Unverified · Output excluded
F106	ETC / Source Four 26	PLOTTED	Unverified · Output excluded
F107	Unverified source fixture / ETC Source Four PAR MFL / source575W	PLOTTED	Unverified · Output excluded
F108	Unverified source fixture / ETC ColorSource CYC	PLOTTED	Unverified · Output excluded
F109	ETC / Source Four 19	PLOTTED	Unverified · Output excluded
F110	ETC / Source Four 19	PLOTTED	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Main room · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F110 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F110 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: b9aa1046f8f9992e37929015 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Stockbridge Theatre

Main room · House rig

44 North Main Street, Derry, NH, US

https://www.pinkertonacademy.org/uploads/files/stockbridge-theatre-technical-information-2025docx.pdf?v=1754495619572

Sources checked 2026-11-03

Generated by HitLight from the reviewed partial Stockbridge Theatre reconstruction. Venue sources are cited as facts; their original artwork remains private.

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

Fixture heights are approximate; trim heights may differ from the drawing.

Partial source-based planning reconstruction; the current installation and complete fixture census are unverified.

Source-matched catalogue bodies are shown where available. Unresolved source identities remain labelled visual markers. Installed modes and DMX patch require verification; visual-only fixtures remain excluded from output.

110 approximate public catalogue housings, including newly authored Source Four PAR / Colortran bodies and labelled mechanical donors; 0 visual fallbacks. Source identities and output exclusions retained; optics, modes and patch unverified.

110 records display 110 approximate public catalogue housings or labelled donors and 0 visual fallbacks. 10 Spectra Cyc 200 bodies now have verified original-work public permission; geometry and native profiles are unchanged. Hardware revision, optics and accessories remain approximate. Existing source/donor identities, geometry, mode/patch and output exclusions remain qualified.

Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

Fixture plot original; visually inspected page(s) 9. Freshness and reuse rights unconfirmed.: https://www.pinkertonacademy.org/uploads/files/stockbridge-theatre-technical-information-2025docx.pdf?v=1754495619572 · checked 2026-11-03

HitLight

VENUE & DRAWING SOURCES

Published capacity 887 for Main theatre.:
https://www.pinkertonacademy.org/stockbridge-theatre/events-tickets/overview · checked 2026-11-03

Public venue page: https://www.hitlight.app/venues/united-states/stockbridge-theatre-b9aa1046

HitLight