
UPSTAGE




## FIXTURE LEGEND

- **2 Cell Blinder** — Blinder · 2×
- **15-30 CS Spot V** — Profile Spot · 32×
- **25-50 CS Spot V** — Profile Spot · 6×
- **CS CYC** — PAR Light · 8×
- **CS Fresnel V** — Spot Light · 30×
- **CS PAR** — PAR Light · 32×
- **CS Spot V** — Profile Spot · 8×
- **Isle Flood** — PAR Light · 2×
- **Tab Warmer** — Other · 2×

Stage 17.50 m W × 27.50 m D · Grid 1 m

17 fixture labels omitted in this view due to crowding · see DMX patch



# Epsom Playhouse · Main room

**LIGHT PLOT · PLAN · Main room**

HitLight · Epsom Playhouse

Epsom, United Kingdom

**DWG HL · SCALE 1:100 · metric · PRINT AT 100%**

Drawn HitLight

Generated from the saved show

SOURCE eef725e7125e

# SYMBOL LEGEND

9 TYPES · 122 FIXTURES · COLOUR BY TYPE



**Unverified source fixture 2 Cell Blinder**

Blinder · Unverified · TBC ch · category symbol

**2 physical · 2 plotted**

2 disabled · 0 unplaced



**Unverified source fixture 15-30 CS Spot V**

Profile Spot · Unverified · TBC ch · category symbol

**32 physical · 32 plotted**

32 disabled · 0 unplaced



**Unverified source fixture 25-50 CS Spot V**

Profile Spot · Unverified · TBC ch · category symbol

**6 physical · 6 plotted**

6 disabled · 0 unplaced



**Unverified source fixture CS CYC**

PAR Light · Unverified · TBC ch · category symbol

**8 physical · 8 plotted**

8 disabled · 0 unplaced



**Unverified source fixture CS Fresnel V**

Spot Light · Unverified · TBC ch · category symbol

**30 physical · 30 plotted**

30 disabled · 0 unplaced



**Unverified source fixture CS PAR**

PAR Light · Unverified · TBC ch · category symbol

**32 physical · 32 plotted**

32 disabled · 0 unplaced



**Unverified source fixture CS Spot V**

Profile Spot · Unverified · TBC ch · category symbol

**8 physical · 8 plotted**

8 disabled · 0 unplaced



**Unverified source fixture Isle Flood**

PAR Light · Unverified · TBC ch · category symbol

**2 physical · 2 plotted**

2 disabled · 0 unplaced



## Epsom Playhouse · Main room

SYMBOL LEGEND · Main room

HitLight · Epsom Playhouse

Epsom, United Kingdom

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE eef725e7125e

**Unverified source fixture Tab Warmer**

Other · Unverified · TBC ch · category symbol

**2 physical · 2 plotted**

2 disabled · 0 unplaced

HitLight



## Epsom Playhouse · Main room

SYMBOL LEGEND · Main room

HitLight · Epsom Playhouse

Epsom, United Kingdom

**DWG HL · METRIC**

Drawn HitLight

Generated from the saved show

SOURCE eef725e7125e

# GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

HitLight

# STAGE ELEMENTS

| NAME | TYPE | POSITION | TRIM / SIZE |
|---|---|---|---|
| LX4 | pipe | X 0.00 m · Z -2.60 m | 6.50 m · 9.00 m W × 0.05 m D |
| BR1 | pipe | X 0.00 m · Z 7.68 m | 6.50 m · 9.00 m W × 0.05 m D |
| LX2 | pipe | X 0.00 m · Z -0.05 m | 6.50 m · 9.00 m W × 0.05 m D |
| CYC LX | pipe | X 0.00 m · Z -3.47 m | 6.50 m · 9.00 m W × 0.05 m D |
| LX3 | pipe | X 0.00 m · Z -1.60 m | 6.50 m · 9.00 m W × 0.05 m D |
| ADV1 | pipe | X 0.00 m · Z 4.12 m | 6.00 m · 9.00 m W × 0.05 m D |
| BR2 | pipe | X 0.00 m · Z 9.87 m | 6.50 m · 7.50 m W × 0.05 m D |
| LX1 | pipe | X 0.00 m · Z 1.26 m | 6.50 m · 9.00 m W × 0.05 m D |



## Epsom Playhouse · Main room

STAGE ELEMENTS · Main room

HitLight · Epsom Playhouse

Epsom, United Kingdom

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE eef725e7125e

# FIXTURE SCHEDULE



| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F001 | Unverified source fixture / 25-50 CS Spot V | ADV1 | Unverified · Output excluded |
| F002 | Unverified source fixture / Isle Flood | PLOTTED | Unverified · Output excluded |
| F003 | Unverified source fixture / 2 Cell Blinder | PLOTTED | Unverified · Output excluded |
| F004 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |
| F005 | Unverified source fixture / 15-30 CS Spot V | BR2 | Unverified · Output excluded |
| F006 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F007 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F008 | Unverified source fixture / CS CYC | CYC LX | Unverified · Output excluded |
| F009 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |
| F010 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F011 | Unverified source fixture / CS Fresnel V | LX3 | Unverified · Output excluded |
| F012 | Unverified source fixture / 15-30 CS Spot V | BR2 | Unverified · Output excluded |
| F013 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F014 | Unverified source fixture / 15-30 CS Spot V | BR2 | Unverified · Output excluded |
| F015 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F016 | Unverified source fixture / CS Spot V | PLOTTED | Unverified · Output excluded |
| F017 | Unverified source fixture / CS Fresnel V | LX4 | Unverified · Output excluded |
| F018 | Unverified source fixture / 15-30 CS Spot V | BR2 | Unverified · Output excluded |
| F019 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F020 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**



## Epsom Playhouse · Main room

FIXTURE SCHEDULE · Main room

HitLight · Epsom Playhouse

Epsom, United Kingdom

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE eef725e7125e

| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F021 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F022 | Unverified source fixture / CS Fresnel V | ADV1 | Unverified · Output excluded |
| F023 | Unverified source fixture / CS Fresnel V | LX3 | Unverified · Output excluded |
| F024 | Unverified source fixture / CS Spot V | PLOTTED | Unverified · Output excluded |
| F025 | Unverified source fixture / CS Fresnel V | LX4 | Unverified · Output excluded |
| F026 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F027 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F028 | Unverified source fixture / CS Fresnel V | LX3 | Unverified · Output excluded |
| F029 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F030 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F031 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F032 | Unverified source fixture / CS CYC | CYC LX | Unverified · Output excluded |
| F033 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F034 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F035 | Unverified source fixture / CS Fresnel V | LX2 | Unverified · Output excluded |
| F036 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |
| F037 | Unverified source fixture / CS Spot V | PLOTTED | Unverified · Output excluded |
| F038 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |
| F039 | Unverified source fixture / 15-30 CS Spot V | BR2 | Unverified · Output excluded |
| F040 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**

| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F041 | Unverified source fixture / CS Fresnel V | LX3 | Unverified · Output excluded |
| F042 | Unverified source fixture / 25-50 CS Spot V | LX2 | Unverified · Output excluded |
| F043 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F044 | Unverified source fixture / CS CYC | CYC LX | Unverified · Output excluded |
| F045 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F046 | Unverified source fixture / CS CYC | CYC LX | Unverified · Output excluded |
| F047 | Unverified source fixture / CS Fresnel V | LX2 | Unverified · Output excluded |
| F048 | Unverified source fixture / CS Fresnel V | ADV1 | Unverified · Output excluded |
| F049 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F050 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F051 | Unverified source fixture / 15-30 CS Spot V | BR2 | Unverified · Output excluded |
| F052 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |
| F053 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F054 | Unverified source fixture / CS Fresnel V | LX1 | Unverified · Output excluded |
| F055 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F056 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F057 | Unverified source fixture / CS Fresnel V | ADV1 | Unverified · Output excluded |
| F058 | Unverified source fixture / 25-50 CS Spot V | ADV1 | Unverified · Output excluded |
| F059 | Unverified source fixture / Isle Flood | PLOTTED | Unverified · Output excluded |
| F060 | Unverified source fixture / CS Fresnel V | LX1 | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**

| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F061 | Unverified source fixture / CS Fresnel V | LX4 | Unverified · Output excluded |
| F062 | Unverified source fixture / CS CYC | CYC LX | Unverified · Output excluded |
| F063 | Unverified source fixture / CS Spot V | PLOTTED | Unverified · Output excluded |
| F064 | Unverified source fixture / CS Fresnel V | LX1 | Unverified · Output excluded |
| F065 | Unverified source fixture / CS Spot V | PLOTTED | Unverified · Output excluded |
| F066 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F067 | Unverified source fixture / CS CYC | CYC LX | Unverified · Output excluded |
| F068 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F069 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F070 | Unverified source fixture / CS Spot V | PLOTTED | Unverified · Output excluded |
| F071 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F072 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F073 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F074 | Unverified source fixture / CS Fresnel V | LX4 | Unverified · Output excluded |
| F075 | Unverified source fixture / 25-50 CS Spot V | LX2 | Unverified · Output excluded |
| F076 | Unverified source fixture / CS Fresnel V | LX2 | Unverified · Output excluded |
| F077 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |
| F078 | Unverified source fixture / CS Fresnel V | LX4 | Unverified · Output excluded |
| F079 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F080 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**

# FIXTURE SCHEDULE · CONTINUED



| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F081 | Unverified source fixture / CS Fresnel V | LX3 | Unverified · Output excluded |
| F082 | Unverified source fixture / CS Fresnel V | LX4 | Unverified · Output excluded |
| F083 | Unverified source fixture / CS CYC | CYC LX | Unverified · Output excluded |
| F084 | Unverified source fixture / 15-30 CS Spot V | BR2 | Unverified · Output excluded |
| F085 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F086 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |
| F087 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F088 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F089 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |
| F090 | Unverified source fixture / CS CYC | CYC LX | Unverified · Output excluded |
| F091 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F092 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F093 | Unverified source fixture / CS Spot V | PLOTTED | Unverified · Output excluded |
| F094 | Unverified source fixture / CS Fresnel V | ADV1 | Unverified · Output excluded |
| F095 | Unverified source fixture / 25-50 CS Spot V | LX1 | Unverified · Output excluded |
| F096 | Unverified source fixture / CS Fresnel V | LX2 | Unverified · Output excluded |
| F097 | Unverified source fixture / CS Spot V | PLOTTED | Unverified · Output excluded |
| F098 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F099 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F100 | Unverified source fixture / CS Fresnel V | LX1 | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**

| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F101 | Unverified source fixture / CS Fresnel V | LX1 | Unverified · Output excluded |
| F102 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F103 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F104 | Unverified source fixture / CS Fresnel V | LX2 | Unverified · Output excluded |
| F105 | Unverified source fixture / CS Fresnel V | LX1 | Unverified · Output excluded |
| F106 | Unverified source fixture / CS Fresnel V | LX3 | Unverified · Output excluded |
| F107 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F108 | Unverified source fixture / CS Fresnel V | ADV1 | Unverified · Output excluded |
| F109 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F110 | Unverified source fixture / 15-30 CS Spot V | BR2 | Unverified · Output excluded |
| F111 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F112 | Unverified source fixture / CS Fresnel V | ADV1 | Unverified · Output excluded |
| F113 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F114 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F115 | Unverified source fixture / 25-50 CS Spot V | LX1 | Unverified · Output excluded |
| F116 | Unverified source fixture / CS Fresnel V | LX2 | Unverified · Output excluded |
| F117 | Unverified source fixture / CS PAR | PLOTTED | Unverified · Output excluded |
| F118 | Unverified source fixture / 2 Cell Blinder | PLOTTED | Unverified · Output excluded |
| F119 | Unverified source fixture / 15-30 CS Spot V | PLOTTED | Unverified · Output excluded |
| F120 | Unverified source fixture / 15-30 CS Spot V | BR1 | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**

| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F121 | Unverified source fixture / Tab Warmer | PLOTTED | Unverified · Output excluded |
| F122 | Unverified source fixture / Tab Warmer | PLOTTED | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**

HitLight

# VALIDATION APPENDIX

**WARNING · PATCH_WITHHELD**

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

**WARNING · MODE_UNVERIFIED**

DMX modes are unverified; output remains excluded.

Objects: F001–F122 · Remediation: review the source facts and regenerate.

**WARNING · FIXTURE_DISABLED**

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F122 · Remediation: review the source facts and regenerate.

**WARNING · TITLE_METADATA_INCOMPLETE**

Some professional title-block metadata is missing; the document will show an em dash.

Objects: c3d39c37eb8e0a288ae7e7c0 · Remediation: review the source facts and regenerate.

HitLight

# VENUE & DRAWING SOURCES

Epsom Playhouse

Main room · House rig

Epsom, GB

https://www.epsomplayhouse.co.uk/venue-hire/technical-information/information-main-auditorium

Sources checked 2026-11-03

Generated by HitLight from the reviewed partial Epsom Playhouse reconstruction. Venue sources are cited as facts; their original artwork remains private.

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Partial reconstruction from the venue’s lighting documentation; the currently installed rig and its complete fixture census are not verified.

ESTIMATED GEOMETRY: the documents give no complete scale or trim heights, so the stage size, fixture positions in metres and hanging heights are best-guess estimates, not measurements.

122 source-labelled fixture records retain unconfirmed exact catalogue identities or modes; their printed source names and labelled display substitutions remain unchanged.

Modes and DMX addresses are unverified best guesses; check them with the venue before driving real fixtures.

3 documented units are not shown because their positions are not drawn to scale or not located in the documents.

122 source-based records in this scenario display 120 approximate public catalogue housings and 2 labelled visual fallbacks. 30 existing display references now use their available approved bodies. Source identities, labelled donors, modes, patch and output exclusions remain unchanged; current installation and optics are unverified.

122 records display 120 approximate public catalogue housings or labelled donors and 2 visual fallbacks. 2 display references use newly authored generic flood/PAR class housings. These do not identify installed products or verify wattage, optics, native DMX, dimming, rigging or hardware. Original source, geometry, mode, patch and output-exclusion qualifications remain.

Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

Fixture plot original: https://www.epsomplayhouse.co.uk/sites/default/files/downloads/epsom-playhouse-standard-rig-tech-spec-v2-no-circuits.pdf · checked 2026-11-03

Published capacity 450 for Main theatre: https://www.epsomplayhouse.co.uk/venue-hire/technical-information/information-main-auditorium · checked 2026-11-03

Public venue page: https://www.hitlight.app/venues/united-kingdom/epsom-playhouse-c3d39c37

HitLight