
UPSTAGE ↑




**FIXTURE LEGEND**

- **Chauvet** Legend6500 RGBW — Moving Head · 10×
- **Chauvet** SlimPARPro — PAR Light · 8×
- **Elation** DesignSpot — Profile Spot · 3×
- **Elation** OptiPAR6CH — PAR Light · 12×
- **ETC SourceFour** — Profile Spot · 32×
- **Unresolved** fixture identity — PAR Light · 9×
- **Unresolved** fixture identity — Spot Light · 6×

Stage 20.00 m W × 14.00 m D · Grid 1 m



## South Portland Auditorium · Main room

**LIGHT PLOT · PLAN · Main room**

HitLight · South Portland Auditorium

637 Highland Avenue, South Portland, United States

**DWG HL · SCALE 1:100 · metric · PRINT AT 100%**

Drawn HitLight

Generated from the saved show

SOURCE 788ec87fbde8

# SYMBOL LEGEND

7 TYPES · 80 FIXTURES · COLOUR BY TYPE



**Unverified source fixture Chauvet Legend6500 RGBW**

Moving Head · Unverified · TBC ch · category symbol

**10 physical · 10 plotted**

10 disabled · 0 unplaced



**Unverified source fixture Chauvet SlimPARPro**

PAR Light · Unverified · TBC ch · category symbol

**8 physical · 8 plotted**

8 disabled · 0 unplaced



**Unverified source fixture Elation DesignSpot**

Profile Spot · Unverified · TBC ch · category symbol

**3 physical · 3 plotted**

3 disabled · 0 unplaced



**Unverified source fixture Elation OptiPAR6CH**

PAR Light · Unverified · TBC ch · category symbol

**12 physical · 12 plotted**

12 disabled · 0 unplaced



**Unverified source fixture ETC SourceFour**

Profile Spot · Unverified · TBC ch · category symbol

**32 physical · 32 plotted**

32 disabled · 0 unplaced



**Unverified source fixture Unresolved fixture identity**

PAR Light · Unverified · TBC ch · category symbol

**9 physical · 9 plotted**

9 disabled · 0 unplaced



**Unverified source fixture Unresolved fixture identity**

Spot Light · Unverified · TBC ch · category symbol

**6 physical · 6 plotted**

6 disabled · 0 unplaced



## South Portland Auditorium · Main room

SYMBOL LEGEND · Main room

HitLight · South Portland Auditorium

637 Highland Avenue, South Portland, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 788ec87fbde8

# GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

HitLight

# FIXTURE SCHEDULE



| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F001 | Unverified source fixture / Chauvet SlimPARPro | PLOTTED | Unverified · Output excluded |
| F002 | Unverified source fixture / Elation DesignSpot | PLOTTED | Unverified · Output excluded |
| F003 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F004 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F005 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F006 | Unverified source fixture / Chauvet SlimPARPro | PLOTTED | Unverified · Output excluded |
| F007 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F008 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F009 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F010 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F011 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F012 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F013 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F014 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F015 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F016 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F017 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F018 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F019 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F020 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**



## South Portland Auditorium · Main room

**FIXTURE SCHEDULE · Main room**

HitLight · South Portland Auditorium

637 Highland Avenue, South Portland, United States

**DWG HL · METRIC**

Drawn HitLight

Generated from the saved show

SOURCE 788ec87fbde8

| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F021 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F022 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F023 | Unverified source fixture / Elation DesignSpot | PLOTTED | Unverified · Output excluded |
| F024 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F025 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F026 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F027 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F028 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F029 | Unverified source fixture / Chauvet SlimPARPro | PLOTTED | Unverified · Output excluded |
| F030 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F031 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F032 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F033 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F034 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F035 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F036 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F037 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F038 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F039 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F040 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**

| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F041 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F042 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F043 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F044 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F045 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F046 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F047 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F048 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F049 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F050 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F051 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F052 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F053 | Unverified source fixture / Elation DesignSpot | PLOTTED | Unverified · Output excluded |
| F054 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F055 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F056 | Unverified source fixture / Chauvet SlimPARPro | PLOTTED | Unverified · Output excluded |
| F057 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F058 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F059 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F060 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**

# FIXTURE SCHEDULE · CONTINUED



| Fixture | Manufacturer / model | Position / mount | Mode / output |
|---|---|---|---|
| VISUAL PLANNING · DMX PATCH WITHHELD | | | |
| F061 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F062 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F063 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F064 | Unverified source fixture / Chauvet SlimPARPro | PLOTTED | Unverified · Output excluded |
| F065 | Unverified source fixture / Chauvet SlimPARPro | PLOTTED | Unverified · Output excluded |
| F066 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F067 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F068 | Unverified source fixture / Chauvet Legend6500 RGBW | PLOTTED | Unverified · Output excluded |
| F069 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F070 | Unverified source fixture / Chauvet SlimPARPro | PLOTTED | Unverified · Output excluded |
| F071 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F072 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F073 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F074 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F075 | Unverified source fixture / Chauvet SlimPARPro | PLOTTED | Unverified · Output excluded |
| F076 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F077 | Unverified source fixture / ETC SourceFour | PLOTTED | Unverified · Output excluded |
| F078 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |
| F079 | Unverified source fixture / Unresolved fixture identity | PLOTTED | Unverified · Output excluded |
| F080 | Unverified source fixture / Elation OptiPAR6CH | PLOTTED | Unverified · Output excluded |

**Planning reference only. Confirm installed modes and patch with the venue.**



## South Portland Auditorium · Main room

**FIXTURE SCHEDULE · Main room**

HitLight · South Portland Auditorium

637 Highland Avenue, South Portland, United States

**DWG HL · METRIC**

Drawn HitLight

Generated from the saved show

SOURCE 788ec87fbde8

# VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

ERROR · STAGE_DIMENSIONS_UNCONFIRMED

Confirm the stage dimensions before producing a final technical document.

Objects: Main room · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F080 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F080 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: d66db3c6d1e79b0b12788326 · Remediation: review the source facts and regenerate.

HitLight

# VENUE & DRAWING SOURCES

South Portland Auditorium

Main room · House rig

637 Highland Avenue, South Portland, ME, US

https://spauditorium.wixsite.com/auditorium/technical-information

Sources checked 2026-11-04

Generated by HitLight from the reviewed partial South Portland Auditorium reconstruction. Venue sources are cited as facts; their original artwork remains private.

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Fixture positions follow the venue’s published lighting plot; the currently installed rig is not verified.

Fixture heights are approximate; trim heights may differ from the drawing.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

80 source-based fixture records currently display 77 public catalogue housings and 3 visual fallbacks. Original source identities, modes, patch and output exclusions are unchanged.

Six unkeyed domed-lantern positions retain an explicit Colortran 6 Fresnel display guess; the source fixture type is unverified. Three source-labelled Elation DesignSpot positions retain Robe ColorSpot575AT donor profile references with unavailable public bodies. Their exact installed models and native controls remain unresolved.

Existing Colortran 6-inch/8-inch Fresnel / Source Four PAR references now use newly authored approximate public housings. Body details, lens shape and manual bracket pose are estimates. Native controls, fixtures and layout are unchanged. Other-make and unidentified source fixtures using a labelled mechanical donor remain substitutes; this update does not identify installed models, optics or lamp ratings, or establish hardware, clearance or photometric acceptance.

Approximate planning view; not official venue paperwork or output-ready. Original HitLight symbols only; no source pages, OEM meshes, photos or logos. Original files remain private; modes and patch unverified.

Fixture plot original; visually inspected page(s) 1. Freshness and reuse rights unconfirmed.: https://f6720358-f057-47d7-9835-9d98ad69ff6f.filesusr.com/ugd/163f0c_d0b2eb3b817540afaefdb6570a4bcd7



HitLight | hitlight.app

# VENUE & DRAWING SOURCES

6.pdf · checked 2026-11-03

Published capacity 790 for Main theatre.:
https://spauditorium.wixsite.com/auditorium/technical-information · checked 2026-11-03

Manufacturer reference, not venue-hang evidence: Manufacturer575Emanual; supports24CH hypothesis only, exact venue suffix unprinted.:
https://www.elationlighting.eu/mwdownloads/download/link/id/7788 · checked 2026-11-04

Manufacturer reference, not venue-hang evidence: ManufacturerOptiTriPARmanual; one plausible6CH OptiPAR variant, not exactvenue identification.:
https://www.elationlighting.eu/mwdownloads/download/link/id/5488 · checked 2026-11-04

Public venue page: https://www.hitlight.app/venues/united-states/south-portland-auditorium-d66db3c6

HitLight