
UPSTAGE ↑

FIXTURE LEGEND

- **6" Fresnellite** — Spot Light · 9×
- **Mini-Strip** — Other · 4×
- **S4 PAR** — PAR Light · 12×
- **SL 15/32** — ellipsoidal Profile Spot · 5×
- **SL 23/50** — ellipsoidal Profile Spot · 12×



Stage 12.50 m W × 15.00 m D · Grid 1 m

Sharon Lynne Wilson Center for the Arts · Dawes Studio Theater

LIGHT PLOT · PLAN · Dawes Studio Theater

HitLight · Sharon Lynne Wilson Center for the Arts
3270 Mitchell Park Drive, Brookfield, United States

DWG HL · SCALE 1:100 · metric · PRINT AT 100%
Drawn HitLight
Generated from the saved show
SOURCE 92160715c367

SYMBOL LEGEND

5 TYPES · 42 FIXTURES · COLOUR BY TYPE



Unverified source fixture 6" Fresnellite

Spot Light · Unverified · TBC ch · category symbol

9 physical · 9 plotted

9 disabled · 0 unplaced



Unverified source fixture Mini-Strip

Other · Unverified · TBC ch · category symbol

4 physical · 4 plotted

4 disabled · 0 unplaced



Unverified source fixture S4 PAR

PAR Light · Unverified · TBC ch · category symbol

12 physical · 12 plotted

12 disabled · 0 unplaced



Unverified source fixture SL 15/32 ellipsoidal

Profile Spot · Unverified · TBC ch · category symbol

5 physical · 5 plotted

5 disabled · 0 unplaced



Unverified source fixture SL 23/50 ellipsoidal

Profile Spot · Unverified · TBC ch · category symbol

12 physical · 12 plotted

12 disabled · 0 unplaced

Sharon Lynne Wilson Center for the Arts · Dawes Studio Theater

SYMBOL LEGEND · Dawes Studio Theater

HitLight · Sharon Lynne Wilson Center for the Arts

3270 Mitchell Park Drive, Brookfield, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 92160715c367

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Partial planning view; modes and patch unverified; output excluded.

HitLight

STAGE ELEMENTS

NAME	TYPE	POSITION	TRIM / SIZE
4th Electric	pipe	X -0.13 m · Z 3.66 m	5.00 m · 11.50 m W × 0.05 m D
1st Electric	pipe	X -0.13 m · Z -6.54 m	5.00 m · 11.50 m W × 0.05 m D
2nd Electric	pipe	X -0.13 m · Z -3.81 m	5.00 m · 11.50 m W × 0.05 m D
3rd Electric	pipe	X -0.13 m · Z 0.93 m	5.00 m · 11.50 m W × 0.05 m D

HitLight

Sharon Lynne Wilson Center for the Arts · Dawes Studio Theater

STAGE ELEMENTS · Dawes Studio Theater

HitLight · Sharon Lynne Wilson Center for the Arts

3270 Mitchell Park Drive, Brookfield, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 92160715c367

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / S4 PAR	3rd Electric	Unverified · Output excluded
F002	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F003	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F004	Unverified source fixture / SL 23/50 ellipsoidal	2nd Electric	Unverified · Output excluded
F005	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F006	Unverified source fixture / S4 PAR	2nd Electric	Unverified · Output excluded
F007	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F008	Unverified source fixture / S4 PAR	3rd Electric	Unverified · Output excluded
F009	Unverified source fixture / S4 PAR	3rd Electric	Unverified · Output excluded
F010	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F011	Unverified source fixture / SL 23/50 ellipsoidal	2nd Electric	Unverified · Output excluded
F012	Unverified source fixture / S4 PAR	2nd Electric	Unverified · Output excluded
F013	Unverified source fixture / S4 PAR	3rd Electric	Unverified · Output excluded
F014	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F015	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded
F016	Unverified source fixture / S4 PAR	2nd Electric	Unverified · Output excluded
F017	Unverified source fixture / S4 PAR	3rd Electric	Unverified · Output excluded
F018	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded
F019	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded
F020	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Sharon Lynne Wilson Center for the Arts · Dawes Studio Theater

FIXTURE SCHEDULE · Dawes Studio Theater

HitLight · Sharon Lynne Wilson Center for the Arts

3270 Mitchell Park Drive, Brookfield, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 92160715c367

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / SL 15/32 ellipsoidal	2nd Electric	Unverified · Output excluded
F022	Unverified source fixture / S4 PAR	3rd Electric	Unverified · Output excluded
F023	Unverified source fixture / S4 PAR	2nd Electric	Unverified · Output excluded
F024	Unverified source fixture / SL 15/32 ellipsoidal	2nd Electric	Unverified · Output excluded
F025	Unverified source fixture / SL 15/32 ellipsoidal	1st Electric	Unverified · Output excluded
F026	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F027	Unverified source fixture / SL 23/50 ellipsoidal	2nd Electric	Unverified · Output excluded
F028	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded
F029	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F030	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded
F031	Unverified source fixture / SL 15/32 ellipsoidal	2nd Electric	Unverified · Output excluded
F032	Unverified source fixture / 6" Fresnellite	1st Electric	Unverified · Output excluded
F033	Unverified source fixture / S4 PAR	2nd Electric	Unverified · Output excluded
F034	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded
F035	Unverified source fixture / S4 PAR	2nd Electric	Unverified · Output excluded
F036	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded
F037	Unverified source fixture / SL 15/32 ellipsoidal	2nd Electric	Unverified · Output excluded
F038	Unverified source fixture / SL 23/50 ellipsoidal	3rd Electric	Unverified · Output excluded
F039	Unverified source fixture / Mini-Strip	4th Electric	Unverified · Output excluded
F040	Unverified source fixture / Mini-Strip	1st Electric	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / Mini-Strip	1st Electric	Unverified · Output excluded
F042	Unverified source fixture / Mini-Strip	4th Electric	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

HitLight

Sharon Lynne Wilson Center for the Arts · Dawes Studio Theater

FIXTURE SCHEDULE · Dawes Studio Theater

HitLight · Sharon Lynne Wilson Center for the Arts

3270 Mitchell Park Drive, Brookfield, United States

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE 92160715c367

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F042 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F042 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: d956ad689e1bb0d907c3a59c · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Sharon Lynne Wilson Center for the Arts

Dawes Studio Theater · Published house plot

3270 Mitchell Park Drive, Brookfield, WI, US

https://static1.squarespace.com/static/5254a888e4b0d4767400360f/t/67b783e9586cf81ad1cc2f34/1740080106115/SLWCA%2BHarris%2BTheater%2BTechnical%2BFAQ.pdf

Sources checked 2026-11-03

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Partial reconstruction from the venue’s lighting documentation; the currently installed rig and its complete fixture census are not verified.

ESTIMATED GEOMETRY: the documents give no complete scale or trim heights, so the stage size, fixture positions in metres and hanging heights are best-guess estimates, not measurements.

42 source-based fixture records have 38 public catalogue housings and 4 visual fallbacks; their original printed source identities are retained, and exact installed identity and mode remain unconfirmed.

Modes and DMX addresses are unverified best guesses; check them with the venue before driving real fixtures.

Where plotted fixtures were closer together than their real bodies, some were moved by at most 10 cm along their bar; the plotted order is unchanged.

Exact available catalogue display bodies are restored through verified immutable references. Fixture identities, installed modes, patch and output verification are unchanged; original source qualifications remain authoritative.

42 source-based fixture records currently display 38 public catalogue housings and 4 visual fallbacks. Original source identities, modes, patch and output exclusions are unchanged.

Existing Source Four PAR / Colortran Fresnel profile references now display newly authored approximate public housings. Existing source identities and any other-maker mechanical substitutes remain labelled; installed optics, modes and patch are not verified.

Source makers are not printed for nine 6-inch Fresnellite positions and four MR16 Mini-Strip housings. Their labelled class or mechanical donors do not establish exact identity.

Twelve SL 23/50 and five SL 15/32 ellipsoidals have no printed maker; Strand SL remains an inference, with the original source zoom labels retained.

Partial planning view; modes and patch unverified; output excluded.

Fixture plot original: https://www.wilson-center.com/s/Dawes-Studio-Theater-Rep-Light-Plot.pdf · checked 2026-11-03

Published capacity 607 for Harris Theater: https://static1.squarespace.com/static/5254a888e4b0d4767400360f/t/67b783e9586cf81ad1cc2f34/1740080106115/SLWCA%2BHarris%2BTheater%2BTechnical%2BFAQ.pdf · checked 2026-11-03

Fixture plot original: https://www.wilson-center.com/s/Harris-Theater-Rep-Light-Plot.pdf · checked 2026-11-03

Published capacity 150 for Dawes Studio Theater: https://static1.squarespace.com/static/5254a888e4b0d4767400360f/t/66bb912cf430d606e9e1a865/1723568428688/Proposed%2B2024%2BSDE%2B%26%2BSLWC%2BPolicies%2Band%2BProcedures%2B--%2BFull%2BVersion.pdf · checked 2026-11-03

Public venue page: https://www.hitlight.app/venues/united-states/sharon-lynne-wilson-center-for-the-arts-d956ad68

HitLight | hitlight.app