
UPSTAGE



FIXTURE LEGEND

- **ACL** — PAR Light · 8×
- **ADJ Spot6Z Spot** (ADJ Focus 6Z) — Profile Spot · 8×
- **Beamz Pro BS1100** Blinderstrobe — Strobe · 8×
- **CLF Hera ledpar** — Moving Head · 2×
- **Fresnel 500 watt** — Spot Light · 3×
- **Front fresnel** 1000 watt — PAR Light · 8×
- **Martin ERA150** beamwash — Moving Head · 12×
- **Profile** (conventioneel) — Profile Spot · 1×
- **Stageblinder 2** — Other · 2×

Stage 12.50 m W × 15.00 m D · Grid 1 m

4 fixture labels omitted in this view due to crowding · see DMX patch

HitLight TECHNICAL LIGHTING REV ccc1de597029 · 1/10

Spot, De · Main hall

LIGHT PLOT · PLAN · Main hall

HitLight · Spot, De

Middelburg, Netherlands

DWG HL · SCALE 1:100 · metric · PRINT AT 100%

Drawn HitLight

Generated from the saved show

SOURCE d79e5515d05b

SYMBOL LEGEND

9 TYPES · 52 FIXTURES · COLOUR BY TYPE

Unverified source fixture ACL PAR Light · Unverified · TBC ch · category symbol	**8 physical · 8 plotted** 8 disabled · 0 unplaced
Unverified source fixture ADJ Spot6Z Spot (ADJ Focus 6Z) Profile Spot · Unverified · TBC ch · category symbol	**8 physical · 8 plotted** 8 disabled · 0 unplaced
Unverified source fixture Beamz Pro BS1100 Blinderstrobe Strobe · Unverified · TBC ch · category symbol	**8 physical · 8 plotted** 8 disabled · 0 unplaced
Unverified source fixture CLF Hera ledpar Moving Head · Unverified · TBC ch · category symbol	**2 physical · 2 plotted** 2 disabled · 0 unplaced
Unverified source fixture Fresnel 500 watt Spot Light · Unverified · TBC ch · category symbol	**3 physical · 3 plotted** 3 disabled · 0 unplaced
Unverified source fixture Front fresnel 1000 watt PAR Light · Unverified · TBC ch · category symbol	**8 physical · 8 plotted** 8 disabled · 0 unplaced
Unverified source fixture Martin ERA150 beamwash Moving Head · Unverified · TBC ch · category symbol	**12 physical · 12 plotted** 12 disabled · 0 unplaced
Unverified source fixture Profile (conventioneel) Profile Spot · Unverified · TBC ch · category symbol	**1 physical · 1 plotted** 1 disabled · 0 unplaced

Spot, De · Main hall

SYMBOL LEGEND · Main hall

HitLight · Spot, De

Middelburg, Netherlands

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE d79e5515d05b

Unverified source fixture Stageblinder 2

Other · Unverified · TBC ch · category symbol

2 physical · 2 plotted

2 disabled · 0 unplaced

HitLight

GENERAL NOTES

1. Source-based lighting plan. Confirm the current rig with the venue.
2. PARTIAL: included fixtures are not a full physical-unit census.
3. DMX PATCH WITHHELD: provisional or unchecked addresses are not published.
4. Partial planning view; modes and patch unverified; output excluded.

HitLight

STAGE ELEMENTS

NAME	TYPE	POSITION	TRIM / SIZE
LX 2	pipe	X 0.00 m · Z -0.40 m	3.80 m · 12.00 m W × 0.05 m D
LX 4	pipe	X 0.00 m · Z 3.67 m	3.80 m · 12.00 m W × 0.05 m D
LX 6	pipe	X 0.07 m · Z 6.76 m	4.00 m · 11.80 m W × 0.05 m D
LX 5	pipe	X 0.07 m · Z 5.13 m	4.00 m · 11.80 m W × 0.05 m D
LX 3	pipe	X 0.00 m · Z 1.40 m	3.80 m · 12.00 m W × 0.05 m D
LX 1	pipe	X 0.00 m · Z -2.15 m	3.80 m · 12.00 m W × 0.05 m D

HitLight

FIXTURE SCHEDULE

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F001	Unverified source fixture / Front fresnel 1000 watt	LX 5	Unverified · Output excluded
F002	Unverified source fixture / Martin ERA150 beamwash	LX 2	Unverified · Output excluded
F003	Unverified source fixture / ACL	PLOTTED	Unverified · Output excluded
F004	Unverified source fixture / ACL	PLOTTED	Unverified · Output excluded
F005	Unverified source fixture / ACL	PLOTTED	Unverified · Output excluded
F006	Unverified source fixture / Martin ERA150 beamwash	LX 2	Unverified · Output excluded
F007	Unverified source fixture / Beamz Pro BS1100 Blinderstrobe	LX 4	Unverified · Output excluded
F008	Unverified source fixture / Martin ERA150 beamwash	LX 1	Unverified · Output excluded
F009	Unverified source fixture / Beamz Pro BS1100 Blinderstrobe	LX 4	Unverified · Output excluded
F010	Unverified source fixture / Beamz Pro BS1100 Blinderstrobe	LX 1	Unverified · Output excluded
F011	Unverified source fixture / Fresnel 500 watt	LX 3	Unverified · Output excluded
F012	Unverified source fixture / ADJ Spot6Z Spot (ADJ Focus 6Z)	LX 1	Unverified · Output excluded
F013	Unverified source fixture / Beamz Pro BS1100 Blinderstrobe	LX 2	Unverified · Output excluded
F014	Unverified source fixture / Beamz Pro BS1100 Blinderstrobe	LX 2	Unverified · Output excluded
F015	Unverified source fixture / ACL	PLOTTED	Unverified · Output excluded
F016	Unverified source fixture / Martin ERA150 beamwash	LX 1	Unverified · Output excluded
F017	Unverified source fixture / CLF Hera ledpar	PLOTTED	Unverified · Output excluded
F018	Unverified source fixture / Front fresnel 1000 watt	LX 6	Unverified · Output excluded
F019	Unverified source fixture / ADJ Spot6Z Spot (ADJ Focus 6Z)	LX 2	Unverified · Output excluded
F020	Unverified source fixture / ADJ Spot6Z Spot (ADJ Focus 6Z)	LX 1	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Spot, De · Main hall

FIXTURE SCHEDULE · Main hall

HitLight · Spot, De

Middelburg, Netherlands

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE d79e5515d05b

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F021	Unverified source fixture / Fresnel 500 watt	LX 3	Unverified · Output excluded
F022	Unverified source fixture / Martin ERA150 beamwash	LX 2	Unverified · Output excluded
F023	Unverified source fixture / Martin ERA150 beamwash	LX 1	Unverified · Output excluded
F024	Unverified source fixture / ACL	PLOTTED	Unverified · Output excluded
F025	Unverified source fixture / Front fresnel 1000 watt	LX 5	Unverified · Output excluded
F026	Unverified source fixture / Martin ERA150 beamwash	LX 2	Unverified · Output excluded
F027	Unverified source fixture / Martin ERA150 beamwash	LX 1	Unverified · Output excluded
F028	Unverified source fixture / Front fresnel 1000 watt	LX 5	Unverified · Output excluded
F029	Unverified source fixture / Martin ERA150 beamwash	LX 1	Unverified · Output excluded
F030	Unverified source fixture / ACL	PLOTTED	Unverified · Output excluded
F031	Unverified source fixture / Martin ERA150 beamwash	LX 1	Unverified · Output excluded
F032	Unverified source fixture / Profile (conventioneel)	LX 6	Unverified · Output excluded
F033	Unverified source fixture / Front fresnel 1000 watt	LX 6	Unverified · Output excluded
F034	Unverified source fixture / ACL	PLOTTED	Unverified · Output excluded
F035	Unverified source fixture / Beamz Pro BS1100 Blinderstrobe	LX 1	Unverified · Output excluded
F036	Unverified source fixture / ADJ Spot6Z Spot (ADJ Focus 6Z)	LX 1	Unverified · Output excluded
F037	Unverified source fixture / CLF Hera ledpar	PLOTTED	Unverified · Output excluded
F038	Unverified source fixture / Front fresnel 1000 watt	LX 6	Unverified · Output excluded
F039	Unverified source fixture / Beamz Pro BS1100 Blinderstrobe	LX 4	Unverified · Output excluded
F040	Unverified source fixture / ADJ Spot6Z Spot (ADJ Focus 6Z)	LX 2	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

Spot, De · Main hall

FIXTURE SCHEDULE · Main hall

HitLight · Spot, De

Middelburg, Netherlands

DWG HL · METRIC

Drawn HitLight

Generated from the saved show

SOURCE d79e5515d05b

FIXTURE SCHEDULE · CONTINUED

Fixture	Manufacturer / model	Position / mount	Mode / output
VISUAL PLANNING · DMX PATCH WITHHELD			
F041	Unverified source fixture / Beamz Pro BS1100 Blinderstrobe	LX 1	Unverified · Output excluded
F042	Unverified source fixture / Front fresnel 1000 watt	LX 6	Unverified · Output excluded
F043	Unverified source fixture / Martin ERA150 beamwash	LX 2	Unverified · Output excluded
F044	Unverified source fixture / Martin ERA150 beamwash	LX 2	Unverified · Output excluded
F045	Unverified source fixture / ADJ Spot6Z Spot (ADJ Focus 6Z)	LX 1	Unverified · Output excluded
F046	Unverified source fixture / ADJ Spot6Z Spot (ADJ Focus 6Z)	LX 2	Unverified · Output excluded
F047	Unverified source fixture / ADJ Spot6Z Spot (ADJ Focus 6Z)	LX 2	Unverified · Output excluded
F048	Unverified source fixture / ACL	PLOTTED	Unverified · Output excluded
F049	Unverified source fixture / Fresnel 500 watt	LX 3	Unverified · Output excluded
F050	Unverified source fixture / Front fresnel 1000 watt	LX 5	Unverified · Output excluded
F051	Unverified source fixture / Stageblinder 2	LX 4	Unverified · Output excluded
F052	Unverified source fixture / Stageblinder 2	LX 4	Unverified · Output excluded

Planning reference only. Confirm installed modes and patch with the venue.

VALIDATION APPENDIX

WARNING · PATCH_WITHHELD

DMX patch facts are withheld pending source verification. This planning document cannot be used for hardware output.

Objects: — · Remediation: review the source facts and regenerate.

WARNING · MODE_UNVERIFIED

DMX modes are unverified; output remains excluded.

Objects: F001–F052 · Remediation: review the source facts and regenerate.

WARNING · FIXTURE_DISABLED

Fixtures are disabled for this visual planning reconstruction.

Objects: F001–F052 · Remediation: review the source facts and regenerate.

WARNING · TITLE_METADATA_INCOMPLETE

Some professional title-block metadata is missing; the document will show an em dash.

Objects: eb8f20b19d6387b69383bcd4 · Remediation: review the source facts and regenerate.

HitLight

VENUE & DRAWING SOURCES

Spot, De

Main hall · Published house plot

Middelburg, NL

https://despotmiddelburg.nl/over-ons/techniek

Sources checked 2026-11-03

Symbols: HitLight-owned category artwork. No manufacturer model geometry or original source pages included.

Partial reconstruction from the venue’s lighting documentation; the currently installed rig and its complete fixture census are not verified.

ESTIMATED GEOMETRY: the documents give no complete scale or trim heights, so the stage size, fixture positions in metres and hanging heights are best-guess estimates, not measurements.

52 source-labelled fixture records retain unconfirmed exact catalogue identities or modes; their printed source names and labelled display substitutions remain unchanged.

Modes and DMX addresses are unverified best guesses; check them with the venue before driving real fixtures.

52 source-based records in this scenario display 42 approximate public catalogue housings and 10 labelled visual fallbacks. 8 existing display references now use their available approved bodies. Source identities, labelled donors, modes, patch and output exclusions remain unchanged; current installation and optics are unverified.

Partial planning view; modes and patch unverified; output excluded.

Huisrider.pdf: https://despotmiddelburg.nl/sites/default/files/2026-09/Huisrider_0.pdf · checked 2026-10-19

Official venue technical page: https://despotmiddelburg.nl/over-ons/techniek · checked 2026-10-19

Huisrider.pdf: https://despotmiddelburg.nl/sites/default/files/2026-09/Huisrider.pdf · checked 2026-10-19

Official venue/technical source page: https://despotmiddelburg.nl/techniek · checked 2026-11-03

Public venue page: https://www.hitlight.app/venues/netherlands/spot-de-eb8f20b1

HitLight